

References

- ANSI (American National Standards Institute). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI. 1995. Bioacoustical terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- ANSI. 2005. Measurement of sound pressure levels in air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.
- Balmer, B.C., R.S. Wells, S.M. Nowacek, D.P. Nowacek, L.H. Schwacke, W.A. McLellan, et al. 2008. Seasonal abundance and distribution patterns of common bottlenose dolphins (*Tursiops truncatus*) near St. Joseph Bay, Florida, USA. *Journal of Cetacean Research and Management* **10** (2):157-167.
- Blackstock, S.A., J.O. Fayton, P.H. Hulton, T.E. Moll, K.K. Jenkins, S. Kotecki, et al. 2017. Quantifying Acoustic Impacts on Marine Mammals and Sea Turtles: Methods and Analytical Approach for Phase III Training and Testing. Naval Undersea Warfare Center Division Newport United States.
- Caldwell, M. 2001. Social and genetic structure of bottlenose dolphin (*Tursiops truncatus*) in Jacksonville, Florida. Ph.D. dissertation. University of Miami: 143.
- Curry, B.E. and J. Smith. 1997. Phylogeographic structure of the bottlenose dolphin (*Tursiops truncatus*): Stock identification and implications for management. Pages 227-247 in A. E. Dizon, S. J. Chivers and W. F. Perrin, eds. *Molecular Genetics of Marine Mammals*. Society for Marine Mammalogy.
- DoN (Department of the Navy). 2017. U.S. Navy Marine Species Density Database Phase III for the Hawaii-Southern California Training and Testing Study Area. Pearl Harbor, HI: Naval Facilities Engineering Command Pacific: 274.
- Duffield, D.A., S.H. Ridgway and L.H. Cornell. 1983. Hematology distinguishes coastal and offshore forms of dolphins (*Tursiops*). *Canadian Journal of Zoology* **61** (4):930-933.
- Finneran, J.J., and A.K. Jenkins. 2012. Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.
- Gannon, D.P. 2003. Behavioral ecology of an acoustically mediated predator-prey system: Bottlenose dolphins and sciaenid fishes. Ph.D. Dissertation, Duke University, Durham, NC.

- Garrison, L.P., P.E. Rosel, A.A. Hohn, R. Baird, and W. Hoggard. 2003. Abundance of the coastal morphotype of bottlenose dolphin *Tursiops truncatus*, in U.S. continental shelf waters between New Jersey and Florida during winter and summer 2002. Southeast Fisheries Science Center: 135.
- Garrison, L.P., P.E. Rosel, A.A. Hohn, R. Baird and W. Hoggard. 2016. Abundance of the coastal morphotype of bottlenose dolphin *Tursiops truncatus*, in U.S. continental shelf waters between New Jersey and Florida during winter and summer 2002. PRBD-2017-03, National Marine Fisheries Service: 135.
- Garrison, L.P., K. Barry and W. Hoggard. 2017a. The abundance of coastal morphotype bottlenose dolphins on the U.S. east coast: 2002-2016. PRBD-2017-01, National Marine Fisheries Service: 43.
- Garrison, L.P., A.A. Hohn and L.J. Hansen. 2017b. Seasonal movements of Atlantic common bottlenose dolphin stocks based on tag telemetry data. PRBD-2017-02, National Marine Fisheries Service.
- Goertner, J.F. 1982. Prediction of underwater explosion safe ranges for sea mammals. NSWC TR 82-188, Naval Surface Weapons Center.
- Goodman, M., J. Braun-McNeill, E. Davenport, and A.A. Hohn. 2007. Protected species aerial survey data collection and analysis in waters underlying the R-5306A Airspace: Final report submitted to US Marine Corps, MCAS Cherry Point.
- Goodman Hall, A., J. Braun McNeill, P.B. Conn, E. Davenport, and A.A. Hohn. 2013. Seasonal co-occurrence of sea turtles, bottlenose dolphins, and commercial gill nets in southern Pamlico and northern Core Sounds, and adjacent coastal waters of North Carolina, USA. *Endangered Species Research* **22** (3):235-249.
- Greene, C.R., and W.J. Richardson. 1988. Characteristics of marine seismic survey sounds in the Beaufort Sea. *Journal of the Acoustical Society of America* **83** (6):2246-2254.
- Harris, C.M. (ed.). 1998. *Handbook of Acoustical Measurements and Noise Control*. Acoustical Society of America, Woodbury, NY.
- Hastings, M.C. and A.N. Popper. 2005. Effects of sound on fish. Prepared by Jones & Stokes for the California Department of Transportation: 82.
- Hayes, S.A., E. Josephson, K. Maze-Foley, P.E. Rosel, B. Byrd, S. Chavez-Rosales, et al. 2018. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2017. NOAA Technical Memorandum NMFS-NE-245, National Marine Fisheries Service: 371.

- Hersh, S.L. and D.A. Duffield. 1990. Distinction between northwest Atlantic offshore and coastal bottlenose dolphins based on hemoglobin profile and morphometry. Pages 129-139 in S. Leatherwood and R. R. Reeves, eds. *The Bottlenose Dolphin*. Academic Press, San Diego.
- Hoelzel, A.R., C.W. Potter and P.B. Best. 1998. Genetic differentiation between parapatric 'nearshore' and 'offshore' populations of the bottlenose dolphin. *Proceedings of the Royal Society B: Biological Sciences* **265** (1402): 1177-1183.
- ISO (International Organization for Standardization). 2003. Acoustics – Description, measurement and assessment of environmental noise – Part 1: Basic quantities and assessment procedures (ISO 1996-1:2003(E)). International Organization for Standardization, Geneva.
- Ketten, D.R., J. Lien, and S. Todd. 1993. Blast injury in humpback whale ears: Evidence and implications. *Journal of the Acoustical Society of America* 94 (3 Part 2):1849-1850.
- LaBrecque, E., C. Curtice, J. Harrison, S.M. Van Parijs, and P.N. Halpin. 2015. Biologically important areas for cetaceans within U.S. waters: East coast region. *Aquatic Mammals* **41** (1):17-29.
- Litz, J.A., C.R. Hughes, L.P. Garrison, L.A. Fieber and P.A. Rosel. 2012. Genetic structure of common bottlenose dolphins (*Tursiops truncatus*) inhabiting adjacent South Florida estuaries – Biscayne Bay and Florida Bay. *Journal of Cetacean Research and Management* **12** (1): 107-117.
- Maher, J. 2003. Characterization of bottlenose dolphin (*Tursiops truncatus*) use of restricted areas in the Pamlico Sound, NC. Masters, Duke University, Durham, NC.
- Mazzoil, M., J.S. Reif, M. Youngbluth, M.E. Murdoch, S.E. Bechdel, E. Howells, et al. 2008. Home ranges of bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida: Environmental correlates and implications for management strategies. *EcoHealth* **5** (3):278-288.
- McLellan, W.A., A.S. Friedlaender, J.G. Mead, C.W. Potter, and D.A. Pabst. 2002. Analysing 25 years of bottlenose dolphin (*Tursiops truncatus*) strandings along the Atlantic coast of the USA: Do historic records support the coastal migratory stock hypothesis? *Journal of Cetacean Research and Management* **4** (3):297-304.
- Mead, J.G. and C.W. Potter. 1995. Recognizing two populations of the bottlenose dolphin (*Tursiops truncatus*) off the Atlantic coast of North America: Morphologic and ecologic considerations. *International Biological Research Institute Reports* **5**: 31-43.
- Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.

- NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.
- NMFS (National Marine Fisheries Service). 2018. 2018 revision to: Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (Version 2.0). NOAA Technical Memorandum NMFS-OPR-59, National Marine Fisheries Service: 178.
- Read, A.J., K.W. Urrian, B. Wilson, and D.M. Waples. 2003. Abundance of bottlenose dolphins in the bays, sounds, and estuaries of North Carolina. *Marine Mammal Science* **19** (1):59-73.
- Read, A., K. Urrian, and D. Waples. 2003a. Monitoring bottlenose dolphin use of the Brant Island Shoal Bombing Target (BT-9) and the Piney Island Bombing Range (BT-11) and adjacent waters; October-December 2002. Progress report prepared for MCAS Cherry Point by Duke University Marine Laboratory.
- Read, A., K. Urrian, and D. Waples. 2003b. Monitoring bottlenose dolphin use of the Brant Island Shoal Bombing Target (BT-9) and the Piney Island Bombing Range (BT-11) and adjacent waters; January-March 2003. Progress report prepared for MCAS Cherry Point by Duke University Marine Laboratory.
- Read, A.J. 2007. Real-time acoustic monitoring of bottlenose dolphins in and around the Brant Island Shoal Bombing Target (BT-9) and the Piney Island Bombing Range (BT-11). Pre-Proposal to Environmental Affairs Division, Cherry Point MCAS. Durham, NC: Duke University Marine Laboratory. 3 pp.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California.
- Richmond, D.R., J.T. Yelverton, and R. Fletcher. 1973. Far-field underwater blast injuries produced by small charges. Prepared by the Lovelace Foundation for Defense Nuclear Agency.
- Rosel, P.E., L. Hansen and A.A. Hohn. 2009. Restricted dispersal in a continuously distributed marine species: Common bottlenose dolphins *Tursiops truncatus* in coastal waters of the western North Atlantic. *Molecular Ecology* **18** (24): 5030-5045.
- Scott, G.P., D.M. Burn, and L.J. Hansen. 1988. The dolphin dieoff: Long-term effects and recovery of the population. Pages 819-823 *in* OCEANS '88. A Partnership of Marine Interests. Proceedings.
- Scott, M.D., R.S. Wells, and A.B. Irvine. 1990. A long-term study of bottlenose dolphins on the west coast of Florida. Pages 235-244 *in* S. Leatherwood and R.R. Reeves, eds. *The Bottlenose Dolphin*. Academic Press, San Diego.

- Speakman, T., E. Zolman, J. Adams, R.H. Defran, D. Laska, L. Schwacke, et al. 2006. Temporal and spatial aspects of bottlenose dolphin occurrence in coastal and estuarine waters near Charleston, South Carolina. NOAA Technical Memorandum NOS NCCOS 37, National Ocean Service: 55.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals* **33** (4):411-521.
- Southall, B.L., J.J. Finneran, C. Reichmuth, P.E. Nachtigall, D.R. Ketten, A.E. Bowles, et al. 2019. Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals* **45** (2):125-232.
- Stolen, M.K., W.N. Durden, and D.K. Odell. 2007. Historical synthesis of bottlenose dolphin (*Tursiops truncatus*) stranding data in the Indian River Lagoon System, Florida, from 1977-2005. *Florida Scientist* **70** (1):45-54.
- Urian, K.W., D.M. Waples, R.B. Tyson, L.E.W. Hodge, and A.J. Read. 2013. Abundance of bottlenose dolphins (*Tursiops truncatus*) in estuarine and near-shore waters of North Carolina, USA. *Journal of the North Carolina Academy of Science* **129** (4):165-171.
- Urick, R.J. 1983. *Principles of Underwater Sound*. Peninsula Publishing, Los Altos, CA.
- U.S. Department of the Navy. 2001. Final Environmental Impact Statement, Shock Trial of the Winston S. Churchill (DDG 81). Washington, DC. Department of the Navy. Naval Sea Systems Command.
- Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of Acoustics, Volume III*. John Wiley & Sons, New York.
- Wartzok, D. and D.R. Ketten. 1999. Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.
- Wells, R.S., M.D. Scott, and A.B. Irvine. 1987. The social structure of free-ranging bottlenose dolphins. Pages 247-305 in H.H. Genoways, ed. *Current Mammalogy, Vol. 1*. Plenum Press, New York.
- Wells, R.S., K.W. Urian, A.J. Read, M.K. Bassos, W.J. Carr, and M.D. Scott. 1996. Low-level monitoring of bottlenose dolphins, *Tursiops truncatus*, in Tampa Bay, Florida 1988-1993. NOAA Technical Memorandum NMFS-SEFSC-385, National Marine Fisheries Service: 115.

Zolman, E.S. 2002. Residence patterns of bottlenose dolphins (*Tursiops truncatus*) in the Stono River estuary, Charleston County, South Carolina, USA. *Marine Mammal Science* **18** (4):879-892.