

REFERENCES – GOA TMAA Final Rule

- Andrews, R., & Matkin, C. (2014). Abstract: Habitat Utilization and Dive Behavior of Resident Fish-Eating Killer Whales in Coastal and Offshore Waters of the Gulf of Alaska. Presented at the 20-24 January 2014 Alaska Marine Science Symposium, Anchorage, AK, 2014.
- Angliss, R.P., & Allen, B.M. (2009). Alaska marine mammal stock assessments, 2008. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Alaska Fisheries Science Center, NOAA Technical Memorandum, TM-NMFS-AFSC-193.
- Baird, R.W., Webster, D. L., Schorr, G. S., Aschettino, J. M., Gorgone, A. M., & Mahaffy, S. D. (2012). "Movements and Spatial Use of Odontocetes in the Western Main Hawaiian Islands: Results from Satellite-Tagging and Photo-Identification off Kauai and Niihau in July/August 2011". Technical Report: NPS-OC-12-003CR; <http://hdl.handle.net/10945/13855>
- Baird, R.W., Martin, S.W., Webster, D.L., & Southall, B.L. (2014). Assessment of Modeled Received Sound Pressure Levels and Movements of Satellite-Tagged Odontocetes Exposed to Mid-Frequency Active Sonar at the Pacific Missile Range Facility: February 2011 Through February 2013. Prepared for U.S. Pacific Fleet, submitted to NAVFAC PAC by HDR Environmental, Operations and Construction, Inc.
- Barlow, J., Calambokidis, J., Falcone, E., Baker, C., Burdin, A., Clapham, P., & Yamaguchi, M. (2011). Humpback whale abundance in the North Pacific estimated by photographic capture-recapture with bias correction from simulation studies. *Marine Mammal Science*, 0-0. 10.1111/j.1748-7692.2010.00444.x
- Baumann-Pickering, S., Baldwin, L. K., Simonis, A. E., Roche, M. A., Melcon, M. L., Hildebrand, J. A., Oleson, E. M., Baird, R. W., Schorr, G. S., Webster, D. L., & McSweeney, D. J. (2010). Characterization of Marine Mammal Recordings from the Hawaii Range Complex. Naval Postgraduate School, NPS-OC-10-004CR.
- Baumann-Pickering, S., Simonis, A.E., Roch, M.A., McDonald, M.A., Solsona-Berga, A., Oleson, E.M., Wiggins, S.M., Brownell, R.L., Jr., & Hildebrand, J.A. (2012a). "Spatio-temporal patterns of beaked whale echolocation signals in the North Pacific. 2012 Marine Mammal & Biology Program Review, Office of Naval Research. Available at: <http://www.onr.navy.mil/Science-Technology/Departments/Code-32/All-Programs/Atmosphere-Research-322/~media/Files/32/MMB-Program-Review-2012.ashx>.
- Baumann-Pickering, S., Širović, A., Hildebrand, J., Debich, A., Gottlieb, R., Johnson, S., Kerosky, S., Roche, L., Berga, A. S., Wakefield, L., & Wiggins, S. (2012b). Passive Acoustic Monitoring for Marine Mammals in the Gulf of Alaska Temporary Maritime Activities Area 2011-2012. Marine Physical Laboratory, Scripps Institute of Oceanography. MPL Technical Memorandum # 538.
- Baumann-Pickering, S., McDonald, M.A., Simonis, A. E., Solsona-Berga, A., Merckens, K.P.B., Oleson, E. M., Roche, M.A., Wiggins, S.M., Rankin, S., Yack, T.M., & Hildebrand, J. A. (2013). Species-specific beaked whale echolocation signals. *Journal of the Acoustical Society of America* 134(3): 2293–2301.
- Baumann-Pickering, S., Roch, M.A., Brownell Jr, R.L., Simonis, A.E., McDonald, M.A., Solsona-Berga, A., Oleson, E.M., Wiggins, S.M., & Hildebrand, J.A. (2014). Spatio-Temporal Patterns of Beaked Whale Echolocation Signals in the North Pacific. *PLoS ONE* 9(1): e86072. doi:10.1371/journal.pone.0086072.

- Berman-Kowalewski, M., Gulland, F. M. D., Wilkin, S., Calambokidis, J., Mate, B., Cordaro, J., & Dover, S. (2010). Association Between Blue Whale (*Balaenoptera musculus*) Mortality and Ship Strikes Along the California Coast. *Aquatic Mammals*, 36(1), 59-66. doi: 10.1578/am.36.1.2010.59.
- Blackwell, S. B., Lawson, J. W., & Williams, M. T. (2004). Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *Journal of the Acoustical Society of America* 115(5, Pt. 1): 2346-2357.
- Brownlow, A., Baily, J., Dagleish, M., Deaville, R., Foster, G., Jensen, S., Krupp, E., Law, R., Penrose, R., Perkins, M., Read, F., and Jepson, P. 2015. Investigation into the long-finned pilot whale mass stranding event, Kyle of Durness, 22nd July 2011. Scottish Marine Animal Stranding Scheme.
- Calambokidis, J., Falcone, E.A., Quinn, T.J., Burdin, A.M., Clapham, P.J., Ford, J.K.B., Gabriele, C.M., LeDuc, R., Mattila, D., Rojas-Bracho, L., Straley, J.M., Taylor, B.L., Urbán, J. R., Weller, D., Witteveen, B.H., Yamaguchi, M., Bendline, A., Camacho, D., Flynn, K., Havron, A., Huggins, J., Maloney, N., Barlow, J., & Wade, P.R. (2008). SPLASH: Structure of Populations, Levels of Abundance and Status of Humpback whales in the North Pacific. Final report for Contract AB133F-03-RP-00078. Prepared by: Cascadia Research Collective for U.S. Dept of Commerce. May 2008.
- Carretta, J.V., Oleson, E., Weller, D.W., Lang, A.R., Forney, K.A., Baker, J., Hanson, B., Martien, K., Muto, M.M., Lowry, M.S., Barlow, J., Lynch, D., Carswell, L., Brownell Jr, J.R., Mattila, D.K., & Hill, M. C. (2014). Draft U.S. Pacific Marine Mammal Stock Assessments: 2013. U.S. Department of Commerce, NOAA Technical Memorandum, NMFS-SWFSC-532.
- Carretta, J.V., E. Oleson, D.W. Weller, A.R. Lang, K.A. Forney, J. Baker, M.M. Muto, B. Hanson, K., Orr, H. Huber, M.S. Lowry, J. Barlow, J. Moore, D. Lynch, L. Carswell, & R.L. Brownell Jr. (2015). U.S. Pacific Marine Mammal Stock Assessments: 2014. U.S. Department of Commerce, NOAA Technical Memorandum, NMFS-SWFSC-549.
- Claridge, D.E. (2013). Population ecology of Blainville's beaked whales. Dissertation, University of Aberdeen, Scotland. 312 p.
- Claridge, D. & Durban, J. (2009). Abundance and movement patterns of Blainville's beaked whales at the Atlantic undersea test and evaluation center (AUTEK). Presented at the 7-10 December 2009 ONR Marine Mammal Program Review, Alexandria, VA.
- Costa, D. P., Crocker, D. E., Gedamke, J., Webb, P. M., Houser, D. S., Blackwell, S. B., Waples, D., Hayes, S. A., & Le Boeuf, B. J. (2003). The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *Journal of the Acoustical Society of America*, 113, 1155-1165.
- Costa, D. P. & Block, B. (2009). Use of electronic tag data and associated analytical tools to identify and predict habitat utilization of marine predators. In *Marine Mammals & Biological Oceanography Annual Reports: FY09*. (pp. 9) Office of Naval Research.
- Cox, T., Ragen, T., Read, A., Vox, E., Baird, R., Balcomb, K., Barlow, J., Caldwell J., Cranford, T., Crum, L., D'Amico, A., D'Spain, G., Fernandez, A., Finneran, J., Gentry, R., Gerth, W., Gulland, F., Hildebrand, J., Houser, D., Hullar, T., Jepson, P., Ketten, D., MacLeod, C., Miller, P., Moore, S., Mountain, D., Palka, D., Ponganis, P., Rommel, S., Rowles, T., Taylor, B., Tyack, P., Wartzok, D., Gisiner, R., Mead J., &

- Benner, L. (2006). Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management*, 7(3), 177-187.
- Cranford, T. W., & Krysl, P. (2015). Fin Whale Sound Reception Mechanisms: Skull Vibration Enables Low-Frequency Hearing. *PLoS ONE* 10(1):e0116222. doi:10.1371/journal.pone.0116222; 19 pages.
- Croll, D. A., Clark, C. W., Calambokidis, J., Ellison, W. T., & Tershy, B. R. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of Balaenoptera whales. *Animal Conservation*, 4(PT1), 13-27.
- Debich, A.J., Baumann-Pickering, S., Širović, A., Hildebrand, J., Buccowich, J.S., Gottlieb, R.S., Jackson, A.N., Johnson, S.C., Roche, L., Trickey, J.T., Thayer, B., Wakefield, L., & Wiggins, S.M. (2013). Passive Acoustic Monitoring for Marine Mammals in the Gulf of Alaska Temporary Maritime Activities Area 2012-2013. MPL Technical Memorandum # 546, Marine Physical Laboratory, Scripps Institution of Oceanography, University of California San Diego, La Jolla, CA.
- Debich, A.J., Baumann-Pickering, S., Širović, A., Hildebrand, J., Buccowich, J.S., Gottlieb, R.S., Jackson, A.N., Johnson, S.C., Roche, L., Trickey, J.T., Thayer, B., Wakefield, L., & Wiggins, S.M. (2014). Passive Acoustic Monitoring for Marine Mammals in the Gulf of Alaska Temporary Maritime Activities Area 2013-2014. MPL Technical Memorandum # 549, November 2014, Marine Physical Laboratory, Scripps Institution of Oceanography, University of California San Diego, La Jolla, CA.
- Defence Science and Technology Laboratory. (2007). Observations of marine mammal behaviour in response of active sonar D.S.a.T. Laboratory (Ed.). UK: Ministry of Defence.
- De Ruiter, S.L., Southall, B.L., Calambokidis, J., Zimmer, W.M.X., Sadykova, D., Falcone, E.A., Friedlaender, A.S., Joseph, J.E., Moretti, D., Schorr, G.S., Thomas, L., & Tyack, P.L. (2013a). First direct measurements of behavioural responses by Cuvier's beaked whales to mid-frequency active sonar. *Biology Letters*, 9(4):1-5.
- De Ruiter, S.L., Boyd, I.L., Claridge, D.E., Clark, C.W., Gagnon, C., Southall, B.L., & Tyack, P.L. (2013b). Delphinid whistle production and call matching during playback of simulated military sonar. *Marine Mammal Science* 29(2): E46-E59.
- Essington, T., Klinger, T., Conway-Cranos, T., Buchanan, J., James, A., Kershner, J., Logan, I., and West, J. 2016. The Biophysical Condition of Puget Sound: Biology. *Puget Sound Science Review*. <https://www.eopugetsound.org/science-review/puget-sound-science-review>
- Evans, P. G. H., Carons, Q., Fisher, P., Jordan, W., Limer, R., & Rees, I. (1994). A study of the reactions of harbour porpoises to various boats in the coastal waters of southeast Shetland. *European Research on Cetaceans*, 8, 60-64.
- Falcone, E. A., Schorr, G. S., Douglas, A. B., Calambokidis, J., Henderson, E., McKenna, M. F., Hildebrand, J., & Moretti, D. (2009). Sighting characteristics and photo-identification of Cuvier's beaked whales (*Ziphius cavirostris*) near San Clemente Island, California: A key area for beaked whales and the military? *Marine Biology*, 156, 2631-2640.
- Falcone, E.A. & Schorr, G. S. (2012). Distribution and Demographics of Marine Mammals in SOCAL through Photo-Identification, Genetics, and Satellite Telemetry: A summary of surveys conducted 15 June 2010 – 24 June 2011. Navy Postgraduate School Report NPS-OC-11-005CR.

- Falcone, E.A. & Schorr, G. S. (2014). Distribution and Demographics of Marine Mammals in SOCAL through Photo-Identification, Genetics, and Satellite Telemetry: A summary of surveys conducted 1 July 2012 – 30 June 2013. Prepared by Cascadia Research Collective, Olympia, WA for Naval Postgraduate School, Monterey, CA. report NPS-OC-14-002CR, March 7, 2014. 44 pages.
- Fearnbach, H., Durban, J.W., Ellifrit, D.K., Waite, J.M., Matkin, C.O., Lunsford, C.R., Peterson, M.J., Barlow, J., and Wade, P.R. 2013. Marine Biology. DOI 10.1007/s00227-013-2351-0.
- Ferguson, M.C., Curtice, C., & Harrison, J. (2015b). Biologically Important Areas for Cetaceans Within U.S. Waters – Gulf of Alaska Region. Aquatic Mammals 41(1), 65-78, DOI 10.1578/AM.41.1.2015.65; 14 pages.
- Finneran, J. J. (2012). “Auditory effects of underwater noise in odontocetes,” in The Effects of Noise on Aquatic Life, edited by A. N. Popper and A. Hawkins (Springer, New York), pp. 197-202.
- Finneran, J. J. (2015). Technical Report: Auditory weighting functions and TTS/PTS Exposure Functions for TAP Phase 3 Acoustic Effects Analyses. SPAWAR Systems Center Pacific, San Diego, CA. Manuscript on file, 64 pages.
- Finneran, J. J. & Jenkins, A. K. (2012). Criteria and Thresholds for U.S. Navy Acoustic and Explosive Effects Analysis, Department of Navy, San Diego, CA.
- Finneran, J. J. & Schlundt, C. E. (2004). Effects of intense pure tones on the behavior of trained odontocetes [Technical Report]. (Vol. TR 1913). San Diego, CA: SSC San Diego.
- Finneran, J. J. & Schlundt, C. E. (2009). Auditory Weighting Functions and Frequency-Dependent Effects of Sound in Bottlenose Dolphins (*Tursiops truncatus*). Alexandria, Virginia, 2009 ONR Marine Mammal Program Review.
- Finneran, J. J. & Schlundt, C. E. (2010). Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). Journal of the Acoustical Society of America, 128(2), 567-570. 10.1121/1.3458814.
- Finneran, J. J. & Schlundt, C. E. (2011). Subjective loudness level measurements and equal loudness contours in a bottlenose dolphin (*Tursiops truncatus*). Journal of the Acoustical Society of America (in review).
- Finneran, J. J. & Schlundt, C. E. (2013). Effects of fatiguing tone frequency on temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*), J. Acoustical Society of America. 133, 1819-1826.
- Finneran, J. J., Schlundt, C. E., Dear, R., Carder, D. A., & Ridgway, S. H. (2002). Temporary Shift in Masked Hearing Thresholds in Odontocetes After Exposure to Single Underwater Impulses from a Seismic Watergun. Journal of the Acoustical Society of America, 111(6), 2929-2940.
- Finneran, J. J., Carder, D. A., Schlundt, C. E., & Dear, R. L. (2010a). Growth and recovery of temporary threshold shift at 3 kHz in bottlenose dolphins: Experimental data and mathematical models. Journal of the Acoustical Society of America, 127(5), 3256–3266.
- Finneran, J. J., Carder, D. A., Schlundt, C. E. & Dear, R. L. (2010b). Temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) exposed to intermittent tones. Journal of the Acoustical Society of America, 127(5), 3267-3272.

- Finneran, J. J., Schlundt, C. E., Carder, D. A., Clark, J. A., Young, J. A., Gaspin, J. B., & Ridgway, S. H. (2000). Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *Journal of Acoustical Society of America*, 108(1), 417-431.
- Finneran, J. J., Carder, D. A., Dear, R., Belting, T., & Ridgway, S. H. (2003). Pure-tone audiograms and hearing loss in the white whale (*Delphinapterus leucas*). *Journal of the Acoustical Society of America*, 114, 2434(A).
- Finneran, J. J., Carder, D. A., & Ridgway, S. H. (2001). Temporary threshold shift (TTS) in bottlenose dolphins (*Tursiops truncatus*) exposed to tonal signals. *Journal of the Acoustical Society of America*, 110(5), 2749(A).
- Finneran, J. J., Dear, R., Carder, D. A., Belting, T., McBain, J., Dalton, L., & Ridgway, S. H. (2005). Pure Tone Audiograms and Possible Aminoglycoside-Induced Hearing Loss in Belugas (*Delphinapterus leucas*). *Journal of the Acoustic Society of America*, 117, 3936-3943.
- Finneran, J. J., Schlundt, C. E., Branstetter, B., & Dear, R. L. (2007). Assessing temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) using multiple simultaneous auditory evoked potentials. [Journal Article]. *Journal of the Acoustical Society of America*, 122(2), 1249–1264.
- Finneran, J. J., Schlundt, C. E., Branstetter, B. K., Trickey, J. S., Bowman, V., & Jenkins, K. (2015). Effects of multiple impulses from a seismic air gun on bottlenose dolphin hearing and behavior. *Journal of the Acoustical Society of America* 137 (4):1634–1646.
- Finneran, J. J., Houser, D. S., Mase-Guthrie, B., Ewing, R. Y., & Lingenfelter, R. G. (2009). Auditory Evoked Potentials in a Stranded Gervais' Beaked Whale (*Mesoplodon europaeus*). *Journal of Acoustical Society of America*, 126(1), 484-490.
- Fitch, R., Harrison, J., & Lewandowski, J. (2011). Marine Mammal and Sound Workshop July 13 and 14, 2010: Report to the National Ocean Council Ocean Science and Technology Interagency Policy Committee Bureau of Ocean Energy Management (BOEM), Department of the Navy (DON) and National Oceanic and Atmospheric Administration (NOAA) (Eds.). Washington, D.C.
- Freitas, L. 2004. The stranding of three Cuvier's beaked whales *Ziphius cavirostris* in Madeira archipelago – May 2000. *ECS Newsletter* 42(Special Issue):28-32.
- Frankel, A. S. & Clark, C. W. (2000). Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America*, 108(4), 1930-1937.
- Fristrup, K. M., Hatch, L. T., & Clark, C. W. (2003). Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America*, 113(6), 3411-3424.

- Goldbogen, J.A., Hazen, E.L., Friedlaender, A.S., Calambokidis, J., DeRuiter, S.L., Stimpert, A.K., & Southall, B.L. (2015). Prey density and distribution drive the three-dimensional foraging strategies of the largest filter feeder. *Functional Ecology*, doi: 10.1111/1365-2435.12395, 11 pages.
- Goldbogen J.A., Southall, B.L., De Ruiter, S.L., Calambokidis, J., Friedlaender, A.S., Hazen, E.L., Falcone, E.A., Schorr, G.S., Douglas, A., Moretti, D.J., Kyburg, C., McKenna, M.F., & Tyack, P.L. (2013). Blue whales respond to simulated mid-frequency military sonar. *Proceedings of the Royal Society Bulletin* 280: 20130657.
- Harris, R. E., Miller, G. W. and Richardson, W. J. (2001), SEAL RESPONSES TO AIRGUN SOUNDS DURING SUMMER SEISMIC SURVEYS IN THE ALASKAN BEAUFORT SEA. *Marine Mammal Science*, 17: 795–812. doi: 10.1111/j.1748-7692.2001.tb01299.x
- Hatch, L. & Wright, A. J. (2007). A Brief Review of Anthropogenic Sound in the Oceans. *International Journal of Comparative Psychology*, 20, 12.
- Hatch, L.T., Clark, C.W., Van Parijs, S.M., Frankel, A.S., & Ponirakis, D.W. (2012). Quantifying Loss of Acoustic Communication Space for Right Whales in and around a U.S. National Marine Sanctuary. *Conservation Biology*, Volume 26: 983-994.
- Henson, S.A. and A.C. Thomas. 2008. A census of oceanic anticyclonic eddies in the Gulf of Alaska. *Deep-Sea Research I* 55:163-176. doi:10.1016/j.dsr.2007.11.005
- Hildebrand, J. A. (2005). Impacts of anthropogenic sound. In: *Marine Mammal Research: Conservation beyond Crisis*. Reynolds, J. E., The John Hopkins University Press: 101-124.
- Hildebrand, J. (2009). Anthropogenic and natural sources of ambient noise in the ocean. [electronic version]. *Marine Ecology Progress Series*, 395, 5020. 10.3354/meps08353
- Hildebrand, J. A. & M. A. McDonald. (2009). Beaked Whale Presence, Habitat, and Sound Production in the North Pacific. Unpublished technical report on file. (pp. 5).
- Hildebrand, J., Bassett, H., Baumann, S., Campbell, G., Cummins, A., Kerosky, S., Melcon, M., Merkens, K., Munger, L., Roch, M., Roche, L., Simonis, A., & Wiggins, S. (2011). High Frequency Acoustic Recording Package Data Summary Report January 31, 2010–March 26, 2010 SOCAL 37, Site N. Marine Physical Laboratory, Scripps Institution of Oceanography University of California San Diego, La Jolla, CA.
- Houser, D. S., Helweg, D. A., & Moore, P. W. B. (2001). A bandpass filter-bank model of auditory sensitivity in the humpback whale. *Aquatic Mammals*, 27(2), 82-91.
- Houser, D. S., Dankiewicz-Talmadge, L. A., Stockard, T. K., & Ponganis, P. J. (2010). Investigation of the potential for vascular bubble formation in a repetitively diving dolphin. *The Journal of Experimental Biology*, 213, 52-62.
- Jacobs, S. R., and Terhune, J. M. (2002), "The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: seal reactions and a noise exposure model.," *Aquatic Mammals* 28, 147-158.
- Jaramillo-Legorreta, A. M., Rojas-Bracho, L., & Gerrodette, T. (1999). A new abundance estimate for vaquitas: First step for recovery. *Marine Mammal Science* 15(4): 957-973.

- Jeffries, S.J., Huber, H.R., Calambokidis, J., & Laake, J.L. (2003). Trends and status of harbor seals in Washington State: 1978-1999. *Journal of Wildlife Management*, 67:207-218.
- Johnson, C. S. (1967). Sound Detection Thresholds in Marine Mammals. *Marine Bioacoustics*. W. N. Tavolga. Oxford, Pergamon Press: 247-260.
- Johnston, D. W. (2002). The Effect of Acoustic Harassment Devices on Harbour Porpoises (*Phocoena phocoena*) in the Bay of Fundy, Canada. *Biological Conservation*, 108, 113-118.
- Kastak, D. & Schusterman, R. J. (1998). Low-frequency amphibious hearing in pinnipeds: Methods, measurements, noise, and ecology. *Journal of the Acoustical Society of America*, 103(4), 2216-2228.
- Kastak, D. & Schusterman, R. J. (1999). In-air and underwater hearing sensitivity of a northern elephant seal (*Mirounga angustirostris*). *Canadian Journal of Zoology*, 77(11), 1751-1758.
- Kastak, D., Southall, B. L., Schusterman, R. J., & Kastak, C. R. (2005). Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America*, 118(5), 3154-3163.
- Kastak, D., Reichmuth, C., Holt, M. M., Mulsow, J., Southall, B. L., & Schusterman, R. J. (2007). Onset, growth, and recovery of in-air temporary threshold shift in a California sea lion (*Zalophus californianus*). *Journal of the Acoustical Society of America*, 122(5), 2916-2924.
- Kastelein, R.A., Rippe, H. T., Vaughan, N., Schooneman, N. M., Verboom, W. C., & de Haan, D. (2000). The Effects of Acoustic Alarms on the Behavior of Harbor Porpoises (*Phocoena phocoena*) in a Floating Pen. *Marine Mammal Science*, 16(1), 46-64.
- Kastelein, R. A., de Haan, D., Vaughan, N., Staal, C., & Schooneman, N. M. (2001). The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 52, 351-371.
- Kastelein, R. A., Bunskoek, P., & Hagedoorn, M. (2002a). Audiogram of a harbor porpoise (*Phocoena phocoena*) measured with narrow-band frequency-modulated signals. *Journal of Acoustical Society of America*, 112(1), 334-344.
- Kastelein, R. A., Mosterd, P., Van Santen, B., & Hagedoorn, M. (2002b). Underwater audiogram of a Pacific walrus (*Odobenus rosmarus divergens*) measured with narrow-band frequency-modulated signals. *Journal of the Acoustical Society of America*, 112(5), 2173-2182.
- Kastelein, R. A., Hagedoorn, M., Au, W. W. L., & de Haan, D. (2003). Audiogram of a striped dolphin (*Stenella coeruleoalba*). *Journal of the Acoustical Society of America*, 113, 1130-1137.
- Kastelein, R. A., van Schie, R., Verboom, W. C., & de Haan, D. (2005a). Underwater hearing sensitivity of a male and a female Steller sea lion (*Eumetopias jubatus*). *Journal of the Acoustical Society of America*, 118(3), 1820-1829.
- Kastelein, R. A., Verboom, W. C., Muijsers, M., Jennings, N. V., & van der Heul, S. (2005b). Influence of Acoustic Emissions for Underwater Data Transmission on the Behaviour of Harbour Porpoises (*Phocoena phocoena*) in a Floating Pen. *Marine Environmental Research*, 59, 287-307.

- Kastelein, R.A., Janssen, M., Verboom, W. C., & de Haan, D. (2005c). Receiving beam patterns in the horizontal plane of a harbor porpoise (*Phocoena phocoena*). *Journal of the Acoustical Society of America* 118(2) 1172-1179.
- Kastelein, R., Jennings, N., Verboom, W., de Haan, D., & Schooneman, N. M. (2006). Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbor porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research*, 61, 363-378.
- Kastelein, R. A., Wensveen, P. J., Hoek, L., & Terhune, J. M. (2009). Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America*, 126(1), 476–483.
- Kastelein, R. A., Gransier, R., Hoek, L., & De Jong, C. A. F. (2012a). The hearing threshold of a harbor porpoise (*Phocoena phocoena*) for impulsive sounds (L). *Journal of the Acoustical Society of America*, 132(2), 607-610.
- Kastelein, R. A., Gransier, R., Hoek, L., & Olthuis, J. (2012b). Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4k kHz. *Journal of the Acoustical Society of America*, 132(5), 3525-3537.
- Kastelein, R. A., Gransier, R., Hoek, L., Macleod, A., & Terhune, J.M. (2012c). Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. *Journal of the Acoustical Society of America*, 132(4), 2745-2761.
- Kastelein, R.A., R. Gransier, and L. Hoek. (2013). Comparative temporary threshold shifts in a harbor porpoise and harbor seal, and severe shift in a seal. *Journal of the Acoustical Society of America* 134:13-16.
- Kastelein, R. A., Hoek, L., Gransier, R., Rambags, M., & Claeys, N. (2014a). Effect of level, duration, and inter-pulse interval of 1-2 kHz sonar signal exposures on harbor porpoise hearing, *J. Acoust. Soc. Am.* 136, 412.
- Kastelein, R. A., Schop, J., Gransier, R., & Hoek, L. (2014b). Frequency of greatest temporary hearing threshold shift in harbor porpoises (*Phocoena phocoena*) depends on the noise level, *J. Acoust. Soc. Am.* 136, 1410-1418
- Kastelein, R.A., R. Gransier, J. Schop, and L. Hoek. (2015). Effects of exposure to intermittent and continuous 6-7 kHz sonar sweeps on harbor porpoise (*Phocoena phocoena*) hearing. *Journal of the Acoustical Society of America* 137(4):1623-1633.
- Kerosky, S.M., Širović, A., Roche, L.K., Baumann-Pickering, S., Wiggins, S.M., Hildebrand, J.A. (2012). Bryde's Whale Seasonal Range Expansion and Increasing Presence in the Southern California Bight from 2000 to 2010. *Deep Sea Research I*, 65:125-132.
- Kerosky, S.M., Baumann-Pickering, S., Širović, A., Buccowich, J.S., Debich, A.J, Gentes, Z., Gottlieb, R.S., Johnson, S.C., Roche, L.K., Thayre, B., Wiggins, S.M., & Hildebrand, J.A. (2013). Passive Acoustic Monitoring for Marine Mammals in the Northwest Training Range Complex 2011-2012. Marine Physical Laboratory Technical Memorandum: MPL-TM 542, Scripps Institution of Oceanography, University of California San Diego, La Jolla, CA 92037.

- Ketten, D. R. (1998). Marine Mammal Auditory Systems: A Summary of Audiometric and Anatomical Data and its Implications for Underwater Acoustic Impacts. (NOAA Technical Memorandum NMFS-SWFSC-256, pp. 74). La Jolla, CA: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southwest Fisheries Science Center.
- Ketten, D. R. (2012). Marine Mammal Auditory System Noise Impacts: Evidence and Incidence. In: Popper, A. N. & Hawkins, A. (Eds.), *The Effects of Noise on Aquatic Life Advances in Experimental Medicine and Biology* (Advances in Experimental Medicine and Biology ed., Vol. 730, pp. 207-212). New York: Springer Science+Business Media.
- Ketten, D.R. (2014). Expert evidence: Chatham Rock Phosphate Ltd Application for Marine Consent. Environmental Protection Agency, New Zealand. Available at http://www.epa.govt.nz/EEZ/EEZ000006/EEZ000006_13_04_PowerPoint_Ketten.pdf.
- Ketten, D. R., Lien, J., & Todd, S. (1993). Blast injury in humpback whale ears: Evidence and implications (A). *Journal of the Acoustical Society of America*, 94(3), 1849-1850.
- Ketten, D. R. & Mountain, D. C. (2014). Inner ear frequency maps: first stage audiograms of low to infrasonic hearing in mysticetes, in *International Conference on the Effects of Sound in the Ocean on Marine Mammals*. Amsterdam, The Netherlands.
- Le Boeuf, B. J., Crocker, D. E., Costa, D. P., Blackwell, S. B., Webb, P. M., & Houser, D. S. (2000). "Foraging ecology of northern elephant seals." *Ecological Monographs* 70(3): 353-382.
- Littnan, C. L. (2011). Habitat Use and Behavioral Monitoring of Hawaiian Monk Seals in Proximity to the Navy Hawaii Range Complex. Report Period: August 2010-July 2011. Appendix M, HRC annual monitoring report for 2011, submitted to National Marine Fisheries Service.
- Lusseau, D. (2004). The hidden cost of tourism: Detecting long-term effects of tourism using behavioral information. *Ecology and Society*, 9(1), 2.
- Lusseau, D. (2006). The short-term behavioral reactions of bottlenose dolphins to interactions with boats in Doubtful Sound, New Zealand. *Marine Mammal Science*, 22:802-818.
- Lusseau, D., Bain, D. E., Williams, R., & Smith, J. C. (2009). Vessel traffic disrupts the foraging behavior of southern resident killer whales *Orcinus orca*. *Endangered Species Research*, 6, 211-221.
- Lusseau, D. & Bejder, L. (2007). The Long-term Consequences of Short-term Responses to Disturbance Experiences from Whalewatching Impact Assessment. *International Journal of Comparative Psychology* 20, 228-236.
- Manzano-Roth, R.A., Henderson, E.E., Martin, S.W., & Matsuyama, B. (2013). The Impact of a U.S. Navy Training Event on Beaked Whale Dives in Hawaiian Waters. July 2013. Prepared by SPAWAR Systems Center for Commander, U.S. Pacific Fleet as a Technical Report and submitted to National Marine Fisheries Service as part of Department of the Navy, 2014, Marine Species Monitoring for the U.S. Navy's Hawaii Range Complex 2013 Annual Report.
- Marine Species Modeling Team. (2015). Determination of Acoustic Effects on Marine Mammals and Sea Turtles for the Gulf of Alaska Training Activities Supplemental Environmental Impact Statement/Overseas Environmental Impact Statement. NUWC-NPT Technical Report 12, 196, Navy Undersea Warfare Center, Code 70, Newport, RI.

- Martin, S. W. & Kok, T. (2011). Report on Analysis for Marine Mammals Before, During and After the February 2011 Submarine Commanders Course Training Exercise. Pacific Fleet's 3022 Annual Monitoring Report NMFS: Appendix N.
- Mate, B. (2013). Offshore Gray Whale Satellite Tagging in the Pacific Northwest. Prepared for Commander, U.S. Pacific Fleet, Pearl Harbor, Hawaii. Submitted to Naval Facilities Engineering Command Northwest (NAVFAC NW), Silverdale, WA 98315-1101.
- McCarthy, E., Moretti, D., Thomas, L., DiMarzio, N., Morrissey, R., Jarvis, S., Ward, J., Annamaria, I., & Dilley, A. (2011). Changes in spatial and temporal distribution and vocal behavior of Blainville's beaked whales (*Mesoplodon densirostris*) during multiship exercises with mid-frequency sonar. Marine Mammal Science.
- McCauley, R. D., Jenner, M. N., Jenner, C., McCabe, K. A. & Murdoch, J. (1998). The response of humpback whales (*Megaptera novaeangliae*) to offshore seismic survey noise: Preliminary results of observations about a working seismic vessel and experimental exposures. APPEA Journal, 692-706.
- McDonald, M.A., Hildebrand, J.A., & Mesnick, S. (2009). Worldwide decline in tonal frequencies of blue whale songs. Endangered Species Research 9:13-21.
- McDonald, M. A., Hildebrand, J. A., & Webb, S. C. (1995). Blue and fin whales observed on a seafloor array in the Northeast Pacific. Journal of the Acoustical Society of America, 98(2), 712-721.
- McDonald, M., Hildebrand, J., & Wiggins, S. (2006). Increases in deep ocean ambient noise in the Northeast Pacific west of San Nicolas Island, California. Journal of the Acoustical Society of America, 120(2), 711-718.
- McDonald, M., Hildebrand, J., Wiggins, S., & Ross, D. (2008). A 50 Year comparison of ambient ocean noise near San Clemente Island: A bathymetrically complex coastal region off Southern California. Journal of the Acoustical Society of America, 1985-1992. 10.1121/1.2967889
- McSweeney, D. J., Baird, R. W., & Mahaffy, S. D. (2007). "Site fidelity, associations, and movements of Cuvier's (*Ziphius cavirostris*) and Blainville's (*Mesoplodon densirostris*) beaked whales off the Island of Hawaii." Marine Mammal Science 23(3): 666-687.
- McSweeney, D., Baird, R., Mahaffy, S., Webster, D., & Schorr, G. (2009). "Site fidelity and association patterns of a rare species: Pygmy killer whales (*Feresa attenuata*) in the main Hawaiian Islands." Marine Mammal Science 25(3): 557-572.
- Melcón, M. L., Cummins, A. J., Kerosky, S. M., Roche, L. K., Wiggins, S. M., & Hildebrand, J.A. (2012). Blue Whales Respond to Anthropogenic Noise. PLoS ONE 7(2): e32681
- Miller, P. J. O., Biassoni, N., Samuels, A., & Tyack, P. L. (2000). Whale songs lengthen in response to sonar. Nature, 405(6789), 903.
- Miller, P.J.O., Antunes, R., Alves, A. C., Wensveen, P., Kvadsheim, P., Kleivane, L., Nordlund, N., Lam, F. P., van IJsselmuide, S., Visser, F., & Tyack, P. (2011). The 3S experiments: studying the behavioural effects of naval sonar on killer whales (*Orcinus orca*), sperm whales (*Physeter macrocephalus*), and long-finned pilot whales (*Globicephala melas*) in Norwegian waters. Scottish Oceans Inst. Tech. Rept., SOI-2011-001.

- Miller, P.J.O., Kvadsheim, P.H., Lam, F.A., Wensveen, P.J., Antunes, R., Alves, A.C., Visser, F., Kleivane, L., Tyack, P. L., & Sivle, L.D. (2012). The Severity of Behavioral Changes Observed During Experimental Exposures of Killer (*Orcinus orca*), Long-Finned Pilot (*Globicephala melas*), and Sperm (*Physeter macrocephalus*) Whales to Naval Sonar. *Aquatic Mammals* 38(4)362-401, DOI 10.1578/AM.38.4.2012.362, 41 pages.
- Miller, P.J.O., Antunes, R., Alves, A. C., Wensveen, P., Samarra, F.A.P., Alves, A.C., & Tyack, P.L. (2014). Dose-response relationships for the onset of avoidance of sonar by free ranging killer whales. *Journal of the Acoustical Society of America*. 135(2): 975-993.
- Mooney, T. A., Nachtigall, P. E., Castellote, M., Taylor, K. A., Pacini, A. F., & Esteban, J. A. (2008). Hearing pathways and directional sensitivity of the beluga whale, *Delphinapterus leucas*. [doi: 10.1016/j.jembe.2008.06.004]. *Journal of Experimental Marine Biology and Ecology*, 362(2), 108-116. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0022098108002645>.
- Mooney, T. A., Nachtigall, P. E., & Vlachos, S. (2009a). Sonar-induced temporary hearing loss in dolphins. *Biology letters, Physiology*, 5, 565-567. Doi: 10.1098/rsbl.2009.0099
- Mooney, T. A., Nachtigall, P. E., Breese, M., Vlachos, S., Whitlow, W., & Au, L. (2009b). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *Journal of Acoustical Society of America*, 125(3), 1816-1826.
- Moore, J. E., & Barlow, J. (2011). Bayesian state-space model of fin whale abundance trends from a 1991–2008 time series of line-transect surveys in the California Current. *Journal of Applied Ecology*, 48, 1195–1205.
- Moore, J.E. & Barlow, J. P. (2013). Declining Abundance of Beaked Whales (Family *Ziphiidae*) in the California Current Large Marine Ecosystem. *PLoS ONE* 8(1):e52770. doi:10.1371/journal.pone.0052770.
- Moretti, D., DiMarzio, N., Morrissey, R., McCarthy, E., Jarvis, S., & Dilley, A. (2009). An opportunistic study of the effect of sonar on marine mammals, marine mammal monitoring on navy ranges (M3R). 2009 ONR Marine Mammal Program Review, Alexandria, VA.
- Moretti, D., Thomas, L., Marques, T., Harwood, J., Dilley, A., Neales, B., Shaffer, J., McCarthy, E., New, L., Jarvis, S., & Morrissey, R. (2014). A Risk Function for Behavioral Disruption of Blainville's Beaked Whales (*Mesoplodon densirostris*) from Mid-Frequency Active Sonar. *PLoS ONE* 9(1)00:e85064. doi:10.1371/journal.pone.0085064.
- Muto, M. M. and Angliss, R.P. (editors). (2015). Draft Alaska Marine Mammal Stock Assessments, 2015. Alaska Fisheries Science Center, Seattle, WA.
- Nachtigall, P. E., Pawloski, J. L., & Au, W. W. L. (2003). Temporary threshold shifts and recovery following noise exposure in the Atlantic bottlenosed dolphin (*Tursiops truncatus*). Marine Mammal Research Program, Hawaii institute of Marine Biology. University of Hawaii. Acoustical Society of America, Doi: 10.1121/1.1570438.
- Nachtigall, P. E., Supin, A. Y., Pawloski, J., & Au, W. W. L. (2004). Temporary Threshold Shifts After Noise Exposure in the Bottlenose Dolphin (*Tursiops truncatus*) Measured Using Evoked Auditory Potentials. *Marine Mammal Science*, 20(4), p.673-687.

- Nachtigall, P. E., Yuen, M. M. L., Mooney, T. A., & Taylor, K. A. (2005). Hearing measurements from a stranded infant Risso's dolphin, *Grampus griseus*. *Journal of Experimental Biology*, 208, 4181-4188.
- Nachtigall, P. E., Supin, A. Y., Amundin, M., Roken, B., Møller, T., Mooney, T. A., & Yuen, M. (2007). Polar bear *Ursus maritimus* hearing measured with auditory evoked potentials. *The Journal of Experimental Biology*, 210(7), 1116-1122.
- Nachtigall, P. E., Mooney, T. A., Taylor, K. A., Miller, L. A., Rasmussen, M. H., Akamatsu, T., & Vikingsson, G. A. (2008). Shipboard Measurements of the Hearing of the White-Beaked Dolphin *Lagenorhynchus albirostris*. *The Journal of Experimental Biology*, 211, 642-647.
- New, L.F., Moretti, D.J., Hooker, S.K., Costa, D.P., & Simmons, S.E. (2013). Using energetic models to investigate the survival and reproduction of beaked whales (family Ziphiidae). *PLoS One* 8(7): e68725.
- Nowacek, D., Johnson, M., & Tyack, P. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London*, 271(B), 227-231.
- Nowacek, D., Thorne, L. H., Johnston, D. & Tyack, P. (2007). Responses of cetaceans to anthropogenic noise. *Mammal Review*, 37(2), 81-115.
- Pacini, A. F., Nachtigall, P.E., Kloepper, L. N., Linnenschmidt, M., Sogorb, A., & Matias, S. (2010). Audiogram of a formerly stranded long-finned pilot whale (*Globicephala melas*) measured using auditory evoked potentials. *The Journal of Experimental Biology* 213, 3138-3143
- Palka, D. L. & Hammond, P. S. (2001). Accounting for responsive movement in line transect estimates of abundance. *Canadian Journal of Fisheries and Aquatic Sciences*, 58, 777-787.
- Parks, S. E., Clark, C. W., & Tyack, P. L. (2007). Short-and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Acoustical Society of America*. DOI: 10.1121/1.2799904. pp.3725-3731.
- Parks, S. E. (2009). Assessment of acoustic adaptations for noise compensation in marine mammals. 2009, ONR Marine Mammal Program Review, Alexandria, VA.
- Parks, S. E., Searby, A., Célérier, A., Johnson, M. P., Nowacek, D. P., & Tyack, P. L. (2010). Sound production behavior of individual North Atlantic right whales: implications for passive acoustic monitoring. *Endangered Species Research* Vol. 15: 63–76, 2011 doi: 10.3354/esr00368.
- Pirotta, E., Milor, R., Quick, N., Moretti, D., Di Marzio, N., Tyack, P., Boyd, I., & Hastie, G. (2012). Vessel Noise Affects Beaked Whale Behavior: Results of a Dedicated Acoustic Response Study.
- Pirotta, E., Merchant, N.D., Thompson, P.M., Barton, T.R., & Lusseau, D. (2015). Quantifying the effect of boat disturbance on bottlenose dolphin foraging activity. *Biological Conservation* 181:82-89.
- Polacheck, T. & Thorpe, L. (1990). The swimming direction of harbor porpoise in relationship to a survey vessel. *Reports of the International Whaling Commission*, 40, 463-470.
- Popov, V. V., Supin, A. Y., Wang, D., Wang, K., Dong, L., & Wang, S. (2011). Noise-induced temporary threshold shift and recovery in Yangtze finless porpoises *Neophocaena phocaenoides asiaeorientalis*. *J. Acoust. Soc. Am.* 130, 574-584.

- Popov, V. V., Supin, A. Y., Rozhnov, V. V., Nechaev, D. I., Sysuyeva, E. V., Klishin, V. O., Pletenko, M. G., & Tarakanov, M. B. (2013). Hearing threshold shifts and recovery after noise exposure in beluga whales *Delphinapterus leucas*, *J. Exp. Biol.* 216, 1587-1596.
- Popov, V. V., Supin, A. Y., Rozhnov, V. V., Nechaev, D. I., & Sysueva, E. V. (2014). The limits of applicability of the sound exposure level (SEL) metric to temporal threshold shifts (TTS) in beluga whales, *Delphinapterus leucas*, *J. Exp. Biol.* 217, 1804-1810.
- Popper, A.N., Hawkins, A.D., Fay, R., Mann, D., Bartol, S., Carlson, Th., Coombs, S., Ellison, W.T., Gentry, R., Halvorsen, M.B., Lokkeborg, S., Rogers, P., Southall, B.L., Zeddies, D.G., and Tavolga, W.N. (2014). Sound Exposure Guidelines for Fishes and Sea Turtles: A Technical Report prepared by ANSI-Accredited Standards Committee S3/SC1 and registered with ANSI.
- Rice, A.C., Baumann-Pickering, S., Širović, A., Hildebrand, J.A., Brewer, A.M., Debich, A.J., Herbert, S.T., Thayre, B.J., Trickey, J.S., Wiggins, S.M. (2015). Passive Acoustic Monitoring for Marine Mammals in the Gulf of Alaska Temporary Maritime Activities Area 2014-2015. Marine Physical Laboratory, Scripps Institution of Oceanography Technical Memorandum # 600, prepared for U.S. Navy Pacific Fleet in support of the "Marine Species Monitoring for the U.S. Navy's Gulf of Alaska Temporary Maritime Activities Area- Annual Report 2015"; 60 pages.
- Richardson, W. J., Green, C.R.J., Malme, C.I., & Thomson, D.H. (1995). *Marine Mammals and Noise*, San Diego, CA, Academic Press.
- Robinson, P.W., Costa, D.P., Crocker, D.E., Gallo-Reynoso, J.P., Champagne, C.D., Fowler, M. A., Goetsch, C., Goetz, K. T., Hassrick, J. L., Huckstadt, L. A., Kuhn, C. E., Maresh, J. L., Maxwell, S. M., McDonald, B. I., Peterson, S. H., Simmons, S. E., Teutschel, N. M., Villegas-Amtmann, S., Yoda, K. (2012). Foraging Behavior and Success of a *Mesopelagic* Predator in the Northeast Pacific Ocean: Insights from a Data-Rich Species, the Northern Elephant Seal. *PLoS ONE* 7(5): e36728. doi:10.1371/journal.pone.0036728, pp. 12.
- Rolland, R. M., Parks, S. E., Hunt, K. E., Castellote, M., Corkeron, P. J., Nowacek, D. P., Wasser, S. K., & Kraus, S. D. (2012). Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society Bulletin*, 279, 2363–2368.
- Rone, B.K., Douglas, A.B., Clapham, P., Martinez, A., Morse, L.J., Zerbini, A.N., & Calambokidis, J. (2009). Final Report for the April 2009 Gulf of Alaska Line-Transect Survey (GOALS) in the Navy Training Exercise Area. Prepared by NOAA and Cascadia Research Collective. 28 pp. Available from: <http://www.cascadiaresearch.org>.
- Rone, B.K., Douglas, A. B., Yack, T. M., Zerbini, A. N., Norris, T. N., Ferguson, E., & Calambokidis, J. (2013). Draft: Preliminary Estimates for the Gulf of Alaska Line Transect Survey (GOALS) II: Marine Mammal Occurrence in the Temporary Maritime Activities Area (TMAA). Preliminary report prepared for the U.S. Navy, Pacific Fleet, Makalapa, Hawaii.
- Rone, B.K., Douglas, A. B., Yack, T. M., Zerbini, A. N., Norris, T. N., Ferguson, E., & Calambokidis, J. (2014). Report for the Gulf of Alaska Line-Transect Survey (GOALS) II: Marine Mammal Occurrence in the Temporary Maritime Activities Area (TMAA). Submitted to Naval Facilities Engineering Command (NAVFAC) Pacific, Honolulu, Hawaii under Contract No. N62470-10-D-3011, Task Order 0022, issued to HDR Inc., San Diego, California. Prepared by Cascadia Research Collective, Olympia, Washington;

- Alaska Fisheries Science Center, Seattle, Washington; and Bio-Waves, Inc., Encinitas, California. April 2014.
- Schlundt, C. E., Finneran, J. J., Carder, D. A., & Ridgway, S. H. (2000). Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *Journal of the Acoustical Society of America*, 107(6), 3496-3508.
- Schlundt, C. E., Dear, R. L., Carder, D. A., & Finneran, J. J. (2006). Growth and Recovery of Temporary Threshold Shifts in a Dolphin Exposed to Midfrequency Tones with Durations up to 128 s. Presented at the Fourth Joint Meeting: ASA and ASJ.
- Schlundt, C.E., J.J. Finneran, B.K. Branstetter, R.L. Dear, D.S. Houser, and E. Hernandez. 2008. Evoked potential and behavioral hearing thresholds in nine bottlenose dolphins (*Tursiops truncatus*). *Journal of the Acoustical Society of America*. 123:3506.
- Schlundt, C.E., R.L. Dear, D.S. Houser, A.E. Bowles, T. Reidarson, and J.J. Finneran. 2011. Auditory evoked potentials in two short-finned pilot whales (*Globicephala macrorhynchus*). *Journal of the Acoustical Society of America* 129:1111-1116.
- Schorr, G. S., Falcone, E., & Calambokidis, J. (2013). Summary of Tag Deployments on Cetaceans off Washington, May 2010 to May 2013. Prepared for Commander, U.S. Pacific Fleet, Pearl Harbor, Hawaii. Submitted to Naval Facilities Engineering Command Pacific (NAVFAC PAC), Pearl Harbor, Hawaii 96860-3134, and Naval Facilities Engineering Command Northwest (NAVFAC NW), Silverdale, WA 98315-1101.
- Schorr, G. S., Falcone, E. A., Moretti, D.J., & Andrews, R.D. (2014). First Long-Term Behavioral Records from Cuvier's Beaked Whales (*Ziphius cavirostris*) Reveal Record-Breaking Dives. *PLoS ONE* 9(3): e92633. doi:10.1371/journal.pone.0092633.
- Širović, A., Johnson, S.C., Roche, L.K., Varga, L.M., Wiggins, S.M., & Hildebrand, J.A. (in press, 2014). North Pacific right whales (*Eubalaena japonica*) recorded in the Northeastern Pacific Ocean in 2013. In press, manuscript on file, 15 pages.
- Smultea, M. A. & Jefferson, T. A. (2014). Changes in Relative Occurrence of Cetaceans in the Southern California Bight: A Comparison of Recent Aerial Survey Results with Historical Data Sources. *Aquatic Mammals* 40(1):32-43, DOI 10.1578/AM.40.1.2014.32.
- Southall, B. (2011). SOCAL-BRS Project. MARMAM Digest, 68(22). Retrieved from <https://lists.uvic.ca/mailman/listinfo/marmam>.
- Southall, B., Calambokidis, J., Tyack, P., Moretti, D., Hildebrand, J., Kyburg, C., Carlson, R., Friedlaender, A. S., Falcone, E. A., Schorr, G. S., Douglas, A., De Ruiter, S. L., Goldbogen, J. A., & Barlow, J. (2011). Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2010 ("SOCAL-10") SOCAL-BRS [Project Report]. (pp. 29).
- Southall, B. L., Schusterman, R. J., & Kastak, D. (2000). Masking in three pinnipeds: underwater, low-frequency critical ratios. *Journal of the Acoustical Society of America*, 108(3), 1322-1326.
- Southall, B. L., Schusterman, R. J., & Kastak, D. (2003). Auditory masking in three pinnipeds: Aerial critical ratios and direct critical bandwidth measurements. *Journal of the Acoustical Society of America*, 114(3), 1660-1666.

- Southall, B. L., Schusterman, R. J., Kastak, D., & Kastak, C. R. (2005). Reliability of underwater hearing thresholds in pinnipeds. *Acoustics Research Letters Online*, 6(4), 243-249.
- Southall, B. L., Bowles, A. E., Ellison, W. T., Finneran, J. J., Gentry, R. L., Greene, C. R., Jr., Kastak, D., Ketten, D. R., Miller, J. H., Nachtigall, P.E., Richardson, W. J., Thomas, J.A, & Tyack, P. L. (2007). Marine mammal noise and exposure criteria: initial scientific recommendations. *Aquatic Mammals*, 33, 411-521.
- Southall, B. B., Berkson, J., Bowen, D., Brake, R., Eckman, J., Field, J., & Winokur, R. (2009a). Addressing the Effects of Human-Generated Sound on Marine Life: An Integrated Research Plan for U.S. Federal Agencies. (pp. 72). Washington, DC: Interagency Task Force on Anthropogenic Sound and the Marine Environment of the Joint Subcommittee on Ocean Science and Technology.
- Southall, B. L., Tyack, P. L., Moretti, D., Clark, C., Claridge, D., & Boyd, I. (2009b). Behavioral responses of beaked whales and other cetaceans to controlled exposures of simulated sonar and other sounds, 18th Biennial Conference on the Biology of Marine Mammals. Quebec City, Quebec, Canada.
- Southall, B., Calambokidis, J., Tyack, P., Moretti, D., Friedlaender, A., De Ruiter, S., Goldbogen, J., Falcone, E., Schorr, G., Douglas, A., Stimpert, A., Hildebrand, J., Kyburg, C., Carlson, R., Yack, T., & Barlow, J. (2012a). Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2011 ("SOCAL-11"), Final Project Report, 8 March 2012. Manuscript on file.
- Southall, B. L., Moretti, D., Abraham, B., Calambokidis, J., DeRuiter, S. L., Tyack, P.L. (2012b). Marine Mammal Behavioral Response Studies in Southern California: Advances in Technology and Experimental Methods. *Marine Technology Society Journal* 46(4), 46-59.
- Southall, B., Calambokidis, J., Barlow, J., Moretti, D., Friedlaender, A., Stimpert, A., Douglas, A., Southall, K., Arranz, P., Deruiter, S., Hazen, E., Goldbogen, J., Falcone, E., & Schorr, G. (2013). Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2012 ("SOCAL--12") Final Project Report.
- Southall, B., Calambokidis, J., Barlow, J., Moretti, D., Friedlaender, A., Stimpert, A., Douglas, A., Southall, K., Arranz, P., Deruiter, S., Hazen, E., Goldbogen, J., Falcone, E., & Schorr, G. (2014). Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2013 ("SOCAL--13") Final Project Report.
- Stewart, B.S. & Huber, H.R. (1993). *Mirounga angustirostris*. *Mammalian Species*, 449, 1-10.
- Stewart, B.S. & DeLong, R.L. (1995). Double migrations of the northern elephant seal, *Mirounga angustirostris*. *Journal of Mammalogy*, 76(1), 196-205.
- Stewart, B.S., Yochem, P.K., Huber, H.R., DeLong, R.L., Jameson, R.J., Sydeman, W.J., Allen, S.G., & Le Boeuf, B.J. (1994). History and present status of the northern elephant seal population. In: Le Boeuf, B.J. & Laws, R.M., eds. *Elephant seals: Population ecology, behavior, and physiology*. pp 29-48. Berkeley, California: University of California Press.
- Stimpert, A. K., Stacy Lynn DeRuiter, B. L. Southall, D. J. Moretti, E. A. Falcone, J. A. Goldbogen, Ari Friedlaender, G. S. Schorr, and John Calambokidis. (2014). Acoustic and foraging behavior of a Baird's beaked whale, *Berardius bairdii*, exposed to simulated sonar. *Scientific reports* 4.

- Szymanski, M. D., Bain, D. E., Kiehl, K., Pennington, S., Wong, S., & Henry, K. R. (1999). Killer whale (*Orcinus orca*) hearing: Auditory brainstem response and behavioral audiograms. *Journal of the Acoustical Society of America*, 106(2), 1134-1141.
- Thompson, P. M., Brookes, K. L., Graham, I. M., Barton, T. R., Needham, K., Bradbury, G., & Merchant, N. D. (2013). Short-term disturbance by a commercial two-dimensional seismic survey does not lead to long-term displacement of harbour porpoises. *Proceedings of the Royal Society B: Biological Sciences*, 280(1771), 20132001.
- Tougaard, A. J. Wright, and P. T. Madsen, Cetacean noise criteria revisited in the light of proposed exposure limits for harbor porpoises. *Marine Pollution Bulletin* 90: 196-208 (2014)
- Tyack, P. L. (2009). Human-generated sound and marine mammals. *Physics Today*, 39-44.
- Tyack, P. L., Johnson, M., Aguilar Soto, N., Sturlese, A., & Madsen, P. T. (2006). Extreme deep diving of beaked whales. *Journal of Experimental Biology*, 209, 4238-4253. doi:10.1242/jeb.02505
- Tyack, P., Zimmer, W., Moretti, D., Southall, B., Claridge, D., Durban, J., & Boyd, I. (2011). Beaked Whales Respond to Simulated and Actual Navy Sonar. [electronic version]. *PLoS ONE*, 6(3), 15. doi: 10.1371/journal.pone.0017009.
- U.S. Department of the Navy. (2014a). Marine Species Density Database. NAVFAC Pacific Technical Report, Makalapa, Hawaii.
- U.S. Department of the Navy. (2014b,). Post-Model Quantitative Analysis of Animal Avoidance Behavior and Mitigation Effectiveness for the Gulf of Alaska Training. Technical report prepared for U.S. Pacific Fleet by ManTech International.
- Van Parijs, S.M. (2015). Letter of Introduction to the Biologically Important Areas Issue. *Aquatic Mammals* 41(1), 1, DOI 10.1578/AM.41.1.2015.1; 1 page.
- Ward, W. D., Glorig, A., & Sklar, D. L. (1958). Dependency of temporary threshold shift at 4 kc on intensity and time. *Journal of the Acoustical Society of America*, 30, 944-954.
- Ward, W. D., Glorig, A., & Sklar, D. L. (1959a). Relation between recovery from temporary threshold shift and duration of exposure. *Journal of the Acoustical Society of America*, 31(5), 600-602.
- Ward, W. D., Glorig, A., & Sklar, D. L. (1959b). Temporary Threshold Shift from Octave-Band Noise: Applications to Damage-Risk Criteria. *Journal of the Acoustical Society of America*, 31(4), 522-528.
- Ward, W. D. (1997). Effects of high-intensity sound, In: M. J. Crocker (Ed.), *Encyclopedia of Acoustics* (pp. 1497-1507). New York, NY: Wiley.
- Waring, G. T., Hamazaki, T., Sheehan, D., Wood, G., & Baker, S. (2001). Characterization of beaked whale (*Ziphiidae*) and sperm whale (*Physeter macrocephalus*) summer habitat in shelf-edge and deeper waters off the northeast U.S. *Marine Mammal Science*, 17(4), 703-717.
- Wartzok, D., Popper, A. N., Gordon, J., & Merrill, J. (2003). Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4), 6-15.
- White, M. J., Norris, J., Ljungblad, D., Baron, K., & di Sciara, G. (1978). Auditory Thresholds of Two Beluga Whales, *Delphinapterus leucas*. San Diego, California, Report by Hubbs/Sea World Research Institute for Naval Ocean System Center, Report 78-109.

- Williams, R., Clark, C.W., Ponirakis, D., & Ashe, E. (2013). Acoustic quality of critical habitats for three threatened whale populations. *Animal Conservation* 17:174-185.
- Würsig, B., Lynn, S.K., Jefferson, T.A. & Mullin, K.D. (1998). Behaviour of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft. *Aquatic Mammals*, 24(1), 41-50.
- Yuen, M. M. L., Nachtigall, P. E., Breese, M., & Supin, A. Y. (2005). Behavioral and auditory evoked potential audiograms of a false killer whale (*Pseudorca crassidens*). *Journal of the Acoustical Society of America*, 118(4), 2688-2695.
- Zitterbart DP, L. Kindermann, E. Burkhardt, O. Boebel. 2013. Automatic Round-the-Clock Detection of Whales for Mitigation from Underwater Noise Impacts. *PLoS ONE* 8(8): e71217. doi:10.1371/journal.pone.0071217