

## REFERENCES

- Agness, A. M., and Tannenbaum, B. R. (2009). *Naval Base Kitsap at Bangor marine mammal resource report*. Prepared by Science Applications International Corporation, Bothell, WA. Prepared for BAE Systems Applied Technologies, Inc., Rockville, MD.
- Allen, B. M., and Angliss, R. P. (2013). *Alaska marine mammal stock assessments, 2012*. NOAA Technical Memo NMFS-AFSC-245. U.S. Department of Commerce, NOAA/NMFS, Seattle, WA. March 2013.  
<http://www.nmfs.noaa.gov/pr/sars/pdf/ak2012.pdf>.
- Allen, B. M., and R.P. Angliss, R. P. (2015). *Alaska marine mammal stock assessments, 2014*. NOAA Technical Memo NMFS-AFSC-301. U.S. Department of Commerce, NOAA/NMFS, Seattle, WA. June 2015.  
[http://www.nmfs.noaa.gov/pr/sars/pdf/alaska2014\\_final.pdf](http://www.nmfs.noaa.gov/pr/sars/pdf/alaska2014_final.pdf).
- American National Standards Institute. 1986. Methods for measurement of impulse noise (ANSI S12.7- 1986). New York: Acoustical Society of America.
- Au, W. W. L. (1993). *The sonar of dolphins*. New York, NY: Springer-Verlag.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC- 457, National Marine Fisheries Service: 60.
- Baird, R. W. (2001). Status of harbour seals, *Phoca vitulina*, in Canada. *Canadian Field-Naturalist*, 115(4), 663–675.
- Baird, R. W., and Dill, L. M. (1995). Occurrence and behaviour of transient killer whales: Seasonal and pod-specific variability, foraging behaviour, and prey handling. *Canadian Journal of Zoology*, 73, 1300–1311.
- Baird, R. W., and Dill, L. M. (1996). Ecological and social determinants of group size in transient killer whales. *Behavioral Ecology*, 7(4), 408–416.

Bejder, L., Samuels, A. M. Y., Whitehead, H. A. L., Gales, N., Mann, J., Connor, R., . . . Krutzen, M. (2006). Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conservation Biology*, 20(6), 1791–1798.

Bjørge, A. (2002). How persistent are marine mammal habitats in an ocean of variability? In P.G.H. Evans and J.A. Raga (Eds.). *Marine mammals: Biology and Conservation* (pp. 63-91). New York, New York: Kluwer Academic/Plenum Publishers.

Blackwell, S. B., and Greene, C. R., Jr. (2002). *Acoustic measurements in Cook Inlet, Alaska during August 2001*. Prepared by Greeneridge Sciences, Inc., Aptos, CA and Santa Barbara, CA. Prepared for National Marine Fisheries Service Protected Resources Division, Anchorage, AK. August 12, 2002.

Blackwell, S. B., Lawson, J. W., and Williams, M. T. (2004). Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *The Journal of the Acoustical Society of America*, 115(5), 2346–2357.

Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.

Bonnell, M.L., M.O. Pierson, and G.D. Farrens. 1983. Pinnipeds and sea otters of central and northern California, 1980-1983: Status, abundance and distribution. Prepared by Center for Marine Studies, University of California for Minerals Management Service: 220.

Boggs, S., Jr. (1995). *Principles of sedimentology and stratigraphy* (Third ed.). Upper Saddle River, NJ: Prentice Hall.

Bowles, A.E., M. Smultea, B. Wursig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. *Journal of the Acoustical Society of America* 96 (4):2469-2484.

Bradshaw, C.J.A., S. Boutin, and D.M. Hebert. 1998. Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology* 76 (7):1319-1324.

Brown, R. F., & Mate, B. R. (1983). Abundance, movements, and feeding habits of harbor seals, *Phoca vitulina*, at Netarts and Tillamook Bays, Oregon. *Fishery Bulletin*,

81(2), 291–301.

Calambokidis, J. (2010). [John Calambokidis, senior marine mammal biologist and co-founder of Cascadia Research, Olympia, WA]. Personal communication with Bernice Tannenbaum, Senior Environmental Scientist, Science Applications International Corporation, re: marine mammal occurrence in Hood Canal. May 25.

Calambokidis, J., and Baird, R. W. (1994). Status of marine mammals in the Strait of Georgia, Puget Sound and the Juan de Fuca Strait and potential human impacts. *Canadian Technical Report of Fisheries and Aquatic Sciences, 1948*, 282–300.

Calambokidis, J., Evenson, J. R., Cabbage, J. C., Gearin, P. J., and Osmeck, S. D. (1992). Harbor porpoise distribution and abundance off Oregon and Washington from aerial surveys in 1991. Cascadia Research Collective, National Marine Mammal Laboratory Alaska Fisheries Center National Marine Fisheries Service.  
<http://www.cascadiaresearch.org/publications/harbor-porpoise-distribution-and-abundance-oregon-and-washington-aerial-surveys-1991>.

Carretta, J. V., Forney, K. A., Lowry, M. S., Barlow, J., Baker, J., Hanson, B., and Muto, M. M. (2007). *U.S. Pacific marine mammal stock assessments: 2007*. (NOAA TM NMFS-SWFSC-414). National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southwest Fisheries Science Center, La Jolla, CA.  
<http://swfsc.noaa.gov/publications/TM/SWFSC/NOAA-TM-NMFS-SWFSC-414.pdf>.

Carretta, J. V., Forney, K. A., Oleson, E., Martien, K., Muto, M. M., Lowry, M. S., . . . Hill, M. C. (2012). *U.S. Pacific marine mammals stock assessments: 2011*. (NOAA Technical Memorandum NMFS- SWFSC-488). National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southwest Fisheries Science Center.  
<http://www.nmfs.noaa.gov/pr/pdfs/sars/po2011.pdf>

Carretta, J. V., Oleson, E., Weller, D. W., Lang, A. R., Forney, K. A., Baker, J., . . . Hill, M. C. (2013). *U.S. Pacific marine mammals stock assessments: 2012*. (NOAA Technical Memorandum NMFS- SWFSC-504). National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southwest Fisheries Science Center. January 2013. <http://www.nmfs.noaa.gov/pr/sars/pdf/po2012.pdf>.

Carretta, J.V., Oleson, E., Weller, D. W., Lang, A. R., Forney, K. A., Baker, J., . . . Brownell Jr., R. L. (2015). *U.S. Pacific marine mammals stock assessments, 2014*.

(NOAA Technical Memorandum NMFS- SWFSC-549). National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southwest Fisheries Science Center. August 2015.

[http://www.nmfs.noaa.gov/pr/sars/pdf/pacific\\_sars\\_2014\\_final\\_noaa\\_swfsc\\_tm\\_549.pdf](http://www.nmfs.noaa.gov/pr/sars/pdf/pacific_sars_2014_final_noaa_swfsc_tm_549.pdf)

Carretta, J. V., Forney, K. A., Oleson, E. M., Weller, D. W., Lang, A. R., Baker, J., . . . Brownell Jr., R. L. (2016). *U.S. Pacific marine mammals stock assessments, 2016*.

(NOAA Technical Memorandum NMFS-SWFSC-577). National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southwest Fisheries Science Center. June 2017.

[http://www.nmfs.noaa.gov/pr/sars/pdf/pacific\\_2016\\_final.pdf](http://www.nmfs.noaa.gov/pr/sars/pdf/pacific_2016_final.pdf).

Clark, C.W., W.T. Ellison, B.L. Southall, L. Hatch, S.M. Van Parijs, A. Frankel, and D. Ponirakis. 2009. Acoustic masking in marine ecosystems: intuitions, analysis, and implication. *Marine Ecology Progress Series* **395**:201-222.

Connor, R.C. and M.R. Heithaus. 1996. Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science* **12** (4):602-606.

Costa, D.P., D.E. Crocker, J. Gedamke, P.M. Webb, D.S. Houser, S.B. Blackwell, et al. 2003. The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *Journal of the Acoustical Society of America* **113** (2):1155-1165.

Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation* **4** (1):13-27.

Daan, S., C. Deerenberg, and C. Dijkstra. 1996. Increased daily work precipitates natural death in the kestrel. *Journal of Animal Ecology* **65** (5):6.

Di Iorio, L. and C.W. Clark. 2009. Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters* **6** (1):51-54.

Edgell, T. C., and Demarchi, M. W. (2012). California and Steller sea lion use of a major winter haulout in the Salish Sea over 45 years. *Marine Ecology Progress Series*, *467*, 253–262.

Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based

approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* **26** (1):21-28

Evans, D.L. and G.R. England. 2001. Joint interim report: Bahamas marine mammal stranding event of 15-16 March 2000. U.S. Navy and National Marine Fisheries Service: 66.

Everitt, R.D., Fiscus, C.H., and DeLong, R.L. (1979). Marine mammals of northern Puget Sound and the Strait of Juan de Fuca: A report on investigations November 1, 1977–October 31, 1978. NOAA Technical Memorandum ERL-MESA-41.

Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* **111** (6):2929.

Finneran, J.J., R. Dear, D.A. Carder, and S.H. Ridgway. 2003. Auditory and behavioral responses of California sea lions (*Zalophus californianus*) to single underwater impulses from an arc-gap transducer. *Journal of the Acoustical Society of America* **114** (3):1667.

Finneran, J.J., D.A. Carder, C.E. Schlundt, and S.H. Ridgway. 2005. Temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones. *Journal of the Acoustical Society of America* **118** (4):2696-2705.

Finneran, J.J., Schlundt, C.E., Branstetter, B. and Dear, R.L., 2007. Assessing temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) using multiple simultaneous auditory evoked potentials. *The Journal of the Acoustical Society of America*, *122*(2), pp.1249-1264.

Finneran, J.J., Houser, D.S., Mase-Guthrie, B., Ewing, R.Y. and Lingenfelser, R.G., 2009. Auditory evoked potentials in a stranded Gervais' beaked whale (*Mesoplodon europaeus*). *The Journal of the Acoustical Society of America*, *126*(1), 484-490.

Finneran, J.J. and A.K. Jenkins. 2012. Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.

Foote, A.D., R.W. Osborne, and A.R. Hoelzel. 2004. Whale-call response to masking boat noise. *Nature* **428**:910

- Ford, J. K. (1991). Vocal traditions among resident killer whales (*Orcinus orca*) in coastal waters of British Columbia. *Canadian Journal of Zoology*, 69(6), 1454–1483.
- Fristrup, K.M., L.T. Hatch, and C.W. Clark. 2003. Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America* 113 (6):3411-3424.
- Fritz, H., M. Guillemain, and D. Durant. 2002. The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): An approach through foraging experiments. *Ethology, Ecology and Evolution* 14 (2):91-97.
- Gailey, G., B. Wursig, and T.L. McDonald. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134 (1-3):75-
- Ford, J. K. (1991). Vocal traditions among resident killer whales (*Orcinus orca*) in coastal waters of British Columbia. *Canadian Journal of Zoology*, 69(6), 1454–1483.
- Frankel, A.S. and C.W. Clark. 2000. Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America* 108 (4):1930-1937.
- Gilbert, J. R., and Guldager, N. (1998). *Status of harbor and gray seal populations in northern New England*. Prepared by University of Maine, Department of Wildlife Ecology, Orono, ME. Prepared for National Marine Fisheries Service Northeast Fisheries Science Center, Woods Hole, MA. February 1998.
- Goldbogen, J.A., J. Calambokidis, A.S. Friedlaender, J. Francis, S.L. Deruiter, A.K. Stimpert, et al. 2013a. Underwater acrobatics by the world's largest predator: 360° rolling manoeuvres by lunge-feeding blue whales. *Biology Letters* 9 (1):Article 20120986.
- Goldbogen, J.A., A.S. Friedlaender, J. Calambokidis, M.F. McKenna, M. Simon, and D.P. Nowacek. 2013b. Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *BioScience* 63 (2):90-100.
- Goold, J.C. 1996. Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom* 76 (3):811-820.
- Gordon, J., Gillespie, D., Potter, J., Frantzis, A., Simmonds, M. P., Swift, R., and

- Thompson, D. (2004). A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal*, 37(4), 16–34.
- Harrington, F.H. and A.M. Veitch. 1992. Calving success of woodland caribou exposed to low- level jet fighter overflights. *Arctic* **45** (3):213-218.
- Harris, C. (1998). Handbook of acoustical measurements and noise control. (3rd ed.). TX: McGraw Hill.
- Hart Crowser. (2013). Naval Base Kitsap-Bangor Explosives Handling Wharf 2: Year 1 Marine Mammal Monitoring Report (2012–2013), Bangor, Washington. Prepared by Hart Crowser. Prepared for NAVFAC, Silverdale, WA. April 2013.
- Hart Crowser. (2014). Naval Base Kitsap-Bangor Explosives Handling Wharf 2: Year 2 Marine Mammal Monitoring Report (2013–2014), Bangor, Washington. Prepared by Hart Crowser. Prepared for NAVFAC Northwest, Silverdale, WA. June 2014.
- Hart Crowser. (2015). Naval Base Kitsap-Bangor Explosives Handling Wharf 2: Year 3 Marine Mammal Monitoring Report (2014–2015), Bangor, Washington. Prepared by Hart Crowser. Prepared for NAVFAC Northwest, Silverdale, WA. March 2015.
- Hastings, M.C., and A.N. Popper. 2005. Effects of Sound on Fish. Report prepared by Jones and Stokes for California Department of Transportation, Contract No. 43A0139, Task Order 1.
- HDR Inc. (2012). Naval Base Kitsap at Bangor Test Pile Program, Bangor, Washington. Final Marine Mammal Monitoring Report. Prepared for Naval Facilities Engineering Northwest, Silverdale, WA. April 2012.
- Hemilä, S., Nummela, S., Berta, A., and Reuter, T. (2006). High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *The Journal of the Acoustical Society of America*, 120(6), 3463–3466.
- Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* **98** (4):850-854.
- Holt, M. (2008). Sound exposure and Southern Resident killer whales (*Orcinus orca*): A review of current knowledge and data gaps. NOAA Technical Memorandum NMFS-

NWFSC-89.

Holt, M., Noren, D. P., and Emmons, C. K. (2011). Effects of noise levels and call types on the source levels of killer whale calls. *The Journal of the Acoustical Society of America*, 130(5), 3100–3106.

Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* 115 (1):76-84.

Houghton, J., Baird, R.W., Emmons, C.K., Hanson, M.B. (2015). Changes in the occurrence and behavior of mammal-eating killer whales in southern British Columbia and Washington state from 1987– 2010. *Northwest Science* 89(2), 154–169.

Illingworth & Rodkin. (2012). *Acoustic monitoring report. Test Pile Program*. Prepared for Naval Base Kitsap, Bangor, WA. April 27, 2012.

Illingworth & Rodkin (2013). *Acoustic Monitoring Report. Naval Base Kitsap at Bangor Trident Support Facilities Explosive Handling Wharf (EHW-2) Project*. Prepared for Naval Base Kitsap, Bangor, WA. May 15 2013.

ISO (International Organization for Standardization). 2003. Acoustics – Description, measurement and assessment of environmental noise – Part 1: Basic quantities and assessment procedures (ISO 1996-1:2003(E)). International Organization for Standardization, Geneva.

Jefferson, T. A., Smultea, M. A., Courbis, S. S., and Campbell, G. S. (2016). Harbor porpoise (*Phocoena phocoena*) recovery in the inland waters of Washington: estimates of density and abundance from aerial surveys, 2013–2015. *Canadian Journal of Zoology*, 94(7), 505-515.

Jeffries, S. J. (2012). Information regarding Steller sea lion haulout sites and numbers in Puget Sound. Personal communications over several dates in August 2012 between Steve Jeffries, Marine Mammal Specialist, Washington Department of Fish and Wildlife and Andrea Balla-Holden, Marine Biologist, Naval Facilities Engineering Command Northwest, Silverdale, WA. August.

Jeffries, S. J. (2013). *Aerial Surveys of Pinniped Haulout Sites in Pacific Northwest Inland Waters*. Prepared for U.S. Pacific Fleet, Pearl Harbor, Hawaii.



Jeffries, S. J., Gearin, P. J., Huber, H. R., Saul, D. L., and Pruett, D. A. (2000). *Atlas of seal and sea lion haulout sites in Washington*. Washington State Department of Fish and Wildlife, Wildlife Science Division, Olympia, WA.

[http://wdfw.wa.gov/wlm/research/papers/seal\\_haulout/](http://wdfw.wa.gov/wlm/research/papers/seal_haulout/)

Jeffries, S., Huber, H., Calambokidis, J., and Laake, J. (2003). Trends and status of harbor seals in Washington state: 1978–1999. *The Journal of Wildlife Management*, 67(1), 207–218.

Jemison, L. A., Pendleton, G. W., Fritz, L. W., Hastings, K. K., Maniscalco, J. M., Trites, A. W., and Gelatt, T. S. (2013). Inter-population movements of Steller sea lions in Alaska with implications for population separation. *PLoS One*, 8(8), e70167.

Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* 132 (1):161-170.

Kastak, D., and Schusterman, R. J. (1998). Low-frequency amphibious hearing in pinnipeds: Methods, measurements, noise, and ecology. *The Journal of the Acoustical Society of America*, 103(4), 2216–2228.

Kastak, D., Schusterman, R. J., Southall, B. L., and Reichmuth, C. J. (1999). Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. *The Journal of the Acoustical Society of America*, 106(2), 1142–1148.

Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. 2001. The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* 52 (4):351-371.

Kastelein, R.A., P. Bunskoek, M. Hagedoorn, W.W.L. Au, and D. de Haan. 2002. Audiogram of a harbor porpoise (*Phocoena phocoena*) measured with narrow-band frequency-modulated signals. *Journal of the Acoustical Society of America* 112 (1):334-344.

Kastelein, R.A., M. Hagedoorn, W.W.L. Au, and D. de Haan. 2003. Audiogram of a striped dolphin (*Stenella coeruleoalba*). *Journal of the Acoustical Society of America* 113 (2):1130- 1137.

Kastelein, R.A., R. Van Schie, W.C. Verboom, and D. de Haan. 2005a. Underwater hearing sensitivity of a male and a female Steller sea lion (*Eumetopias jubatus*). Journal of the Acoustical Society of America **118** (3):1820-1829.

Kastelein, R.A., W.C. Verboom, M. Muijsers, N.V. Jennings, and S. Van der Heul. 2005b. The influence of acoustic emissions for underwater data transmission on the behavior of harbour porpoises (*Phocoena phocoena*) in a floating pen. Marine Environmental Research **59**:287- 307.

Kastelein, R.A., N. Jennings, W.C. Verboom, D. de Haan, and N.M. Schooneman. 2006. Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. Marine Environmental Research **61** (3):363-378.

Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. Journal of the Acoustical Society of America **126** (1):476-483.

Kastelein, R.A., R. Gransier, L. Hoek, A. Macleod, and J.M. Terhune. 2012a. Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. Journal of the Acoustical Society of America **132** (4):2745-2761.

Kastelein, R.A., R. Gransier, L. Hoek, and J. Olthuis. 2012b. Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. Journal of the Acoustical Society of America **132**:3525-3537.

Krahn, M. M., Ford, M. J., Perrin, W. F., Wade, P. R., Angliss, R. P., Hanson, M. B., . . . Waples, R. S. (2002). *Status review of southern resident killer whales (Orcinus orca) under the Endangered Species Act*. (NOAA Technical Memo. NMFS-NWFSC-54). U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Seattle, WA.

Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. Wildlife Monographs **157**:1-41.

Lambourn, D. M., Jeffries, S. J., and Huber, H. R. (2010). *Observations of Harbor Seals in Southern Puget Sound during 2009*. (Contract Report for PO AB133F09SE2836F).

Washington Department of Fish and Wildlife, Wildlife Program, Wildlife Science Division Lakewood, WA.

Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* **78**:599-609.

Laughlin, J. (2015). *Compendium of background sound levels for ferry terminals in Puget Sound (Final report)*. (WSF Underwater Background Monitoring Project - Technical Report). Washington State Department of Transportation, Office of Air Quality and Noise, Seattle, WA. May 2015. [http://198.238.212.152/NR/rdonlyres/7CD4A4B6-99CF-4670-BD88-E82F96F4627B/0/WSF\\_SoundLevelReport.pdf](http://198.238.212.152/NR/rdonlyres/7CD4A4B6-99CF-4670-BD88-E82F96F4627B/0/WSF_SoundLevelReport.pdf).

London, J. M. (2006). *Harbor seals in Hood Canal: Predators and prey*. (Ph.D. dissertation), University of Washington, Seattle, WA. <http://www.sitkawhalefest.org/LondonFinal.pdf>

Lucke, K., U. Siebert, P.A. Lepper, and M. Blanchet. 2009. Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *Journal of the Acoustical Society of America* **125** (6):4060.

Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology* **201** (2-3):228-236.

Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America* **120** (4):2366-2379.

Malme, C. I., Miles, P. R., Clark, C. W., Tyack, P. L., and Bird, J. E. (1984). *Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior. Phase II, January 1984 migration*. Prepared by Bolt, Beranek, and Newman, Cambridge, MA. Prepared for United States Minerals Management Service, Alaska, OCS Office, Anchorage, AK. August 1984.

Malme, C. I., Wursig, B., Bird, J. E., and Tyack, P. L. (1988). Observations of feeding gray whale responses to controlled industrial noise exposure. In W. M. Sackinger, M. O.

Jefferies, J. L. Imm, and S. D. Treacy (Eds.), *Port and Ocean Engineering Under Arctic Conditions* (Vol. II, pp. 55–73). Fairbanks, AK: University of Alaska.

Miller, G. W., Elliott, R. E., Koski, W. R., Moulton, V. D., and Richardson, W. J. (1999). Whales. In LGL and Greeneridge (Eds.), *Marine Mammal and Acoustical Monitoring of Western Geophysical's Open- Water Seismic Program in the Alaskan Beaufort Sea, 1998*. LGL Report TA 2230-3. King City, Ont., Canada: LGL Ecological Research Associates, Inc.

Miller, J.D. 1974. Effects of noise on people. *Journal of the Acoustical Society of America* **56** (3):729-764.

Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.

Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.

Morris, J. T., Osychny, V. I., and Luey, P. J. (2008). *Naval Base Kitsap Bangor – Supplemental Current Measurement Survey: August 2007 field data report. Final*. Prepared by Science Applications International Corporation, Newport, RI. Prepared for BAE Systems Applied Technologies, Inc., Rockville, MD.

Morton, A.B. (1990). A quantitative comparison of the behaviour of resident and transient forms of the killer whale off the central British Columbia coast. *Reports of the International Whaling Commission, Special Issue 12*, 245–248.

Morton, A. B., and Symonds, H. K. (2002). Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *ICES Journal of Marine Science* **59**, 71–80.

Muto, M. M., Helker, V. T., Angliss, R. P., Allen, B. A., Boveng, P. L., Breiwick, J. M., . . . Zerbini, A. N. (2017). *Alaska marine mammal stock assessments, 2016*. (NOAA Tech. Memo. NMFSAFSC-355). National Marine Mammal Laboratory, Alaska Fisheries Science Center, Seattle, WA. June.

[http://www.nmfs.noaa.gov/pr/sars/pdf/alaska2016\\_final\\_\\_SARS\\_June.pdf](http://www.nmfs.noaa.gov/pr/sars/pdf/alaska2016_final__SARS_June.pdf).

Nachtigall, P. E., Mooney, T. A., Taylor, K. A. and Yuen, M. M. L. (2007). Hearing and Auditory Evoked Potential Methods Applied to Odontocete Cetaceans. *Aquatic Mammals*, 33 (1), 6–13.

National Research Council. (2003). Ocean noise and marine mammals. Washington, DC: National Research Council Committee on Potential Impacts of Ambient Noise in the Ocean on Marine Mammals; The National Academies Press.

National Research Council. (2005). Marine Mammal Populations and Ocean Noise: Determining When Noise Causes Biologically Significant Effects. Washington, D.C.: The National Academies Press.

Navy (U.S. Department of the Navy). (2001). Shock trial of the WINSTON S. CHURCHILL (DDG 81): Final Environmental Impact Statement. Department of the Navy.

Navy. (2010). Naval Base Kitsap Bangor Airborne noise measurements – October 2010. Silverdale, WA.

Navy. (2015). Pacific Navy Marine Species Density Database, Revised Final Northwest Training and Testing Technical Report. May 4, 2015. Naval Facilities Engineering Command Pacific, Pearl Harbor, HI.

Navy. (2016a). Final Environmental Impact Statement Land-Water Interface And Service Pier Extension At Naval Base Kitsap Bangor Naval Base Kitsap Bangor Silverdale, Washington. July 2016.

Navy. (2016b). Pinniped surveys at Naval Base Kitsap Bangor, Naval Base Kitsap Bremerton, Manchester Fuel Department, and Naval Station Everett: summary through June 2016. Naval Facilities Engineering Command Northwest, Silverdale, WA.

Navy. (2016c). *Puget Sound Naval Shipyard Intermediate Maintenance Facility Pier 6 Fender Pile Replacement Project Acoustic Monitoring Results*. (NSWCCD-73-TR--2016/553). Naval Surface Warfare Center, Carderock Division, Signature Measurement and Systems Division, West Bethesda, MD. May.

Navy. 2017. Request for Authorization for the Incidental Harassment Authorization of

Marin Mammals Resulting from the Service Pier Extension on Naval Base Kitsap Bangor, Washington. Naval Facilities Engineering Command Northwest

Nedwell, J., and B. Edwards. 2002. Measurements of underwater noise in the Arun River during piling at County Wharf, Littlehampton. Subacoustech, Ltd.

Ng, S.L., and S. Leung. (2003). Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research* 56(5): 555-567.

NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.

NMFS (National Marine Fisheries Service). (1997). Investigations of scientific information on the impacts of California sea lions and Pacific harbor seals on salmonids and on the coastal ecosystems of Washington, Oregon, and California. (NOAA Technical Memorandum NMFS-NWFSC-28). U.S. Department of Commerce, Washington, DC.

NMFS. (2005). Endangered Fish and Wildlife; Notice of intent to prepare an environmental impact statement. 70 FR 1871.

NMFS. (2008). *Recovery Plan for the Steller Sea Lion (Eumetopias jubatus)*. Revision. National Marine Fisheries Service, Silver Spring, MD.

NMFS. (2012a). Memorandum from Alaska Fisheries Science Center to Alaska Regional Office, NMFS, regarding regional and overall trends and trend analysis of the Eastern Distinct Population Segment (DPS) of Steller sea lion. April 2012.  
<http://alaskafisheries.noaa.gov/protectedresources/stellers/edps/status.htm>.

NMFS. (2012b). Humpback Whale (*Megaptera novaeangliae*).  
<http://www.nmfs.noaa.gov/pr/species/mammals/cetaceans/humpbackwhale.htm>.

NMFS. (2014). Incidental Harassment Authorization valid July 16, 2014, through February 15, 2015, for Explosive Handling Wharf #2 in the Hood Canal, WA. Signed July 14, 2014, by Donna Wieting, Director, Office of Protected Resources, National Marine Fisheries Service.

NMFS. (2016a). *Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing: Underwater Acoustic Thresholds for Onset of Permanent*

*and Temporary Threshold Shifts*. NOAA Technical Memorandum NMFS-OPR-55.

NMFS. (2016b). *Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing: Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts* (July 2016). Optional User Spreadsheet. Version 1.1. August 2016. <http://www.nmfs.noaa.gov/pr/acoustics/guidelines.htm>

NMFS. (2017). *Marine Mammal Stock Assessment Reports (SARs) by Species/Stock*. <http://www.nmfs.noaa.gov/pr/sars/species.htm>.

Norris, K.S., and J.H. Prescott. 1961. Observations on Pacific cetaceans of Californian and Mexican waters. *University of California Publications in Zoology* 63:291-402.

Northwest Environmental Consulting. (2014). *Replace Fendering System, Pier 6, PSNS & IMF Marine Mammal Monitoring*. Prepared by Northwest Environmental Consulting, LLC, Seattle, WA. Prepared for Watts Constructors, LLC, Gig Harbor, WA. March 2014.

Northwest Environmental Consulting. (2015). *Naval Base Bremerton Pier 6 Pile Replacement – Marine Mammal Monitoring*. Prepared by Northwest Environmental Consulting, LLC, Seattle, WA. Prepared for Watts Constructors, LLC, Gig Harbor, WA. March 2015.

Nowacek, D. P., Thorne, L. H., Johnston, D. W., and Tyack, P. L. (2007). Responses of cetaceans to anthropogenic noise. *Mammal Review*, 37(2), 81–115.

Nysewander, D. R., Evenson, J. R., Murphie, B. L., and Cyra, T. A. (2005). Report of marine bird and marine mammal component, Puget Sound Ambient Monitoring Program, for July 1992 to December 1999 period. Prepared for Washington State Department of Fish and Wildlife and Puget Sound Action Team, Olympia, Washington.

Oestman, R., D. Buehler, J. Reyff, and R. Rodkin. 2009. Technical guidance of assessment and mitigation of hydroacoustic effects of pile driving on fish. Report from ICF Jones & Stokes, Sacramento, CA and Illingworth and Rodkin, Inc., Petaluma, CA for California Department of Transportation. 367

Orca Network. (2015). Sightings Archives. [http://www.orcanetwork.org/Archives/index.php?categories\\_file=Sightings%20Archives%20Home](http://www.orcanetwork.org/Archives/index.php?categories_file=Sightings%20Archives%20Home) (Accessed December 15, 2015).

Orca Network. (2016). Sightings Archives - various months in 2016. Orca Network. [http://www.orcanetwork.org/Archives/index.php?categories\\_file=Sightings%20Archives%20Home](http://www.orcanetwork.org/Archives/index.php?categories_file=Sightings%20Archives%20Home). (Accessed March 19, 2017).

Osmek, S. D., Calambokidis, J., Laake, J., Gearin, P., DeLong, R., Scordino, J., . . . Brown, R. F. (1996). *Assessment of the status of harbor porpoise (Phocoena phocoena) in Oregon and Washington Water*. (NOAA Technical Memorandum NMFS-AFSC-76). U. S. Department of Commerce.

Parks, S.E., Ketten, D.R., O'Malley, J.T. and Arruda, J., 2007a. Anatomical predictions of hearing in the North Atlantic right whale. *The Anatomical Record*, 290(6), 734-744.

Parks, S.E., C.W. Clark, and P.L. Tyack. 2007b. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Journal of the Acoustical Society of America* **122** (6):3725-3731.

Pearson, W.H., J.R. Skalski, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences* 49: 1343-1356.

Phillips, C., Dolan, B., and Hafner, W. (2009). *Water Quality along the Naval Base Kitsap at Bangor shorelines. Phase I survey report for 2005-2006*. Prepared by Science Applications International Corporation, Bothell, WA. Prepared for BAE Systems Applied Technologies, Inc., Rockville, MD.

Popov, V.V., A.Y. Supin, D. Wang, K. Wang, L. Dong, and S. Wang. 2011. Noise-induced temporary threshold shift and recovery in Yangtze finless porpoises *Neophocaena phocaenoides asiaeorientalis*. *Journal of the Acoustical Society of America* **130** (1):574-584.

Popper, A.N. and M. Hastings. 2009. The effects of human-generated sound on fish. *Integrative Zoology* 4: 43-52.

Prescott, R. (1982). Harbor seals: Mysterious lords of the winter beach. *Cape Cod Life*, 3(4), 24-29.

Raum-Suryan, K. L., and Harvey, J. T. (1998). Distribution, abundance, and habitat use of harbor porpoise (*Phocoena phocoena*) off the northern San Juan Islands, Washington. *Fishery Bulletin*, 96(4), 808-822.



- Reeder, D. M., and Kramer, K. M. (2005). Stress in free-ranging mammals: integrating physiology, ecology, and natural history. *Journal of Mammalogy*, 86(2), 225–235.
- Richardson, W. J., Greene, C. R., Jr., Malme, C. I., and Thomson, D. H. (1995). *Marine mammals and noise*. San Diego, CA: Academic Press.
- Ridgway, S. H., Carter, D. A., Smith, R. R., Kamolnick, T., Schlundt, C. E., and Elsberry, W. R. (1997). *Behavioral responses and temporary shift in masked hearing threshold of bottlenose dolphins, Tursiops truncatus, to 1-second tones of 141 to 201 dB re 1  $\mu$ Pa*. (Technical Report 1751). Naval Command, Control and Ocean Surveillance Center, RDT&E Division, San Diego, CA.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, et al. 2012. Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* **279** (1737):2363-2368.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences* **61**:1124- 1134.
- Scheffer, V.B., and Slipp, J.W. (1948). The whales and dolphins of Washington State with a key to the cetaceans of the west coast of North America. *American Midland Naturalist*, 39(2), 257–337.
- Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *Journal of the Acoustical Society of America* 107 (6):3496-3508.
- Scholik, A.R., and H.Y. Yan. 2001. Effects of underwater noise on auditory sensitivity of a cyprinid fish. *Hearing Research* 152:17-24.
- Schneider, D. C., and Payne, P. M. (1983). Factors Affecting Haul-Out of Harbor Seals at a Site in Southeastern Massachusetts. *Journal of Mammalogy*, 64(3), 518–520.
- Scordino, J. (2006). *Steller sea lions (Eumetopias jubatus) of Oregon and Northern California: Seasonal haulout abundance patterns, movements of marked juveniles, and effects of hot-iron branding on apparent survival of pups at Rogue Reef*. (Master of

Science), Oregon State University, Corvallis, OR.

Seyle, H. 1950. Stress and the general adaptation syndrome. *British Medical Journal* June 17:1383-1392.

Skalski, J.R., W.H. Pearson, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences* 49: 1357-1365.

Smultea, M., Bacon, C., Steckler, D., and Cotter, M. (2015). *Puget Sound Marine Mammal Aerial Surveys 2013-2015*. Paper presented at the Marine Mammal Working Group, Puget Sound Ecosystem Monitoring Program (PSEMP), Olympia, WA. Smultea Environmental Services. January 15.

Smultea, M.A., K. Lomac-MacNair, G. Campbell, S.S. Courbis, and T.A. Jefferson. (2017). *Aerial Surveys of Marine Mammals Conducted in the Inland Puget Sound Waters of Washington, Summer 2013– Winter 2016*. Final Report. Prepared for Commander, U.S. Pacific Fleet and Naval Sea Systems Command. Submitted to Naval Facilities Engineering Command Pacific, Pearl Harbor, Hawaii under Contract No. N62470-15-D-8006, Task Order KB05 issued to HDR, San Diego, CA. June 2017.

Stone, G.S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. 2000. Reactions of Hector's dolphins to acoustic gillnet pingers. *New Zealand Department of Conservation*: 28.

Southall, B. L., Bowles, A. E., Ellison, W. T., Finneran, J. J., Gentry, R. L., Green, G. R., Jr., . . . Tyack, P. L. (2007). Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals*, 33(4), 411–521.

Suryan, R. M., and Harvey, J. T. (1998). Tracking harbor seals (*Phoca vitulina richardsi*) to determine dive behavior, foraging activity, and haul-out site use. *Marine Mammal Science*, 14(2), 361–372.

Tannenbaum, B. R., Bhuthimethee, M., Delwiche, L., Vedera, G., and Wallin, J. M. (2009). *Naval Base Kitsap at Bangor 2008 marine mammal survey report*. Prepared by Science Applications International Corporation, Bothell, WA. Prepared for BAE Systems Applied Technologies, Inc., Rockville, MD. June 24, 2009.

Tannenbaum, B. R., Hafner, W., Wallin, J. M., Delwiche, L., and Vedera, G. (2011).

*Naval Base Kitsap at Bangor 2009-2010 marine mammal survey report*. Prepared by Science Applications International Corporation, Bothell, WA. Prepared for Naval Facilities Engineering Command Northwest, Naval Base Kitsap at Bangor, Silverdale, WA. December 2011.

Terhune, J. M., and Verboom, W. C. (1999). Right whales and ship noise. *Marine Mammal Science*, 15(1), 256–258.

Unger, S. (1997). Identification of *Orcinus orca* by underwater acoustics in Dabob Bay. Presented at Oceans '97 MTS/IEE. Marine Technology Society and The Institute of Electrical and Electronics Engineers. 333-338; October 6-9, 1997, Halifax, Nova Scotia.

Urlick, R. J. (1983). *Principles of underwater sound*. 3rd ed. New York: McGraw-Hill.

URS Consultants Inc. (1994). *Final remedial investigation report for the Comprehensive Long-Term Environmental Action Navy (CLEAN) Program, Northwest Area, Remedial investigation for Operable Unit 7*. Prepared by URS Consultants Inc. Prepared for Engineering Field Activity, Northwest, Western Division, Naval Facilities Engineering Command, Silverdale, WA. June 13, 1994.

Ward, W. D. (1997). Effects of high intensity sound. In M. J. Crocker (Ed.) *Encyclopedia of acoustics*, (Volume III, pp. 1497–1507). New York: John Wiley & Sons.

Wartzok, D., and Ketten, D. R. (1999). Marine Mammal Sensory Systems. In J. E. Reynolds III and S. A. Rommel (Eds.), *Biology of Marine Mammals* (pp. 117–175). Smithsonian Institution Press.

Wartzok, D., Popper, A. N., Gordon, J., and Merrill, J. (2004). Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4), 6–15.

WDFW (Washington Department of Fish and Wildlife). (2008). Marine Bird and Mammal Component, Puget Sound Ambient Monitoring Program (PSAMP), 1992–2008. WDFW Wildlife Resources Data Systems.

Wilson, S. C. (1978). *Social organization and behavior of harbor seals, Phoca vitulina concolor, in Maine*. (MMC-76/10). Prepared by Office of Zoological Research, National Zoological Park, Smithsonian Institution, Washington, DC. Prepared for U.S. Marine Mammal Commission, Washington, DC. Submitted October 1977, Published April 1978.

Womble, J. N., and Gende, S. M. (2013). Post-breeding season migrations of a top predator, the harbor seal (*Phoca vitulina richardii*), from a marine protected area in Alaska. *PLoS One*, 8(2), e55386.

Wright, B. W., Tennis, M. J., and Brown, R. F. (2010). Movements of male California sea lions captured in the Columbia River. *NW Science*, 84(1), 60–72.

Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* **201** (2-3):159-168.

Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment* **134** (1-3):93-106.