

References

- Alaska Department of Environmental Conservation (ADEC). 2017. Ocean Discharge Criteria Evaluation for Alaska Ship and Drydock, LLC. Draft Permit No Date. Posted November 30, 2017. Viewed December 2017 at http://dec.alaska.gov/water/wwdp/permits/AK0045675_ODCE.pdf
- Alaska Department of Fish and Game (ADFG). 2017. Fish Resource Monitor. Viewed October 2017 at <<http://extra.sf.adfg.state.ak.us/FishResourceMonitor/?mode=awc>>
- Allen, A., and R.P. Angliss. 2015. Alaska marine mammal stock assessments, 2015. NOAA Tech Memo. NMFS-AFSC-301, 304 p. <http://dx.doi.org/10.7289/V5NS0RTS>.
- Allen, R.P. Angliss. 2010. Alaska marine mammal stock assessments, 2009. NOAA Technical Memorandum NMFS-AFSC-233. NMFS, Seattle, Washington.
- ANSI (American National Standards Institute). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI, 2005. Measurement of sound pressure levels in air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service: 60.
- Au, W. W. L. and Hastings, M. 2008. Principles of Marine Bioacoustics. Springer-Verlag, New York.
- Au, W.W.L., A.A. Pack, M.O. Lammers, L.M. Herman, M.H. Deakos and K. Andrews. 2006. Acoustic properties of humpback whale songs. *Journal of the Acoustical Society of America* 120:1103-1110.
- Austin, M., S. Denes, J. MacDonnell, and G. Warner. 2016. Hydroacoustic Monitoring Report: Anchorage Port Modernization Project Test Pile Program. Version 3.0. Technical report by JASCO Applied Sciences for Kiewit Infrastructure West Co.
- Beauchamp, G. and B. Livoreil. 1997. The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). *Canadian Journal of Zoology* 75 (9):1526-1531.
- Bejder, L., A. Samuels, H. Whitehead, N. Gales, J. Mann, R. Connor, et al. 2006. Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conservation Biology* 20 (6):1791-1798.
- Bejder, L., A. Samuels, H. Whitehead, H. Finn, and S. Allen. 2009. Impact assessment research: Use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli. *Marine Ecology Progress Series* 395:177-185.
- Best, P.B. 1982. Whales: Why do they strand? *African Wildlife* 36 (3):96-99.
- Blackwell, S.B., J.W. Lawson, and M.T. Williams. 2004. Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *Journal of the Acoustical Society of America* 115 (5):2346.

- Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Bonnell, M.L., M.O. Pierson, and G.D. Farrens. 1983. Pinnipeds and sea otters of central and northern California, 1980-1983: Status, abundance and distribution. Prepared by Center for Marine Studies, University of California for Minerals Management Service: 220.
- Bowles, A.E., M. Smultea, B. Wursig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. *Journal of the Acoustical Society of America* 96 (4):2469-2484.
- Bradshaw, C.J.A., S. Boutin, and D.M. Hebert. 1998. Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology* 76 (7):1319-1324.
- Branstetter, B.K., J.S. Trickey, K. Bakhtiari, A. Black, H. Aihara, and J.J. Finneran. 2013. Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. *Journal of the Acoustical Society of America* 133 (3):1811-1818.
- Brown, R.F. 1988. Assessment of pinniped populations in Oregon: April 1984 to April 1985. NWAFC Processed Report 88-05, National Marine Fisheries Service: 54.
- Buckland, S. T., K. L. Cattanach, and R. C. Hobbs. 1993. Abundance estimates of Pacific white sided dolphin, northern right whale dolphin, Dall's porpoise and northern fur seal in the North Pacific, 1987/90. Pp. 387-407 In W. Shaw, R. L. Burgner, and J. Ito (eds.), *Biology, distribution and stock assessment of species caught in the high seas driftnet fisheries in the North Pacific Ocean*. International North Pacific Fisheries Commission Symposium; 4-6 November 1991, Tokyo, Japan.
- Caltrans. 2015. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish: Appendix I – Compendium of Pile Driving Sound Data. Updated October 2015.
- California Department of Transportation (Caltrans). 2012. Compendium of pile driving sound data. California Department of Transportation: 215.
- Clark, C.W. and W.T. Ellison. 2004. Potential use of low-frequency sounds by baleen whales for probing the environment: Evidence from models and empirical measurements. Pages 564- 589 in J.A. Thomas, C.F. Moss and M. Vater, eds. *Echolocation in Bats and Dolphins*. University of Chicago Press, Chicago, IL.
- Carlson, T.J., D.L. Woodruff, G.E. Johnson, N.P. Kohn, G.R. Ploskey, M.A. Weiland, et al. 2005. Hydroacoustic measurements during pile driving at the Hood Canal Bridge, September through November 2004. PNWD-3621, Prepared by Battelle Marine Sciences Laboratory for the Washington State Department of Transportation: 165.
- Clark, C.W., W.T. Ellison, B.L. Southall, L. Hatch, S.M. Van Parijs, A. Frankel, and D. Ponirakis. 2009. Acoustic masking in marine ecosystems: intuitions, analysis, and implication. *Marine Ecology Progress Series* 395:201-222.
- Connor, R.C. and M.R. Heithaus. 1996. Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science* 12 (4):602-606.
- Costa, D.P., D.E. Crocker, J. Gedamke, P.M. Webb, D.S. Houser, S.B. Blackwell, et al. 2003. The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *Journal of the Acoustical Society of America* 113 (2):1155-1165.

- Cox, T.M., T.J. Ragen, A.J. Read, E. Vos, R.W. Baird, K. Balcomb, et al. 2006. Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management* 7 (3):177-187.
- Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of Balaenoptera whales. *Animal Conservation* 4 (1):13-27.
- Daan, S., C. Deerenberg, and C. Dijkstra. 1996. Increased daily work precipitates natural death in the kestrel. *Journal of Animal Ecology* 65 (5):6.
- Dahlheim, M.E. 2016. Personal communication by telephone between Marilyn Dahlheim, Research Biologist, National Marine Mammal Laboratory, NOAA, and Suzann Speckman, Marine Science Program Lead, HDR, Anchorage, Alaska. 13 October 2016.
- Dahlheim, M.E., A.N. Zerbini, J.M. Waite, and A.S. Kennedy. 2015. Temporal changes in abundance of harbor porpoise (*Phocoena phocoena*) inhabiting the inland waters of Southeast Alaska. *Fishery Bulletin* 113(3): 242-255.
- Dahlheim, ME, P.A. White, and J.M. Waite. 2009. Cetaceans of Southeast Alaska: distribution and seasonal occurrence. *Journal of Biogeography*. 36: 410–426.
- Denes, S.L, G.J. Warner, M.E. Austin and A.O. MacGillivray. 2016. Alaska Department of Transportation and Public Facilities Hydroacoustic Pile Driving Noise Study: Comprehensive Report.
<http://www.dot.alaska.gov/stwddes/research/search_lib.shtml>
- Di Iorio, L. and C.W. Clark. 2009. Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters* 6 (1):51-54.
- Edds-Walton, P.L. 1997. Acoustic communication signals of Mysticete whales. *Bioacoustics* 8:47-60.
- Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26:21-28.
- Erbe, C. 2008. Critical ratios of beluga whales (*Delphinapterus leucas*) and masked signal duration. *Journal of the Acoustical Society of America* 124 (4):2216-2223.
- Evans, D.L. and G.R. England. 2001. Joint interim report: Bahamas marine mammal stranding event of 15-16 March 2000. U.S. Navy and National Marine Fisheries Service: 66.
- Fair, P.A. and P.R. Becker. 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery* 7 (4):335-354.
- Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* 111 (6):2929.
- Finneran, J., R. Dear, D.A. Carder, and S.H. Ridgway. (2003). Auditory and behavioral responses of California sea lions (*Zalophus californianus*) to single underwater impulses from an arc-gap transducer. *The Journal of the Acoustical Society of America*, 114(3), 1667-1677.

- Finneran, J.J., D.A. Carder, C.E. Schlundt, and S.H. Ridgway. 2005. Temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones. *Journal of the Acoustical Society of America* 118 (4):2696-2705.
- Finneran, J.J. and A.K. Jenkins. 2012. Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.
- Foote, A.D., R.W. Osborne, and A.R. Hoelzel. 2004. Whale-call response to masking boat noise. *Nature* 428:910.
- Ford JKB, Reeves RR (2008) Fight or flight: anti-predator strategies of baleen whales. *Mammal Rev* 38: 50–86.
- Frankel, A.S. and C.W. Clark. 2000. Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America* 108 (4):1930-1937.
- Freitag, G. 2017. Personal communication between Kate Arduser, Solstice Alaska Consulting, Inc. and Gary Freitag, University of Alaska Fairbanks College of Fisheries and Ocean Sciences Associate Professor Marine Advisory Program, member of NOAA Marine Mammal Stranding Network, and longtime Ketchikan resident, regarding marine mammal occurrence, behavior, and typical groups size in Ketchikan vicinity.
- Fristrup, K.M., Hatch, L.T. & Clark, C.W. 2003. Variation in humpback whale (*Megaptera novaengliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America*, 113, 3411–3424.
- Fritz, L. 2017. Personal communication by email between Lowell Fritz, Research Biologist, National Marine Mammal Laboratory, NOAA, and Suzann Speckman, Marine Science Program Lead, HDR, Anchorage, Alaska. 10 May 2017.
- Fritz, L., K. Sweeney, M. Lynn, T. Gelatt, J. Gilpatrick, and R. Towell. 2016a. Counts of Alaska Steller sea lion pups conducted on rookeries in Alaska from 1961-06-22 to 2015-07-18 (NCEI Accession 0128189). Version 2.4. NOAA National Centers for Environmental Information. Dataset. Doi:10.7289/V5862DDR [24 June 2016].
- Fritz, L., K. Sweeney, M. Lynn, T. Gelatt, J. Gilpatrick, and R. Towell. 2016b. Counts of Alaska Steller sea lion adults and juvenile (non-pup) conducted on rookeries and haulouts in Alaska Aleutian Islands, Bering Sea, and others from 1904-01-01 to 2015-07-18 (NCEI Accession 0128190). Version 1.3. NOAA National Centers for Environmental Information. Dataset. Doi:10.7289/V54F1NP1 [24 June 2016].
- Fritz, L., K. Sweeney, R. Towell, and T. Gelatt. 2016c. Steller sea lion haulout and rookery locations in the United States for 2016-05-14 (NCEI Accession 0129877). Version 2.3. NOAA National Centers for Environmental Information. Dataset. doi:10.7289/V58C9T7V [24 June 2016].
- Fritz, H., M. Guillemain, and D. Durant. 2002. The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): An approach through foraging experiments. *Ethology, Ecology and Evolution* 14 (2):91-97.
- Gailey, G., B. Wursig, and T.L. McDonald. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134 (1-3):75-91.

Geraci, J.R., J. Harwood, and V.J. Lounsbury. 1999. Marine mammal die-offs: Causes, investigations, and issues. Pages 367-395 in J. Twiss and R. Reeves, eds. Conservation and Management of Marine Mammals. Smithsonian Institution Press, Washington, DC.

Goldbogen, J.A., J. Calambokidis, A.S. Friedlaender, J. Francis, S.L. Deruiter, A.K. Stimpert, et al. 2013a. Underwater acrobatics by the world's largest predator: 360° rolling manoeuvres by lunge-feeding blue whales. *Biology Letters* 9 (1):Article 20120986.

Goldbogen, J.A., A.S. Friedlaender, J. Calambokidis, M.F. McKenna, M. Simon, and D.P. Nowacek. 2013b. Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *BioScience* 63 (2):90-100.

Goold, J.C. 1996. Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom* 76 (3):811-820.

Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M.P. Simmonds, R. Swift, and D. Thompson. 2003. A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal* 37 (4):16-34.

Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M.P. Simmonds, R. Swift, and D. Thompson. 2004. A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal* 37 (4):16-34.

Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. 2009. Overview of the impacts of anthropogenic underwater sound in the marine environment. OSPAR Commission: 134.

Hall, J. 1979. A survey of cetaceans of Prince William Sound and adjacent waters - their numbers and seasonal movements. Unpubl. report to Alaska Outer Continental Shelf Environmental Assessment Programs. NOAA OCSEAP Juneau Project Office, Juneau, AK. 37 pp.

Halpin, P.N., A.J. Read, E. Fujioka, B.D. Best, B. Donnelly, L.J. Hazen, C. Kot, K. Urian, E. LaBrecque, A. Dimatteo, J. Cleary, C. Good, L.B. Crowder, and K.D. Hyrenbach. 2009. OBIS- SEAMAP: The world data center for marine mammal, sea bird, and sea turtle distributions. *Oceanography* 22(2):104-115. As viewed December 2017 at <http://seamap.env.duke.edu/search>.

Harrington, F.H. and A.M. Veitch. 1992. Calving success of woodland caribou exposed to low-level jet fighter overflights. *Arctic* 45 (3):213-218.

Harris, C.M. (ed.). 1998. Handbook of Acoustical Measurements and Noise Control. Acoustical Society of America, Woodbury, NY.

Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Technical report for Jones and Stokes to California Department of Transportation.

HDR. 2003. Gravina Access Project Threatened and Endangered Species Biological Assessment for Humpback Whale and Steller Sea Lion Updated November 2003. As viewed November 2017 at http://dot.alaska.gov/sereg/projects/gravina_access/documents.shtml

Heisler, J. Personal communication between Kate Arduser, Solstice Alaska Consulting, Inc. and Jerry Heisler, dock builder and longtime Ketchikan resident, regarding marine mammal occurrence and behavior in Ketchikan vicinity.

- Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America* 120 (6):3463-3466.
- Hildebrand, J.A. 2009. Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series* 395:5-20.
- Hobbs, R. C., and J. M. Waite. 2010. Abundance of harbor porpoise (*Phocoena phocoena*) in three Alaskan regions, corrected for observer errors due to perception bias and species misidentification, and corrected for animals submerged from view. *Fish. Bull., U.S.* 108(3):251-267.
- Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* 98 (4):850-854.
- Holt, M.M., D.P. Noren, V. Veirs, C.K. Emmons, and S. Veirs. 2009. Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America* 125 (1):EL27-32.
- Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* 115 (1):76-84.
- Houser, D.S., D.A. Helweg, and P.W.B. Moore. 2001. A Bandpass filter-bank model of auditory sensitivity in the humpback whale. *Aquatic Mammals* 27(2): 82-91.
- Houser, D.S. and P.W. Moore. 2014. Report on the current and future status of underwater hearing research. Report NMMF-001-14, National Marine Mammal Foundation: 46.
- ISO (International Organization for Standardization). 2003. Acoustics – Description, measurement and assessment of environmental noise – Part 1: Basic quantities and assessment procedures (ISO 1996-1:2003(E)). International Organization for Standardization, Geneva.
- Jemison, L., Pendleton, G., Fritz, L., Hastings, K., Maniscalco, J., Trites, A. and T. Gelatt. 2013. Inter-Population Movements of Steller Sea Lions in Alaska with Implications for Population Separation. *PLOS One* 8(8) <https://doi.org/10.1371/journal.pone.0070167>
- Jepson, P. D., Deaville, R., Acevedo-Whitehouse, K., Barnett, J., Brownlow, A., Brownell, R. L., et al. (2013). What caused the UK's largest common dolphin (*Delphinus delphis*) mass stranding event? *PLoS ONE* 8:e60953. doi: 10.1371/journal.pone.0060953.
- Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* 132 (1):161-170.
- Johnson, J. H., and A. A. Wolman. 1984. The humpback whale, *Megaptera novaeangliae*. *Mar. Fish. Rev.* 46: 30-37.

- Kastelein, R.A., R. Gransier, L. Hoek, and J. Olthuis. 2012b. Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. *Journal of the Acoustical Society of America* 132:3525-3537.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* 126 (1):476-483.
- Kastelein, R.A., R. Van Schie, W.C. Verboom, and D. de Haan. 2005a. Underwater hearing sensitivity of a male and a female Steller sea lion (*Eumetopias jubatus*). *Journal of the Acoustical Society of America* 118 (3):1820-1829.
- Kastelein, R.A., W.C. Verboom, M. Muijsers, N.V. Jennings, and S. Van der Heul. 2005b. The influence of acoustic emissions for underwater data transmission on the behavior of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* 59:287-307.
- Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. 2001. The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* 52 (4):351-371.
- Kastak D. and R.J. Schusterman. 1995. Aerial and underwater hearing thresholds for 100 Hz pure tones in two pinniped species. In Kastelein RA, Thomas JA, Nachtigall PE (Editors), *Sensory systems of aquatic mammals*. De Spil Publishing, Woerden, Netherlands.
- Kastak, D., R.J. Schusterman, B.L. Southall, and C.J. Reichmuth. 1999. Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. *Journal of the Acoustical Society of America* 106 (2):1142-1148.
- Kastak, D., B.L. Southall, R.J. Schusterman, and C.R. Kastak. 2005. Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America* 118 (5):3154-3163.
- Kastak, D., J. Mulsow, A. Ghaul, and C. Reichmuth. 2008. Noise-induced permanent threshold shift in a harbor seal. *Journal of the Acoustical Society of America* 123:2986.
- Ketten, D.R. 1997. Structure and function in whale ears. *Bioacoustics* 8:103-137. Laughlin, J. 2010. Airborne Noise Measurements (A-weighted and un-weighted) during Vibratory Pile Installation - Technical Memorandum. Washington State Department of Transportation Memo from Jim Laughlin to Sharon Rainsberry.
- Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs* 157:1-41.
- Kryter, K.D. 1985. *The Effects of Noise on Man*. Academic Press, New York.
- Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* 78:599-609.

- Leatherwood, J. S., and M. R. Fielding. 1974. A survey of distribution and movements of Dall's porpoise, *Phocoenoides dalli*, off southern California and Baja California. Working paper No. 42, FAO, United Nations, ACMRR Meeting, La Jolla, CA.
- Leatherwood, S., R. R. Reeves, W. F. Perrin, and W. E. Evans. 1982. Whales, dolphins, and porpoises of the eastern North Pacific and adjacent Arctic waters: A guide to their identification. U.S. Dep. Commer., NOAA Tech. Rept. NMFS Circular 444. 245 pp.
- Linnenschmidt, M., J. Teilmann, T. Akamatsu, R. Dietz, and L. A. Miller. 2013. Biosonar, dive, and foraging activity of satellite tracked harbor porpoises (*Phocoena phocoena*). *Mar. Mammal Sci.* 29(2):77-97.
- Lewis, S. 2017. Personal communication by email between Steve Lewis, resident of Tenakee Springs, Alaska, and Suzann Speckman, Marine Science Program Lead, HDR, Anchorage, Alaska. 10-19 October 2016.
- Loeb, V. J. 1972. A study of the distribution and feeding habits of the Dall's porpoise in Monterey Bay, CA. MA Thesis, San Jose State University, CA. 62 pp.
- London, J.M. 2016. Personal communication by telephone between Josh London, Research Biologist, National Marine Mammal Laboratory, NOAA, and Nate Jones, Environmental Scientist, HDR, Anchorage, Alaska. October 2016.
- London, J.M., K.M. Yano, D.E. Withrow, J.K. Jansen, S.P. Dahle, H.L. Ziel, G.M. Brady, M.F. Cameron, J.M. Ver Hoef, and P.L. Boveng. 2015. Aerial survey counts of harbor seals in Coastal Alaska (2004-2011). Alaska Fisheries Science Center, National Oceanic and Atmospheric Administration. Dataset available from: <https://jmlondon.shinyapps.io/akpvsurveys-app/> Accessed on 27 July 2016.
- Loughlin, T. R., D. J. Rugh, and C.H. Fiscus. 1984. Northern sea lion distribution and abundance: 1956-80. *The Journal of Wildlife Management*, 729-740.
- Lucke, K., U. Siebert, P.A. Lepper, and M. Blanchet. 2009. Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *Journal of the Acoustical Society of America* 125 (6):4060.
- Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology* 201 (2-3):228-236.
- MacGillivray, A., G. Warner, and C. McPherson. 2016. Alaska DOT hydroacoustic pile driving noise study: Kake monitoring results. Jasco Applied Sciences, Victoria, British Columbia, Canada. February 2016.
- Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America* 120 (4):2366-2379.
- Malme, C. I., Miles, P. R., Clark, C. W., Tyack, P., & Bird, J. E. 1984. Investigations of the potential effects of underwater noise from petroleum-industry activities on migrating gray-whale behavior. Phase 2: January 1984 migration (No. PB-86-218377/XAB; BBN-5586). Bolt, Beranek and Newman, Inc., Cambridge, MA (USA).

Marine Exchanges of Alaska. 2017. Port of Ketchikan Facilities. Viewed on October 10, 2017 at http://www.mxak.org/ports/southeast/ketchikan/ketchikan_facilities.html Moffatt and Nichol/LandDesign. 2016. City of Ketchikan Planning and Design of Port Improvements. Viewed on October 10, 2017 at http://www.skagway.org/sites/default/files/fileattachments/port_commission/meeting/packets/30281/ketchikan_port_facility_planning_final_report_2016.12.30.pdf

Merrick R.L., and T.R. Loughlin. 1997. Foraging behavior of adult female and young-of-the-year Steller sea lions in Alaskan waters. *Canadian Journal of Zoology* 75:776–786.

Miller, P.J.O., N. Biassoni, A. Samuels, and P.L. Tyack. 2000. Whale songs lengthen in response to sonar. *Nature* 405 (6789):903.

Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.

Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. *Oxford Reviews in Reproductive Biology*. Oxford University Press, New York, New York.

Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.

Morton and Symonds., 2002. Displacement of *Orcinus Orca* by high amplitude sound in British Columbia. *ICES J. Mar. Sci.* 21:217-242

Muto M. M., V. T. Helker, R. P. Angliss, B. A. Allen, P. L. Boveng, J. M. Breiwick, M. F. Cameron, P. J. Clapham, S. P. Dahle, M. E. Dahlheim, B. S. Fadely, M. C. Ferguson, L. W. Fritz, R. C. Hobbs, Y. V. Ivashchenko, A. S. Kennedy, J. M. London, S. A. Mizroch, R. R. Ream, E. L. Richmond, K. E. W. Shelden, R. G. Towell, P. R. Wade, J. M. Waite, and A. Zerbini. 2017a. Alaska Marine Mammal Stock Assessments, 2016. NOAA Technical Memorandum NMFS-AFSC-355

Muto M. M, V. T. Helker, R. P. Angliss, B. A. Allen, P. L. Boveng, J. M. Breiwick, M. F. Cameron, P. J. Clapham, S. P. Dahle, M. E. Dahlheim, B. S. Fadely, M. C. Ferguson, L. W. Fritz, R. C. Hobbs, Y. V. Ivashchenko, A. S. Kennedy, J. M. London, S. A. Mizroch, R. R. Ream, E. L. Richmond, K. E. W. Shelden, R. G. Towell, P. R. Wade, J. M. Waite, and A. Zerbini. 2017b. Draft Alaska Marine Mammal Stock Assessments, 2017. NOAA Technical Memorandum NMFS-AFSC-355.

Mulsow, J. and C. Reichmuth. 2010. Psychophysical and electrophysiological aerial audiograms of a Steller sea lion (*Eumetopias jubatus*) a. *The Journal of the Acoustical Society of America*, 127(4):2692-2701.

Nachtigall, P.E., A.Y. Supin, J.L. Pawloski, and W.W.L. Au. 2004. Temporary threshold shifts after noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science* 20 (4):672-687.

National Marine Fisheries Service (NMFS). 2018. Fisheries Home » Protected Resources » Species Minke Whale (*Balaenoptera acutorostrata*). As viewed January 2018 at <http://www.nmfs.noaa.gov/pr/species/mammals/whales/minke-whale.html>

Nedwell, J. and B. Edwards. 2002. Measurements of underwater noise in the Arun River during piling at County Wharf, Littlehampton. Report No. 513R0108, Prepared by Subacoustech, Ltd. for David Wilson Homes, Ltd.: 28.

NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.

Ng, S.L. and S. Leung. 2003. Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine Environmental Research* 56 (5):555-567.

NMFS. 2012. Letter of Concurrence for Gravina Access Project dated September 14, 2012. From NMFS to FHWA.

NMFS. 2013. Occurrence of western distinct population segment Steller sea lions East of 144° W. longitude. NOAA, National Marine Fisheries Service, Alaska Region, Juneau, AK. 3 pp. Viewed on October 11, 2017 at <https://alaskafisheries.noaa.gov/sites/default/files/wdps_sect7guidance1213final.pdf>

NMFS. 2015. Minke whale (*Balaenoptera acutorostrata*). NOAA Fisheries, Office of Protected Resources. Available from: http://www.nmfs.noaa.gov/pr/sars/pdf/stocks/alaska/2015/ak2015_whmi.pdf. Accessed on 9 February 2018.

NMFS. 2016a. Killer whale (*Orcinus orca*). NOAA Fisheries, Office of Protected Resources. Available from: <http://www.nmfs.noaa.gov/pr/species/mammals/whales/killer-whale.html> Accessed on 28 July 2016.

NMFS. 2016. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. NOAA Technical Memorandum NMFS-OPR-55 July 2016.

NMFS 2018a. Fisheries Home » Protected Resources » Species Pacific White-Sided Dolphin (*Lagenorhynchus obliquidens*). As viewed January 2018 at <http://www.nmfs.noaa.gov/pr/species/mammals/dolphins/pacific-white-sided-dolphin.html>

NMFS. 2018b. Fisheries Home » Protected Resources » Species Dall's Porpoise (*Phocoenoides dalli*). As viewed January 2018 at <http://www.nmfs.noaa.gov/pr/species/mammals/porpoises/dalls-porpoise.html>

NMFS. 2017. Shorezone Mapper. Viewed on October 10, 2017 at <<https://alaskafisheries.noaa.gov/mapping/szflex/index.html?T=SZ@L=B>>

Nowacek, D.P., L.H. Thorne, D.W. Johnston, and P.L. Tyack. 2007. Responses of cetaceans to anthropogenic noise. *Mammal Review* 37 (2):81-115.

Nowacek, D.P., Johnson, M.P. and Tyack, P.L., 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London B: Biological Sciences*, 271(1536), pp.227-231.

NRC (National Research Council). 2003. Ocean noise and marine mammals. National Academy of Sciences: 220.

NRC. 2005. Marine mammal populations and ocean noise: Determining when noise causes biologically significant effects. National Academy of Sciences: 142.

- Oestman, R., D. Buehler, J. Reyff, and R. Rodkin. 2009. Technical guidance for assessment and mitigation of the hydroacoustic effects of pile driving on fish. Prepared by ICF Jones & Stokes and Illingworth & Rodkin, Inc. for the California Department of Transportation: 298.
- Parks, S.E., Ketten, D.R., O'Malley, J.T. and Arruda, J., 2007a. Anatomical predictions of hearing in the North Atlantic right whale. *The Anatomical Record*, 290(6), pp.734-744.
- Parks, S.E., C.W. Clark, and P.L. Tyack. 2007b. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Journal of the Acoustical Society of America* 122 (6):3725-3731.
- Pearson, W.H., J.R. Skalski, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences* 49:1343-1356.
- Popper, A.N. and M.C. Hastings. 2009. The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology* 75 (3):455-489.
- Purser, J. and A.N. Radford. 2011. Acoustic noise induces attention shifts and reduces foraging performance in three-spined sticklebacks (*Gasterosteus aculeatus*). *PLoS ONE* 6 (2):e17478.
- R&M Consultants, Inc. 2016. Memorandum, Pile Installation/Removal Activities for the Biorka Island Dock Replacement, R&M Consultants, Inc., Vanguard Drive, Anchorage Alaska. December 9, 2016. 19 p.
- Rasanen, L. 2017. Personal communication by email between Laura Rasanen, resident of Tenakee Springs, Alaska, and Suzann Speckman, Marine Science Program Lead, HDR, Anchorage, AK. 10 October 2016.
- Rehberg, M.J., R.D. Andrews, U.G. Swain, and D.G. Calkins. 2009. Foraging behavior of adult female Steller sea lions during the breeding season in Southeast Alaska. *Marine Mammal Science* 25:588–604.
- Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* 199 (6):491-507.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, CA.
- Ridgway, S.H., D.A. Carder, R.R. Smith, T. Kamolnick, C.E. Schlundt, and W.R. Elsberry. 1997. Behavioral responses and temporary shift in masked hearing threshold of bottlenose dolphins, *Tursiops truncatus*, to 1-second tones of 141 to 201 dB re 1 μ Pa. Technical Report 1751, Naval Command, Control and Ocean Surveillance Center: 32.
- Ridgway, S., D. Carder, J. Finneran, M. Keogh, T. Kamolnick, M. Todd, and A. Goldblatt. 2006. Dolphin continuous auditory vigilance for five days. *Journal of Experimental Biology* 209 (18):3621-3628.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, et al. 2012. Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* 279 (1737):2363-2368.

- Romano, T., M. Keogh, and K. Danil. 2002a. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.
- Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. 2002b. Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences* 61:1124-1134.
- Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *Journal of the Acoustical Society of America* 107 (6):3496-3508.
- Scholik, A.R. and H.Y. Yan. 2002. The effects of noise on the auditory sensitivity of the bluegill sunfish, *Lepomis macrochirus*. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology* 133 (1):43-52.
- Scholik, A.R. and H.Y. Yan. 2001. The effects of underwater noise on auditory sensitivity of fish. *Proceedings of the Institute of Acoustics* 23 (4):27.
- Seyle, H. 1950. Stress and the general adaptation syndrome. *British Medical Journal* June 17:1383-1392.
- Sih, A., A.M. Bell, and J.L. Kerby. 2004. Two stressors are far deadlier than one. *Trends in Ecology and Evolution* 19 (6):274-276.
- Skalski, J.R., Pearson, W.H. and Malme, C.I., 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49(7), pp.1357-1365.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals* 33 (4):411-521.
- Straley, J. 1990. Fall and winter occurrence of humpback whales (*Megaptera novaeangliae*) in Southeastern Alaska. *Reports of the International Whaling Commission (Special Issue 12)*: 319-323.
- Straley, J. 2017. Personal communication between Kate Arduser, planner for Solstice Alaska Consulting, Inc. and Jan Straley, whale biologist and marine biology professor, regarding marine mammals in Southeast Alaska.
- Straley, J. and K. Pendell. 2017. Marine Mammal Report-Silver Bay Project. J. Straley Investigations PO Box 273 Sitka, AK 99835.
- Stone, G.S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. 2000. Reactions of Hector's dolphins to acoustic gillnet pingers. *New Zealand Department of Conservation*: 28.

- Taylor, L.A., B.W. Eakins, K.S. Carignan, R.R. Warnken, T. Sazonova, D.C. Schoolcraft, and G.F. Sharman. 2008. Digital elevation models of Sand Point, Alaska: procedures, data sources and analysis. NOAA Technical Memorandum NESDIS NGDC-5.
- Teilmann, J., J. Tougaard, L.A. Miller, T. Kirketerp, K. Hansen, and S. Brandø. 2006. Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science* 22 (2):240-260.
- Thorson, P. and J.A. Reyff. 2006. San Francisco-Oakland Bay Bridge East Span Seismic Safety Project: marine mammal and acoustic monitoring for the marine foundations at piers E2 and T1, January-September 2006. Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation: 51.
- Towers, J.R., Ellis, G.M. and Ford, J.K.B. 2015. Photo-identification catalogue and status of the northern resident killer whale population in 2014. *Can. Tech. Rep. Fish. Aquat. Sci.* 3139: iv + 75 p.
- Urick, R.J. 1983. *Principles of Underwater Sound*. Peninsula Publishing, Los Altos, CA.
- U.S. Navy. 2012. NAVFAC. Naval Base Kitsap at Bangor EHW-1 Pile Replacement Project, Bangor, Washington. Final Acoustic Monitoring Report. Prepared by Illingworth & Rodkin. April 2012.
- U.S. Navy. 2015. Proxy source sound levels and potential bubble curtain attenuation for acoustic modeling of nearshore marine pile driving at Navy installations in Puget Sound. Prepared by Michael Slater, Naval Surface Warfare Center, Carderock Division, and Sharon Rainsberry, Naval Facilities Engineering Command Northwest. Revised January 2015.
- Viada, S.T., R.M. Hammer, R. Racca, D. Hannay, M.J. Thompson, B.J. Balcom, and N.W. Phillips. 2008. Review of potential impacts to sea turtles from underwater explosive removal of offshore structures. *Environmental Impact Assessment Review* 28 (4-5):267-285.
- Wade, P.R., J.W. Durban, J.M. Waite, A.N. Zerbini, and M.E. Dahlheim. 2003. Surveying killer whale abundance and distribution in the Gulf of Alaska and Aleutian Islands. *AFSC Quarterly Report*, October-November-December 2003.
- Wade, P.R., T. J. Quinn II, J. Barlow, C. S. Baker, A. M. Burdin, J. Calambokidis, P. J. Clapham, E. Falcone, J. K. B. Ford, C. M. Gabriele, R. Leduc, D. K. Mattila, L. Rojas-Bracho, J. Straley, B. L. Taylor, Urbán R., D. Weller, B. H. Witteveen, and M. Yamaguchi. 2016. Estimates of abundance and migratory destination for North Pacific humpback whales in both summer feeding areas and winter mating and calving areas. Paper SC/66b/IA21 submitted to the Scientific Committee of the International Whaling Commission, June 2016, Bled, Slovenia.
- Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of acoustics*, Volume III. John Wiley & Sons, New York.
- Warner, G., and M. Austin. 2016a. Alaska DOT Hydroacoustic Pile Driving Noise Study – Ketchikan Monitoring Results. JASCO Applied Sciences, Victoria, BC, Canada. August April 2016.
- Warner, G., and M. Austin. 2016b. Alaska DOT Hydroacoustic Pile Driving Noise Study: Kodiak Monitoring Results. JASCO Applied Sciences, Victoria, BC, Canada. April 2016.
- Wartzok, D., & Ketten, D. R. 1999. Marine mammal sensory systems. In J. E. Reynolds II & S. A. Rommel (Eds.), *Biology of marine mammals* (pp. 117-175). Washington, DC: Smithsonian Institution Press.

- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* **37** (4):6-15.
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* 201 (2-3):159-168.
- Wheeler, K. 2017. Personal communication by telephone between Ken Wheeler, resident of Tenakee Springs, Alaska, and Suzann Speckman, Marine Science Program Lead, HDR, Anchorage, Alaska. 18 October 2016.
- Wolfe, R. J., J. Bryant, L. Hutchinson-Scarborough, M. Kookesh, and L.A. Sill. 2013. The subsistence harvest of harbor seals and sea lions in Southeast Alaska in 2012. Alaska Department of Fish and Game, Division of Subsistence, Technical Paper No. 383, Anchorage, AK.
- Wright, A.J., M. Maar, C. Mohn, J. Nabe-Nielsen, U. Siebert, L.F. Jensen, et al. 2013. Possible causes of a harbour porpoise mass stranding in Danish waters in 2005. *PLoS ONE* 8 (2):e55553.
- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134 (1-3):93-106.
- Yelverton, J.T., Richmond, D.R., Fletcher, E.R. and Jones, R.K., 1973. Safe distances from underwater explosions for mammals and birds. Lovelace Foundation For Medical Education and Research, Albuquerque, NM.
- Zerbini, A.N., J.M. Waite, J.L. Laake, and P.R. Wade. 2006. Abundance, trends, and distribution of baleen whales off Western Alaska and the Central Aleutian Islands. *Deep-Sea Research* 53:1772-1790.
- Zimmer, W.M.X. and P.L. Tyack. 2007. Repetitive shallow dives pose decompression risk in deep-diving beaked whales. *Marine Mammal Science* 23 (4):888-925.