

### SEFSC and TWPD Proposed Rule References

- Andersen, M.S., K.A. Forney, T.V.N. Cole, T. Eagle, R. Angliss, K. Long, et al. 2008. Differentiating serious and non-serious injury of marine mammals: Report of the Serious Injury Technical Workshop, 10-13 September 2007, Seattle, Washington. NOAA Technical Memorandum NMFS-OPR-39, National Marine Fisheries Service: 94
- ANSI. 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service: 60.
- Au, W.W.L., P.W.B. Moore, and D.A. Pawloski. 1988. Detection of complex echoes in noise by an echolocating dolphin. *Journal of the Acoustical Society of America* **83** (2):662-668.
- Au, W.W.L. and M.C. Hastings. 2008. *Principles of Marine Bioacoustics*. Springer, New York.
- Barlow, J., R.W. Baird, J.E. Heyning, K. Wynne, A.M. Manville, L.F. Lowry, et al. 1994. A review of cetacean and pinniped mortality in coastal fisheries along the west coast of the USA and Canada and the east coast of the Russian Federation. Report of the International Whaling Commission Special Issue **15**:405-426.
- Beauchamp, G. and B. Livoreil. 1997. The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). *Canadian Journal of Zoology* **75** (9):1526-1531.
- Beddington, J.R., R.J.H. Beverton, and D.M. Lavigne (eds.). 1985. *Marine Mammals and Fisheries*. George Allen & Unwin, London.
- Bejder, L., A. Samuels, H. Whitehead, N. Gales, J. Mann, R. Connor, et al. 2006. Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conservation Biology* **20** (6):1791-1798.
- Bejder, L., A. Samuels, H. Whitehead, H. Finn, and S. Allen. 2009. Impact assessment research: Use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli. *Marine Ecology Progress Series* **395**:177-185.
- Belkin, Igor M., Peter C. Cornillon, and Kenneth Sherman. "Fronts in large marine ecosystems." *Progress in Oceanography* 81.1 (2009): 223-236.
- Beverton, R.J.H. 1985. Analysis of marine mammal-fisheries interaction. Pages 3-33 in J.R. Beddington, R.J.H. Beverton, and D.M. Lavigne, eds. *Marine Mammals and Fisheries*. George Allen & Unwin, London.
- Blackwell, S.B., J.W. Lawson, and M.T. Williams. 2004. Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *Journal of the Acoustical Society of America* **115** (5):2346-2357.
- Blaylock, R.A. and W. Hoggard. 1994. Preliminary estimates of bottlenose dolphins abundance in southern U.S. Atlantic and Gulf of Mexico continental shelf waters. NOAA Technical Memo. NMFS-SEFSC-356, 10 pp.

- Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Boebel, O., P. Clarkson, R. Coates, R. Larter, P.E. O'Brien, J. Ploetz, et al. 2005. Risks posed to the Antarctic marine environment by acoustic instruments: A structured analysis. *Antarctic Science* **17** (04):533-540.
- Boebel, O., H. Bornemann, E. Burkhardt, and C. Ruholl. 2006. Risk assessment of Atlas Hydrographic Hydrosweep DS-2 deep sea multi-beam and Parasound DS-2 sediment echosounders. Paper presented at the 20th Annual Conference of the European Cetacean Society, Gdynia, Poland.
- Bowles, A.E., M. Smultea, B. Wursig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. *Journal of the Acoustical Society of America* **96** (4):2469-2484.
- Bradshaw, C.J.A., S. Boutin, and D.M. Hebert. 1998. Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology* **76** (7):1319-1324.
- Branstetter, B.K., J.S. Trickey, K. Bakhtiari, A. Black, H. Aihara, and J.J. Finneran. 2013. Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. *Journal of the Acoustical Society of America* **133** (3):1811-1818.
- Brownell, R.L., K. Ralls, S. Baumann-Pickering, and M.M. Poole. 2009. Behavior of melon-headed whales, *Peponocephala electra*, near oceanic islands. *Marine Mammal Science* **25** (3):639-658.
- Burkhardt, E., O. Boebel, H. Bornemann, and C. Ruholl. 2007. Risk assessment of scientific sonars. Paper presented at the International Conference on the Effects of Noise on Aquatic Life, Nyborg, Denmark.
- Byrd, B.L., A.A. Hohn, G.N. Lovewell, K.M. Altman, S.G. Barco, A. Friedlaender, et al. 2014. Strandings as indicators of marine mammal biodiversity and human interactions off the coast of North Carolina. *Fishery Bulletin* **112** (1):1-23.
- Byrd, B. and A. Hohn. 2017. Differential Risk of Bottlenose Dolphin (*Tursiops truncatus*) Bycatch in North Carolina. *Aquatic Mammals* 2017, **43**(5), 558-569.
- Carretta, J.V., J. Barlow, and L. Enriquez. 2008. Acoustic pingers eliminate beaked whale bycatch in a gill net fishery. *Marine Mammal Science* **24** (4):956-961.
- Clyne, H., R. Leaper, and J. Kennedy. 1999. Computer simulation of interactions between the North Atlantic right whale (*Eubalaena glacialis*) and shipping. *European Research on Cetaceans* **13**:458.
- Cholewiak, D., A. Izzi, D. Palka, P. Corkeron, and S. Van Parijs. 2017. Beaked whales demonstrate a marked acoustic response to the use of shipboard echosounders. *Royal Society Open Science* **4**:170940. doi:10.1098/rsos.170940.
- Conn, P.B. and G.K. Silber. 2013. Vessel speed restrictions reduce risk of collision-related mortality for North Atlantic right whales. *Ecosphere* **4** (4):Article 43.
- Connor, R.C. and M.R. Heithaus. 1996. Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science* **12** (4):602-606.
- Costa, D.P., D.E. Crocker, J. Gedamke, P.M. Webb, D.S. Houser, S.B. Blackwell, et al. 2003. The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior

- of juvenile northern elephant seals, *Mirounga angustirostris*. Journal of the Acoustical Society of America **113** (2):1155-1165.
- Cox, T.M., A.J. Read, D. Swanner, K. Urian, and D. Waples. 2003. Behavioral responses of bottlenose dolphins, *Tursiops truncatus*, to gillnets and acoustic alarms. Biological Conservation, 115: 203-212.
- Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. Animal Conservation **4** (1):13-27.
- Culik, B.M., S. Koschinski, N. Tregenza, and G.M. Ellis. 2001. Reactions of harbor porpoises *Phocoena phocoena* and herring *Clupea harengus* to acoustic alarms. Marine Ecology Progress Series **211**:255-260.
- Daan, S., C. Deerenberg, and C. Dijkstra. 1996. Increased daily work precipitates natural death in the kestrel. Journal of Animal Ecology **65** (5):6.
- Deng, Z.D., B.L. Southall, T.J. Carlson, J. Xu, J.J. Martinez, M.A. Weiland, and J.M. Ingraham. 2014. 200 kHz commercial sonar systems generate lower frequency side lobes audible to some marine mammals. PLoS ONE **9** (4):e95315.
- DeRuiter, S., Southall, B., Calambokidis, J., Zimmer, W., Sadykova, D., Falcone, Friedlaender, A. Joseph, J., Moretti, D., Schorr, G., Thomas, L., Tyack P. 2013. First direct measurements of behavioural responses by Cuvier's beaked whales to mid-frequency active sonar. Biol. Lett. **9** (4): 20130223.
- Di Iorio, L. and C.W. Clark. 2009. Exposure to seismic survey alters blue whale acoustic communication. Biology Letters **6** (1):51-54.
- Dolphin, W.F., W.W.L. Au, P.E. Nachtigall, and J. Pawloski. 1995. Modulation rate transfer functions to low-frequency carriers in three species of cetaceans. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology **177** (2):235-245.
- DWH MMIQT (Deepwater Horizon Marine Mammal Injury Quantification Team). 2015. Models and analyses for the quantification of injury to Gulf of Mexico cetaceans from the Deepwater Horizon oil spill. DWH Marine Mammal NRDA Technical Working Group Report.
- Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. Conservation Biology **26** (1):21-28.
- Erbe, C. 2008. Critical ratios of beluga whales (*Delphinapterus leucas*) and masked signal duration. Journal of the Acoustical Society of America **124** (4):2216-2223.
- Erbe, C., Reichmuth, C., Cunningham, K., Lucke, K., and R. Dooling. 2016. Communication masking in marine mammals: A review and research strategy. Marine Pollution Bulletin. **103**: 15-38.
- Evans, D.L. and G.R. England. 2001. Joint interim report: Bahamas marine mammal stranding event of 15-16 March 2000. U.S. Navy and National Marine Fisheries Service: 66.
- Fair, P.A. and P.R. Becker. 2000. Review of stress in marine mammals. Journal of Aquatic Ecosystem Stress and Recovery **7** (4):335-354.
- FAO (Food and Agriculture Organization). 2001. Fishing gear types. Hooks and lines. Technology fact sheets. In: FAO Fisheries and Aquaculture Department, www.fao.org, accessed April 8, 2014.

- Fertl, D. and S. Leatherwood. 1997. Cetacean interactions with trawls: A preliminary review. *Journal of Northwest Atlantic Fishery Science* **22**:219-248.
- Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* **111** (6):2929-2940.
- Finneran, J.J., R. Dear, D.A. Carder, and S.H. Ridgway. 2003. Auditory and behavioral responses of California sea lions (*Zalophus californianus*) to single underwater impulses from an arc-gap transducer. *Journal of the Acoustical Society of America* **114** (3):1667.
- Finneran et al., 2010
- Finneran, J.J. and C.E. Schlundt. 2010. Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *Journal of the Acoustical Society of America* **128** (2):567-570.
- Finneran, J.J., D.A. Carder, C.E. Schlundt, and R.L. Dear. 2010. Temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) exposed to intermittent tones. *Journal of the Acoustical Society of America* **127** (5):3267-3272.
- Finneran, J. J., Schlundt, C. E., Carder, D. A., Clark, J. A., Young, J. A., Gaspin, J. B., et al. (2000). Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and white whales (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *Journal of the Acoustical Society of America*, **108**, 417-431.
- Foote, A. D., Osborne, R. W., & Hoelzel, A. R. (2004). Whale-call response to masking boat noise. *Nature*, **428**, 910.
- Ford, J.K.B. and R.R. Reeves. 2008. Fight or flight: Antipredator strategies of baleen whales. *Mammal Review* **38** (1):50-86.
- Frankel, A.S. and C.W. Clark. 2000. Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America* **108** (4):1930-1937.
- Frankel, A.S. 2005. Gray whales hear and respond to a 21-25 kHz high-frequency whale-finding sonar. Paper presented at the Sixteenth Biennial Conference on the Biology of Marine Mammals, San Diego, California.
- Fristrup, K.M., L.T. Hatch, and C.W. Clark. 2003. Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America* **113** (6):3411-3424.
- Fritz, H., M. Guillemain, and D. Durant. 2002. The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): An approach through foraging experiments. *Ethology, Ecology and Evolution* **14** (2):91-97.
- Gailey, G., B. Wursig, and T.L. McDonald. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment* **134** (1-3):75-91.
- Gende, S.M., A.N. Hendrix, K.R. Harris, B. Eichenlaub, J. Nielsen, and S. Pyare. 2011. A Bayesian approach for understanding the role of ship speed in whale-ship encounters. *Ecological Applications* **21** (6):2232-2240.

- Gearhart, J. and D. Hathaway. 2018. Evaluations of alternative lazy line configurations to minimize bottlenose dolphin (*Tursiops Truncatus*) bycatch. NMFS Southeast Fisheries Science Center, Harvesting Systems and Engineering Branch. Pascagoula, Mississippi. June 2018, 14 pp.
- Gerrodette, T. and J. Pettis. 2005. Responses of tropical cetaceans to an echosounder during research vessel surveys. Paper presented at the Sixteenth Biennial Conference on the Biology of Marine Mammals, San Diego, California.
- Goold, J.C. 1996. Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom* **76** (3):811-820.
- Goldbogen, J. A., Southall, B. L., DeRuiter, S. L., Calabokidis, J., Friedlaender, A. S., Hazen, E. L., Falcone, E. A., Schorr, G. S., Douglas, A., Moretti, D., Kyburg, C., McKenna, M. F., Tyack, P. L. 2013a. Blue whales respond to simulated mid-frequency military sonar. *Proceedings of the Royal Society – B Biological Sciences*. **280**: 20130657.
- Goldbogen, J. A., Friedlaender, A. S., Calambokidis, J., McKenna, M. F., Simon, M., Nowacek, D. P. 2013b. Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *BioScience*. 63: 90–100.
- Gomez, C., Lawson, C.W., Wright, A.J., Buren, A.D, Tollit. D., Lesage V. 2016. A systematic review on the behavioural responses of wild marine mammals to noise: the disparity between science and policy. *Can. Jour. Zool.* **94** (12): 801-819.
- Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M.P. Simmonds, R. Swift, and D. Thompson. 2003. A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal* **37** (4):16-34.
- Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. 2009. Overview of the impacts of anthropogenic underwater sound in the marine environment. OSPAR Commission: 134.
- Greenman, J. 2012. A characterization of bottlenose dolphin (*Tursiops truncatus*) interactions with the commercial shrimp trawl fishery of South Carolina. M.S. Thesis. College of Charleston, Charleston, South Carolina. 114 pp. Available at:  
[https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=9&ved=2ahUKEwj6-tHq6rXeAhUjrlkKHVYNDIMQFjAIegQIAxAC&url=http%3A%2F%2Fwww.marinemammalscience.org%2Fsmmtampa%2FGreenman\\_Justin\\_56-9.pdf&usq=AOvVaw0sH-A4379WYRDUyaUaywbF](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=9&ved=2ahUKEwj6-tHq6rXeAhUjrlkKHVYNDIMQFjAIegQIAxAC&url=http%3A%2F%2Fwww.marinemammalscience.org%2Fsmmtampa%2FGreenman_Justin_56-9.pdf&usq=AOvVaw0sH-A4379WYRDUyaUaywbF)
- Greenman, J., McFee, W., Burkett T., DeLancey, L., and Webster, P. 2013. A Characterization of Bottlenose Dolphin (*Tursiops truncatus*) Interactions with the Commercial Shrimp Trawl Fishery of South Carolina. Poster presented at the 19<sup>th</sup> Biennial Conference on the Biology of Marine Mammals, 2013, Nov 26- Dec 2. Tampa, FL. Available at  
[http://www.marinemammalscience.org/smmtampa/Greenman\\_Justin\\_56-9.pdf](http://www.marinemammalscience.org/smmtampa/Greenman_Justin_56-9.pdf).
- Greenman, J. and W. McFee. 2014. A characterisation of common bottlenose dolphin (*Tursiops truncatus*) interactions with the commercial shrimp trawl fishery of South Carolina, USA. *Journal and Cetacean Research and Management* **14**: pp 69-79.
- Hall, M.A., D.L. Alverson, and K.I. Metuzals. 2000. By-catch: Problems and solutions. *Marine Pollution Bulletin* **41** (1-6):204-219.

- Harrington, F.H. and A.M. Veitch. 1992. Calving success of woodland caribou exposed to low-level jet fighter overflights. *Arctic* **45** (3):213-218.
- Hastie, G.D., C. Donovan, T. Götz, and V.M. Janik. 2014. Behavioral responses by grey seals (*Halichoerus grypus*) to high frequency sonar. *Marine Pollution Bulletin* **79** (1-2):205-210.
- Hataway, B. 2008. Trip report on evaluations of dolphin/lazyline interactions and evaluation of a TED with a “V” shaped escape cut for wild sea turtle exclusion on the R/V Georgia Bulldog, March 8-12, 2008, Cruise Number GAB0308, 8 pp. Hayes et al., 2017
- Heileman, S. and R. Mahon. 2009. Caribbean Sea LME. In K. Sherman and G. Hempel (*eds.*), The UNEP Large Marine Ecosystems Report: A perspective in changing conditions in LMEs of the world's regional seas. UNEP Regional Seas Reports and Studies No. 182 *United Nations Environment Programme*, Nairobi, Kenya.
- Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America* **120** (6):3463-3466.
- Henderson, D., B. Hu, and E. Bielefeld. 2008. Patterns and mechanisms of noise induced cochlear pathology, pp. 195-217. In: Schacht, J., A. N. Popper, and R.R Fay (*eds.*), *Auditory Trauma, Protection, and Repair*. Springer, New York.
- Hildebrand, J.A. 2009. Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series* 395:5-20.
- Hofmeyr, G., M. de Maine, M. Bester, S. Kirkman, P. Pistorius, and A. Makhado. 2002. Entanglement of pinnipeds at Marion Island, Southern Ocean: 1991-2001. *Australian Mammalogy* **24** (1):141-146.
- Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* **98** (4):850-854.
- Holt, M.M., D.P. Noren, V. Veirs, C.K. Emmons, and S. Veirs. 2009. Speaking up: killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America* **125** (1):EL27-32.
- Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* **115** (1):76-84.
- Houser, D.S. and P.W. Moore. 2014. Report on the current and future status of underwater hearing research. Report NMMF-001-14, National Marine Mammal Foundation: 46.
- Jacobs, S.R. and J.M. Terhune. 2002. The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: Seal reactions and a noise exposure model. *Aquatic Mammals* **28** (2):147-158.
- Jensen, A.S. and G.K. Silber. 2004. Large whale ship strike database. NOAA Technical Memorandum NMFS-OPR-25, National Marine Fisheries Service: 37.
- Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* **132** (1):161-170.
- Johnston, D.W. 2002. The effect of acoustic harassment devices on harbour porpoises (*Phocoena phocoena*) in the Bay of Fundy, Canada. *Biological Conservation* **108** (1):113-118.

- Karpouzli, E. and R. Leaper. 2004. Opportunistic observations of interactions between sperm whales and deep-water trawlers based on sightings from fisheries observers in the northwest Atlantic. *Aquatic Conservation: Marine and Freshwater Ecosystems* **14** (1):95-103.
- Kastelein, R.A., H.T. Rippe, N. Vaughan, N.M. Schooneman, W.C. Verboom, and D. de Haan. 2000. The effects of acoustic alarms on the behavior of harbor porpoises (*Phocoena phocoena*) in a floating pen. *Marine Mammal Science* **16** (1):46-64.
- Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. 2001. The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* **52** (4):351-371.
- Kastelein, R.A., R. Van Schie, W.C. Verboom, and D. de Haan. 2005a. Underwater hearing sensitivity of a male and a female Steller sea lion (*Eumetopias jubatus*). *Journal of the Acoustical Society of America* **118** (3):1820-1829.
- Kastelein, R.A., W.C. Verboom, M. Muijsers, N.V. Jennings, and S. Van der Heul. 2005b. The influence of acoustic emissions for underwater data transmission on the behavior of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* **59**:287-307.
- Kastelein, R.A., N. Jennings, W.C. Verboom, D. de Haan, and N.M. Schooneman. 2006. Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research* **61** (3):363-378.
- Kastelein, R.A., W.C. Verboom, N. Jennings, and D. de Haan. 2008a. Behavioral avoidance threshold level of a harbor porpoise (*Phocoena phocoena*) for a continuous 50 kHz pure tone. *Journal of the Acoustical Society of America* **123** (4):1858-1861.
- Kastelein, R.A., W.C. Verboom, N. Jennings, D. de Haan, and S. van der Heul. 2008b. The influence of 70 and 120 kHz tonal signals on the behavior of harbor porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* **66** (3):319-326.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* **126** (1):476-483.
- Ketten, D.R. (2000). "Cetacean ears," in *Hearing by Whales and Dolphins*, edited by W. Au, A.N. Popper, and R.R. Fay (Springer-Verlag, New York), pp. 43-108.
- Knowlton, A.R., F.T. Korsmeyer, J.E. Kerwin, H.-Y. Wu, and B. Hynes. 1995. The hydrodynamic effects of large vessels on right whales. *National Marine Fisheries Service*: 81.
- Knowlton, A.R. and S.D. Kraus. 2001. Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean. *Journal of Cetacean Research and Management Special Issue* **2**:193-208.
- Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs* **157**:1-41.
- Kremser, U., P. Klemm, and W.-D. Kötz. 2005. Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science* **17** (1):3-10.
- Kryter, K.D., W.D. Ward, J.D. Miller, and D.H. Eldredge. 1966. Hazardous exposure to intermittent and steady-state noise. *Journal of the Acoustical Society of America* **39** (3):451-464.

- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet, and M. Podesta. 2001. Collisions between ships and whales. *Marine Mammal Science* **17** (1):35-75.
- Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* **78**:599-609.
- Lewison, R. L., Crowder, L. B., Wallace, B. P., Moore, J. E., Cox, T., Zydalis, R., ... & Safina, C. 2014. Global patterns of marine mammal, seabird, and sea turtle bycatch reveal taxa-specific and cumulative megafauna hotspots. *Proceedings of the National Academy of Sciences*, 111(14), 5271-5276.
- Litz JA, Baran MA, Bowen-Stevens SR, Carmichael RH and others (2014) Review of historical unusual mortality events (UMEs) in the Gulf of Mexico (1990-2009): providing context for the multi-year northern Gulf of Mexico cetacean UME declared in 2010. *Dis Aquat Org* **112**:161-175.
- Lohrenz, S.E., D.A. Wiesenburg, R.A. Arnone, and X. Chen. 1999. What controls primary production in the Gulf of Mexico? Pages 151-170 in H. Kumpf, K. Steidinger, and K. Sherman (eds.), *The Gulf of Mexico Large Marine Ecosystem – Assessment, Sustainability and Management*. Blackwell Science, Malden, MA.
- Lucke, K., U. Siebert, P.A. Lepper, and M.-A. Blanchet. 2009. Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *Journal of the Acoustical Society of America* **125** (6):4060-4070.
- Lurton, X. and S. DeRuiter. 2011. Sound radiation of seafloor-mapping echosounders in the water column, in relation to the risks posed to marine mammals. *International Hydrographic Review* November:7-17.
- Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology* **201** (2-3):228-236.
- Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America* **120** (4):2366-2379.
- McFee, W.E., Burdett, L.G. and L.A. Beddia. 2006. A pilot study to determine the movements of buoy line used in the crab pot fishery to assess bottlenose dolphin entanglement. NOAA Technical Memorandum NOS NCCOS 34. Charleston, SC. 35 pp.
- McFee, W.E., P.L. Pennington, L.G. Burdett, J.W.B. Powell, J.H. Schwacke, and F.E. Dockery. 2007. Assessing movements of three buoy line types using DSTmilli loggers: Implications for entanglements of Bottlenose dolphins in the crab pot fishery. NOAA Technical Memorandum NOS NCCOS 67. Charleston, SC. 58 pp
- Mignucci-Giannoni, A.A. 1998. Zoogeography of cetaceans off Puerto Rico and the Virgin Islands. *Caribbean Journal of Science* 34(3-4): 173-190.
- Miller, J.D. 1974. Effects of noise on people. *Journal of the Acoustical Society of America* **56** (3):729-764.
- Miller, P.J.O., N. Biassoni, A. Samuels, and P.L. Tyack. 2000. Whale songs lengthen in response to sonar. *Nature* **405** (6789):903.



- Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. Oxford Reviews in Reproductive Biology. Oxford University Press, New York, New York.
- Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom.
- Mooney, T.A., P.E. Nachtigall, M. Breese, S. Vlachos, and W.W.L. Au. 2009a. Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. Journal of the Acoustical Society of America **125** (3):1816-1826.
- Mooney, T.A., P.E. Nachtigall, K.A. Taylor, M.H. Rasmussen, and L.A. Miller. 2009b. Auditory temporal resolution of a wild white-beaked dolphin (*Lagenorhynchus albirostris*). Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology **195** (4):375-384.
- Morgan, L.E. and R. Chuenpagdee. 2003. Shifting gears addressing the collateral impacts of fishing methods in U.S. waters. PEW Science Series on conservation and the environment. 52 pp.
- Morton, A.B. and H.K. Symonds. 2002. Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. ICES Journal of Marine Science **59** (1):71-80.
- Muller-Karger, F.E. 1993. River discharge variability including satellite-observed plume-dispersal patterns. Pages 162-192 in G.A. Maul (ed.), Climatic Change in the Intra-Americas Sea, Edward Arnold, London.
- Ng, S.L. and S. Leung. 2003. Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. Marine Environmental Research **56** (5):555-567.
- NMFS. 2014. List of Fisheries for 2014. 79 *Federal Register* 50 (14 March 2014), pp. 14418-14438.
- NMFS. 2016. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing: Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Dept. of Commer., NOAA. NOAA Technical Memorandum NMFS-OPR-55, 178 p.
- NMFS. 2016. Estimated Bycatch Mortality of Marine Mammals in the Gulf of Mexico Shrimp Otter Trawl Fishery During 2012-2014. NOAA Technical Memorandum NMFS-SEFSC-697. 47pp.
- NRC. 2005. Marine mammal populations and ocean noise: Determining when noise causes biologically significant effects. National Academy of Sciences: 142.
- Natural Resource Damage Assessment Trustees (NRDA Trustees) - Deepwater Horizon. 2016. Deepwater Horizon oil spill: Final Programmatic Damage Assessment and Restoration Plan and Final Programmatic Environmental Impact Statement. Retrieved from <http://www.gulfspillrestoration.noaa.gov/restoration-planning/gulf-plan>.
- Olesiuk, P.F., L.M. Nichol, M.J. Sowden, and J.K.B. Ford. 2002. Effect of the sound generated by an acoustic harassment device on the relative abundance and distribution of harbor porpoises (*Phocoena phocoena*) in Retreat Passage, British Columbia. Marine Mammal Science **18** (4):843-862.
- Pace, R.M. and G.K. Silber. 2005. Simple analyses of ship and large whale collisions: Does speed kill? Paper presented at the Sixteenth Biennial Conference on the Biology of Marine Mammals, San Diego, California. Pages 215-216 in Proceedings of the Sixteenth Biennial Conference on the Biology of Marine Mammals.

- Parks, S.E., C.W. Clark, and P.L. Tyack. 2007. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Journal of the Acoustical Society of America* **122** (6):3725-3731.
- Pietrafesa, L.J., G.S. Janowitz, and P.A. Wittman. 1985. Physical oceanographic processes in the Carolina Capes. Pages 23-32 in L.P. Atkinson, D.W. Menzel, and K.A. Bush (eds.), *Oceanography of the Southeastern U.S. Continental Shelf, Coastal and Estuarine Sciences 2*, American Geophysical Union, Washington D.C.
- Purser J, Radford AN (2011) Acoustic Noise Induces Attention Shifts and Reduces Foraging Performance in Three-Spined Sticklebacks (*Gasterosteus aculeatus*). *PLOS ONE* **6**(2): e17478
- Quick, N., L. Scott-Hayward, D. Sadykova, D. Nowacek, and A. Read. 2017. Effects of a scientific echo sounder on the behavior of short-finned pilot whales (*Globicephala macrorhynchus*). *Canadian Journal of Fisheries and Aquatic Sciences* **74**: 716-726.
- Read, A.J., P. Drinker, and S. Northridge. 2006. Bycatch of marine mammals in U.S. and global fisheries. *Conservation Biology* **20** (1):163-169.
- Read, A.J., D. Swanner, D. Waples, K. Urian, L. Williams. 2004. Interactions between bottlenose dolphins and the Spanish mackerel gillnet fishery in North Carolina. Final Report: North Carolina Fishery Resource Grant Program Project 03-FEG-13.
- Read, A.J. and D. Waples. 2010. A pilot study to test the efficacy of pingers as deterrent to bottlenose dolphins in the Spanish mackerel gillnet fishery. Final Report: North Carolina Fishery Resource Grant Program Project 08-DMM-02.
- Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* **199** (6):491-507.
- Richards, W. and M.F. McGowan. 1989. Biological productivity in the Gulf of Mexico: Identifying the causes of variability in fisheries. Pages 287-325 in K. Sherman and L.M.E. Alexander (eds.), *Biomass Yields and Geography of Large Marine Ecosystems*, Westview Press, Boulder, CO.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California.
- Ridgway, S.H., D.A. Carder, R.R. Smith, T. Kamolnick, C.E. Schlundt, and W.R. Elsberry. 1997. Behavioral responses and temporary shift in masked hearing threshold of bottlenose dolphins, *Tursiops truncatus*, to 1-second tones of 141 to 201 dB re 1  $\mu$ Pa. Technical Report 1751, Naval Command, Control and Ocean Surveillance Center: 32.
- Ridgway, S., D. Carder, J. Finneran, M. Keogh, T. Kamolnick, M. Todd, and A. Goldblatt. 2006. Dolphin continuous auditory vigilance for five days. *Journal of Experimental Biology* **209** (18):3621-3628.
- Roden, C.L. and K.D. Mullin. 2000. Sightings of cetaceans in the northern Caribbean Sea and adjacent waters, winter 1995. *Caribbean Journal of Science* **36**(3-4): 280-288.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, et al. 2012. Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* **279** (1737):2363-2368.
- Romano, T., M. Keogh, and K. Danil. 2002a. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.

- Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. 2002b. Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences* **61**:1124-1134.
- Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *Journal of the Acoustical Society of America* **107** (6):3496-3508.
- Seyle, H. 1950. Stress and the general adaptation syndrome. *British Medical Journal* **June 17**:1383-1392.
- Silber, G.K., J. Slutsky, and S. Bettridge. 2010. Hydrodynamics of a ship/whale collision. *Journal of Experimental Marine Biology and Ecology* **391** (1-2):10-19.
- Smith CR, Rowles TK, Hart LB, Townsend FI and others (2017) Slow recovery of Barataria Bay dolphin health following the Deepwater Horizon oil spill (2013–2014), with evidence of persistent lung disease and impaired stress response. *Endang Species Res* 33: 127–14.
- Soldevilla, Melissa S., Garrison, Lance P., Scott-Denton, Elizabeth, Hart, Rick A. 2016. Estimated bycatch mortality of Marine Mammals in the Gulf of Mexico Shrimp Otter Trawl Fishery. NOAA Technical Memorandum NMFS-SEFSC-697, 47 p. Song et al., 2010
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals* **33** (4):411-521.
- Southall, B.L., T. Rowles, F. Gulland, R.W. Baird, and P.D. Jepson. 2013. Final report of the Independent Scientific Review Panel investigating potential contributing factors to a 2008 mass stranding of melon-headed whales (*Peponocephala electra*) in Antsohihy, Madagascar. Independent Scientific Review Panel: 75.
- Stevenson, D., L. Chiarella, D. Stephan, R. Reid, K. Wilhem, J. McCarthy, and M. Pentony. 2004. Characterization of the fishing practices and marine benthic ecosystems of the Northeast U.S. Shelf, and an evaluation of the potential effects of fishing on essential fish habitat. NOAA Tech. Memo. NMFS-NE-181.
- Supin, A.Y. and V.V. Popov. 1995. Envelope-following response and modulation transfer function in the dolphin's auditory system. *Hearing Research* **92** (1-2):38-46.
- Teilmann, J., J. Tougaard, L.A. Miller, T. Kirketerp, K. Hansen, and S. Brando. 2006. Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science* **22** (2):240-260.
- Tyack, P., Zimmer, W., Moretti, D., Southall, B., Claridge, D., Durban, J., Clark, C., D'Amico, A., DiMario, N., Jarvis, S., McCarthy, E., Morrissely, R., Ward, J., and Boyd, I. 2011. Beaked whales respond to simulated and actual Navy sonar. *PLoS ONE* **6** (3): e17009.
- Vanderlaan, A.S. and C.T. Taggart. 2007. Vessel collisions with whales: The probability of lethal injury based on vessel speed. *Marine Mammal Science* **23** (1):144-156.
- Ward, W. D., Glorig, A., & Sklar, D. L. (1958). Dependence of temporary threshold shift at 4 kc on intensity and time. *Journal of the Acoustical Society of America*, **30**, 944-954.

- Ward, W. D., Glorig, A., & Sklar, D. L. (1959). Temporary threshold shift from octave-band noise: Applications to damage-risk criteria. *Journal of the Acoustical Society of America*, 31, 522-528.
- Waring, G.T., E. Josephson, C.P. Fairfield, and K. Maze-Foley . 2007. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments – 2006. NOAA Tech. Memo. NMFS-NE-201. 378pp.
- Waring, G. T., Josephson, E., Fairfield-Walsh, C. P., Maze-Foley, K., & Rosel, P. E. 2014. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2013 Volume 1. National Marine Fisheries Service. 484 pp.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2012. U. S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2011. NOAA Tech. Memo. NMFS-NE 221. 330 pp.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2013. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments-2012. NOAA Tech. Memo. NMFS-NE 223. 425 pp. Available from: National Marine Fisheries Service, 166 Water Street, Woods Hole, MA 02543-1026, or online at <http://www.nmfs.noaa.gov/pr/sars/pdf/ao2012.pdf>
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2015. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2014. NOAA Tech. Memo. NMFS-NE-231.
- Wartzok, D. and D.R. Ketten. 1999. Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37 (4):6-15.
- Watkins, W.A., K.E. Moore, and P.L. Tyack. 1985. Sperm whale acoustic behaviors in the southeast Caribbean. *Cetology* 49:1-15.
- Weilgart, L.S. 2007. The need for precaution in the regulation and management of undersea noise. *J. Int. Wildl. Law Policy* 10, 247-253.
- Wells, R.S. and Scott, M.D. 1994. Estimating bottlenose dolphin population parameters from individual identification and capture-release techniques. *Rep. Int. Whal. Comm.* 12:407-415.
- Wells, R.S., C. R. Smith, J. C. Sweeney, F. I. Townsend, D. A. Fauquier, R. Stone, J. Langan, L. H. Schwacke, and T. K. Rowles. 2014. Fetal survival of common bottlenose dolphins (*Tursiops truncatus*) in Sarasota Bay, Florida. *Aquatic Mammals* 40(3): 252-259.
- Wickens, P. 1995. A review of operational interactions between pinnipeds and fisheries. *FAO Fisheries Technical Paper* 346: 1–86.
- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134 (1-3):93-106.
- Young N.M. and S. Ludicello. 2007. Worldwide bycatch of cetaceans. Technical memorandum, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, Maryland.