

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2018 | | | | | | 2017 | | | | | | | |
|------------------------------|----------|--------|----------------------------|--------------|-------|--------------------------------|--------------------------|--------------------|--------|----------------------------|--------------|-------|--------------------------------|--------------------------|--------------------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 12,608 | 12,608 | 0 | | | | | 11,403 | 11,403 | 0 |
| Pollock | BS | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| | Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | | | | | | | | | | | | | | |
| Sablefish | BS | 1,208 | 55 | 1,263 | 18-75 | | | | 1,051 | 48 | 1,099 | 17-72 | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,615 | 0 | 1,615 | | | | | 1,410 | 0 | 1,410 | | | | |
| Yellowfin sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | 4,356 | 0 | 4,356 | | | | | 3,719 | 0 | 3,719 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 144 | 25 | 169 | 18-75 | | | | 106 | 19 | 125 | 17-72 | | | |
| Arrowtooth flounder | BSAI | 11,578 | 0 | 11,578 | | | | | 11,900 | 0 | 11,900 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | 4,250 | 0 | 4,250 | | | | | 4,250 | 0 | 4,250 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | |
| Alaska plaice | BSAI | 13,685 | 2,415 | 16,100 | 18-41 | | | | 11,050 | 5,500 | 16,550 | 17-72 | | | |
| | BSAI | 16,100 | 1,460 | 17,560 | 18-75 | | | | | | | | | | |
| other flatfish | BSAI | 3,400 | 700 | 4,100 | 18-75 | | | | 2,125 | 2,050 | 4,175 | 17-72 | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 10,082 | 0 | 10,082 | | | | | 9,350 | 0 | 9,350 | | | | |
| | AI | | | | | | | | | | | | | | |
| | EAI | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Northern rockfish | BSAI | 5,185 | 700 | 5,885 | 18-75 | | | | 4,250 | 475 | 4,725 | 17-72 | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | 64 | 11 | 75 | HS | | | | 85 | 15 | 100 | HS | | | |
| | CAI/WAI | 128 | 22 | 150 | HS | | | | 106 | 19 | 125 | HS | | | |
| | CAI/WAI | 150 | 28 | 178 | 18-75 | | | | 125 | 10 | 135 | 17-72 | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | 128 | 22 | 150 | HS | | | | 106 | 19 | 125 | HS | | | |
| | BSAI | 150 | 100 | 250 | 18-75 | | | | 125 | 30 | 155 | 17-72 | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other Red Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 234 | 41 | 275 | HS | | | | 276 | 49 | 325 | HS | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 485 | 85 | 570 | HS | | | | 468 | 82 | 550 | HS | | | |
| | AI | | | | | | | | 550 | 21 | 571 | 17-72 | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | |
| | EAI/BS | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Skates | BSAI | 22,950 | 6,130 | 29,080 | 18-75 | | | | 22,100 | 1,487 | 23,587 | 17-72 | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | 4,250 | 750 | 5,000 | 18-75 | | | | 3,825 | 1,500 | 5,325 | 17-72 | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI | 153 | 27 | 180 | HS | | | | 106 | 19 | 125 | HS | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 1,020 | 0 | 1,020 | | | | | 1,141 | 0 | 1,141 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | 213 | 37 | 250 | HS | | | | 340 | 60 | 400 | HS | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2016 | | | | | | 2015 | | | | | | | |
|------------------------------|----------|--------|----------------------------|--------------|-------|--------------------------------|--------------------------|--------------------|-------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 11,079 | 11,079 | 0 | | | | | 12,066 | 12,066 | 0 |
| Pollock | BS | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| | Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | | | | | | | | | | | | | | |
| Sablefish | BS | 950 | 0 | 950 | | | | 1,100 | 0 | 1,100 | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,265 | 0 | 1,265 | | | | 1,464 | 0 | 1,464 | | | | | |
| Yellowfin sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | 2,272 | 0 | 2,272 | | | | 2,081 | 105 | 1,976 | 15-41 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 170 | 0 | 170 | | | | 200 | 0 | 200 | | | | | |
| Arrowtooth flounder | BSAI | 11,900 | 0 | 11,900 | | | | 18,700 | 0 | 18,700 | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | 4,250 | 300 | 4,550 | 16-75 | | | 5,525 | 0 | 5,525 | | | | | |
| | BSAI | 4,550 | 300 | 4,850 | 16-92 | | | | | | | | | | |
| Rock sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | |
| Alaska plaice | BSAI | 12,325 | 1,000 | 13,325 | 16-92 | | | 15,725 | 0 | 15,725 | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 2,125 | 737 | 2,862 | 16-75 | | | 3,077 | 0 | 3,077 | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 6,800 | 1,400 | 8,200 | 16-75 | | | 6,818 | 1,203 | 8,021 | 15-41 | | | | |
| | AI | | | | | | | | | | | | | | |
| | EAI | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Northern rockfish | BSAI | 3,825 | 550 | 4,375 | 16-75 | | | 2,763 | 3,500 | 6,263 | 15-41 | | | | |
| | BSAI | 4,375 | 170 | 4,545 | 16-92 | | | 6,263 | 1,000 | 7,263 | 15-64 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | 85 | 15 | 100 | HS | | | 127 | 22 | 149 | HS | | | | |
| | CAI/WAI | 170 | 30 | 200 | HS | | | 170 | 30 | 200 | HS | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | 170 | 30 | 200 | HS | | | 213 | 37 | 250 | HS | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other Red Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 276 | 49 | 325 | HS | | | 276 | 49 | 325 | HS | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 468 | 82 | 550 | HS | | | 472 | 83 | 555 | HS | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | |
| | EAI/BS | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Skates | BSAI | 22,100 | 5,000 | 27,100 | 16-75 | | | 21,845 | 3,428 | 25,273 | 15-64 | | | | |
| | BSAI | 27,100 | 402 | 27,502 | 16-92 | | | | | | | | | | |
| Sculpins | BSAI | 3,825 | 500 | 4,325 | 16-75 | | | 3,995 | 800 | 4,795 | 15-64 | | | | |
| | BSAI | 4,325 | 300 | 4,625 | 16-92 | | | | | | | | | | |
| Sharks | BSAI | 106 | 19 | 125 | HS | | | 106 | 19 | 125 | HS | | | | |
| | BSAI | 125 | 5 | 130 | 16-92 | | | | | | | | | | |
| Squids | BSAI | 1,275 | 30 | 1,305 | 16-75 | | | 340 | 1,630 | 1,970 | 15-41 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | 340 | 60 | 400 | HS | | | 340 | 60 | 400 | HS | | | | |
| | BSAI | 400 | 100 | 500 | 16-92 | | | 400 | 100 | 500 | 15-64 | | | | |
| Other Species | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2014 | | | | | | 2013 | | | | | | | |
|------------------------------|----------|--------|----------------------------|--------------|-------|--------------------------------|--------------------------|--------------------|--------|----------------------------|--------------|-------|--------------------------------|--------------------------|--------------------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 13,075 | 11,423 | 1,652 | | | | | 12,884 | 12,883 | 1 |
| Pollock | BS | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| | Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | | | | | | | | | | | | | | |
| Sablefish | BS | 1,105 | 0 | 1,105 | | | | | 1,304 | 0 | 1,304 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,471 | 0 | 1,471 | | | | | 1,739 | 0 | 1,739 | | | | |
| Yellowfin sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | |
| | BS | 1,410 | 71 | 1,481 | 14-54 | | | | 1,369 | 69 | 1,610 | 13-83 | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 395 | 0 | 395 | | | | | 383 | 0 | 383 | | | | |
| Arrowtooth flounder | BSAI | 21,250 | 0 | 21,250 | | | | | 21,250 | 0 | 21,250 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | 6,035 | 1,065 | 7,100 | 14-54 | | | | 8,500 | 0 | 8,500 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | |
| Alaska plaice | BSAI | 20,825 | 0 | 20,825 | | | | | 17,000 | 4,571 | 21,571 | 13-83 | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 2,253 | 2,247 | 4,500 | 14-34 | | | | 2,975 | 0 | 2,975 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 6,531 | 1,153 | 7,684 | 14-54 | | | | 6,911 | 1,220 | 8,130 | HS | | | |
| | AI | | | | | | | | | | | | | | |
| | EAI | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Northern rockfish | BSAI | 2,205 | 200 | 2,405 | 14-67 | | | | 2,550 | 450 | 3,000 | HS | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | 150 | 27 | 239 | HS | | | | 144 | 25 | 169 | HS | | | |
| | CAI/WAI | 203 | 36 | 300 | HS | | | | 178 | 31 | 209 | HS | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | 315 | 56 | 370 | HS | | | | 315 | 56 | 370 | HS | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other Red Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 255 | 45 | 300 | HS | | | | 340 | 60 | 400 | HS | | | |
| | BS | 300 | 100 | 400 | 14-67 | | | | | | | | | | |
| | AI | 402 | 71 | 473 | HS | | | | 402 | 71 | 473 | HS | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | |
| | EAI/BS | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Skates | BSAI | 22,100 | 4,500 | 26,600 | 14-67 | | | | 20,400 | 3,600 | 24,000 | HS | | | |
| | BSAI | | | | | | | | 24,000 | 1,500 | 25,500 | 13-83 | | | |
| Sculpins | BSAI | 4,888 | 0 | 4,888 | | | | | 4,760 | 840 | 5,600 | HS | | | |
| | BSAI | | | | | | | | 5,600 | 300 | 5,900 | 13-83 | | | |
| Sharks | BSAI | 106 | 19 | 125 | HS | | | | 85 | 15 | 100 | HS | | | |
| | BSAI | 125 | 100 | 225 | 14-54 | | | | | | | | | | |
| Squids | BSAI | 264 | 1,500 | 1,764 | 14-54 | | | | 595 | 0 | 595 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | 191 | 34 | 225 | HS | | | | 425 | 75 | 500 | HS | | | |
| | BSAI | 225 | 200 | 425 | 14-67 | | | | | | | | | | |
| Other Species | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2012 | | | | | | 2011 | | | | | | | |
|------------------------------|----------|--------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|--------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 15,130 | 9,710 | 5,420 | | | | | 12,224 | 8,017 | 4,207 |
| Pollock | BS | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| | Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | | | | | | | | | | | | | | |
| Sablefish | BS | 1,840 | 0 | 1,840 | | | | | 2,351 | 0 | 2,351 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,666 | 0 | 1,666 | | | | | 1,544 | 0 | 1,544 | | | | |
| Yellowfin sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | 5,296 | 0 | 5,296 | | | | | 2,975 | 150 | 3,125 11-85 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 2,066 | 364 | 2,430 12-48 | | | | | 1,318 | 0 | 1,318 | | | | |
| Arrowtooth flounder | BSAI | 21,250 | 1,075 | 22,325 12-60 | | | | | 22,015 | 0 | 22,015 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | 15,045 | 0 | 15,045 | | | | | 15,045 | 0 | 15,045 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | |
| Alaska plaice | BSAI | 20,400 | 0 | 20,400 | | | | | 13,600 | 2,400 | 16,000 11-38 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 2,720 | 480 | 3,200 12-48 | | | | | 2,550 | 450 | 3,000 11-61 | | | | |
| | BSAI | 3,200 | 400 | 3,600 12-88 | | | | | | | | | | | |
| Pacific ocean perch | BS | 4,854 | 856 | 5,710 12-88 | | | | | 4,854 | 856 | 5,710 11-84 | | | | |
| | AI | | | | | | | | | | | | | | |
| | EAI | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Northern rockfish | BSAI | 3,995 | 705 | 4,700 HS | | | | | 3,400 | 600 | 4,000 HS | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | 196 | 35 | 231 HS | | | | | 199 | 35 | 234 HS | | | | |
| | CAI/WAI | 207 | 37 | 244 HS | | | | | 187 | 33 | 220 HS | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | 334 | 59 | 393 HS | | | | | 334 | 59 | 393 HS | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other Red Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 425 | 75 | 500 HS | | | | | 425 | 75 | 500 HS | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 485 | 85 | 570 12-88 | | | | | 425 | 75 | 500 11-61 | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | |
| | EAI/BS | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Skates | BSAI | 20,995 | 3,705 | 24,700 HS | | | | | 14,025 | 2,475 | 16,500 11-61 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | 4,420 | 780 | 5,200 HS | | | | | 4,420 | 780 | 5,200 11-87 | | | | |
| | BSAI | 5,200 | 550 | 5,750 12-88 | | | | | | | | | | | |
| Sharks | BSAI | 170 | 30 | 200 HS | | | | | 43 | 7 | 50 11-61 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 361 | 64 | 425 12-59 | | | | | 361 | 0 | 361 | | | | |
| | BSAI | 425 | 275 | 700 12-88 | | | | | | | | | | | |
| Octopuses | BSAI | 765 | 135 | 900 HS | | | | | 128 | 22 | 150 11-25 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2010 | | | | | | 2009 | | | | | | | |
|------------------------------|----------|--------|----------------------------|--------------|--------|--------------------------------|--------------------------|--------------------|--------|----------------------------|--------------|-------|--------------------------------|--------------------------|--------------------|
| | | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 23,682 | 1,884 | 21,798 | | | | | 23,778 | 1,629 | 22,149 |
| Pollock | BS | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| | Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | | | | | | | | | | | | | | |
| Sablefish | BS | 2,302 | 0 | 2,302 | | | | | 2,244 | 0 | 2,244 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,682 | 0 | 1,682 | | | | | 1,788 | 0 | 1,788 | | | | |
| Yellowfin sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | 3,587 | 0 | 3,587 | | | | | 4,327 | 0 | 4,327 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,615 | 285 | 1,900 | 10-52 | | | | 1,947 | 343 | 2,290 | 09-93 | | | |
| Arrowtooth flounder | BSAI | 63,750 | 0 | 63,750 | | | | | 63,750 | 0 | 63,750 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | |
| Alaska plaice | BSAI | 42,500 | 0 | 42,500 | | | | | 42,500 | 0 | 42,500 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 14,705 | 0 | 14,705 | | | | | 14,790 | 0 | 14,790 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 3,256 | 300 | 3,556 | 10-105 | | | | 3,247 | 0 | 3,247 | | | | |
| | AI | | | | | | | | | | | | | | |
| | EAI | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Northern rockfish | BSAI | 6,154 | 1,086 | 7,240 | HS | | | | 6,086 | 1,074 | 7,160 | HS | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | 465 | 82 | 547 | HS | | | | 458 | 81 | 539 | HS | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | 329 | 58 | 387 | HS | | | | 329 | 58 | 387 | HS | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other Red Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 412 | 73 | 485 | HS | | | | 412 | 73 | 485 | HS | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 472 | 0 | 472 | | | | | 472 | 0 | 472 | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | |
| | EAI/BS | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 1,675 | 0 | 1,675 | | | | | 1,675 | 0 | 1,675 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | 42,500 | 0 | 42,500 | | | | | 42,500 | 0 | 42,500 | | | | |
| | BSAI | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2008 | | | | | | 2007 | | | | | | | |
|------------------------------|----------|--------|----------------------------|--------------|--------|--------------------------------|--------------------------|--------------------|---------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 24,205 | 900 | 23,305 | | | | | 50,281 | 19,552 | 30,729 |
| Pollock | BS | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| | Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | | | | | | | | 145,112 | 12,804 | 157,916 HS | | | | |
| Sablefish | BS | 2,360 | 0 | 2,360 | | | | | 2,458 | 0 | 2,458 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,853 | 0 | 1,853 | | | | | 2,284 | 0 | 2,284 | | | | |
| Yellowfin sole | BSAI | | | | | | | | 115,600 | 0 | 115,600 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | |
| | BS | 1,488 | 75 | 1,563 | 08-75 | | | | 1,428 | 0 | 1,428 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 672 | 118 | 790 | 08-137 | | | | 646 | 0 | 646 | | | | |
| Arrowtooth flounder | BSAI | 63,750 | 0 | 63,750 | | | | | 17,000 | 0 | 17,000 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | | | | | | | | 46,750 | 0 | 46,750 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | 25,500 | 0 | 25,500 | | | | |
| Alaska plaice | BSAI | 42,500 | 0 | 42,500 | | | | | 21,250 | 0 | 21,250 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 18,360 | 0 | 18,360 | | | | | 8,500 | 0 | 8,500 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 3,570 | 0 | 3,570 | | | | | 1,836 | 0 | 1,836 | | | | |
| | AI | | | | | | | | | | | | | | |
| | EAI | | | | | | | | 4,225 | 373 | 4,598 HS | | | | |
| | CAI | | | | | | | | 4,293 | 379 | 4,672 HS | | | | |
| | WAI | | | | | | | | 6,562 | 579 | 7,141 HS | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Northern rockfish | BSAI | 6,953 | 614 | 7,567 | HS | | | | 6,962 | 614 | 7,576 HS | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | 172 | 15 | 187 | HS | | | | 172 | 15 | 187 HS | | | | |
| | BSAI | 187 | 15 | 202 | 08-137 | | | | | | | | | | |
| Shortraker rockfish | BSAI | 360 | 32 | 392 | HS | | | | 360 | 32 | 392 HS | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other Red Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 352 | 31 | 383 | HS | | | | 352 | 31 | 383 HS | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 497 | 0 | 497 | | | | | 497 | 0 | 497 | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | |
| | EAI/BS | | | | | | | | 20,230 | 1,785 | 22,015 HS | | | | |
| | CAI | | | | | | | | 25,160 | 2,220 | 27,380 HS | | | | |
| | WAI | | | | | | | | 8,160 | 720 | 8,880 HS | | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 1,675 | 0 | 1,675 | | | | | 1,675 | 0 | 1,675 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | 42,500 | 0 | 42,500 | | | | | 31,752 | 0 | 31,752 | | | | |
| | BSAI | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2006 | | | | | | 2005 | | | | | | | |
|------------------------------|---|---------|----------------------------|--------------|--------|--------------------------------|--------------------------|--------------------|---------|----------------------------|--------------|--------|--------------------------------|--------------------------|--------------------|
| | | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 37,022 | 37,016 | 6 | | | | | 37,538 | 37,538 | 0 |
| Pollock | BS BS AI Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | 164,900 | 14,550 | 179,450 | HS | | | | 175,100 | 15,450 | 190,550 | HS | | | |
| Sablefish | BS BS AI | 2,327 | 0 | 2,327 | | | | | 2,013 | 0 | 2,013 | | | | |
| Yellowfin sole | BSAI BSAI BSAI | 2,438 | 0 | 2,438 | | | | | 2,129 | 0 | 2,129 | | | | |
| | BSAI | 81,346 | 7,500 | 88,846 | 06-67 | | | | 77,083 | 6,800 | 83,883 | 05-59 | | | |
| | BSAI | | | | | | | | 83,883 | 3,500 | 87,383 | 05-88 | | | |
| | BSAI | | | | | | | | 87,383 | 401 | 87,784 | 05-108 | | | |
| Greenland turbot | BS BS AI | 1,607 | 0 | 1,607 | | | | | 2,295 | 0 | 2,295 | | | | |
| Arrowtooth flounder | BSAI BSAI | 723 | 0 | 723 | | | | | 680 | 0 | 680 | | | | |
| | BSAI | 11,050 | 996 | 12,046 | 06-111 | | | | 10,200 | 3,000 | 13,200 | 05-67 | | | |
| | BSAI | | | | | | | | 13,200 | 429 | 13,629 | 05-108 | | | |
| Kamchatka flounder | BSAI BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | 35,275 | 0 | 35,275 | | | | | 35,275 | 227 | 35,502 | 05-108 | | | |
| Flathead sole | BSAI | 16,575 | 970 | 17,545 | 06-111 | | | | 16,575 | 0 | 16,575 | | | | |
| Alaska plaice | BSAI | 6,800 | 7,000 | 13,800 | 06-46 | | | | 6,800 | 0 | 6,800 | | | | |
| other flatfish | BSAI | 2,975 | 0 | 2,975 | | | | | 2,975 | 1,400 | 4,375 | 05-46 | | | |
| Pacific ocean perch | BSAI BS AI | 4,375 | 0 | 4,375 | | | | | 4,375 | 193 | 4,568 | 05-108 | | | |
| | EAI | 1,190 | 0 | 1,190 | | | | | 1,190 | 0 | 1,190 | | | | |
| | CAI | 2,618 | 231 | 2,849 | HS | | | | 2,618 | 231 | 2,849 | HS | | | |
| | WAI | 2,580 | 228 | 2,808 | HS | | | | 2,580 | 228 | 2,808 | HS | | | |
| Sharpchin/Northern Rockfish | WAI | 4,322 | 381 | 4,703 | HS | | | | 4,322 | 381 | 4,703 | HS | | | |
| Northern rockfish | BS AI BSAI | | | | | | | | | | | | | | |
| | BSAI | 3,825 | 338 | 4,163 | HS | | | | 4,250 | 375 | 4,625 | HS | | | |
| Rougheye rockfish | BS AI EBS/EAI CAI/WAI CAI/WAI BSAI | | | | | | | | | | | | | | |
| | BSAI | 190 | 17 | 207 | HS | | | | 190 | 17 | 207 | HS | | | |
| Shortraker rockfish | BSAI BSAI | 493 | 44 | 537 | HS | | | | 507 | 45 | 552 | HS | | | |
| Shortraker/Rougheye Rockfish | BS AI BS | | | | | | | | | | | | | | |
| Other Red Rockfish | AI AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 391 | 35 | 426 | HS | | | | 391 | 35 | 426 | HS | | | |
| | BS AI AI | 502 | 0 | 502 | | | | | 502 | 0 | 502 | | | | |
| Atka mackerel | BSAI EAI/BS CAI WAI | | | | | | | | | | | | | | |
| | BSAI | 6,375 | 563 | 6,938 | HS | | | | 6,375 | 563 | 6,938 | HS | | | |
| | CAI | 34,000 | 3,000 | 37,000 | HS | | | | 30,175 | 2,663 | 32,838 | HS | | | |
| | WAI | 13,175 | 1,163 | 14,338 | HS | | | | 17,000 | 1,500 | 18,500 | HS | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 1,084 | 0 | 1,084 | | | | | 1,084 | 100 | 1,184 | 05-108 | | | |
| Octopuses | BSAI BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI BSAI | 24,650 | 0 | 24,650 | | | | | 24,650 | 0 | 24,650 | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2004 | | | | | | 2003 | | | | | | | |
|------------------------------|---|----------------|----------------------------|----------------|--------|--------------------------------|--------------------------|--------------------|-------------------------|----------------------------|-------------------------|----------------|--------------------------------|--------------------------|--------------------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 37,830 | 37,830 | 0 | | | | | 40,920 | 32,358 | 8,562 |
| Pollock | BS BS AI Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | 183,175 | 16,163 | 199,338 | HS | | | | 176,375 | 15,563 | 191,938 | HS | | | |
| Sablefish | BS BS AI | 2,393 | 0 | 2,393 | | | | | 1,233 | 0 | 1,233 | | | | |
| Yellowfin sole | BSAI BSAI BSAI | 73,164 | 0 | 73,164 | | | | | 71,188 | 3,500 | 74,688 | 03-101 | | | |
| Greenland turbot | BSAI BSAI BS BS AI | | | | | | | | | | | | | | |
| | | 2,295 | 0 | 2,295 | | | | | 2,278 | 100 | 2,378 | 03-101 | | | |
| Arrowtooth flounder | BSAI BSAI | 10,200 | 5,000 | 15,200 | 04-103 | | | | 10,200 | 3,000 | 13,200 | 03-101 | | | |
| Kamchatka flounder | BSAI BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI BSAI | 34,850 | 3,075 | 37,925 | 04-44 | | | | 87,400 | 0 | 87,400 | | | | |
| Flathead sole | BSAI | 37,925 | 4,190 | 42,115 | 04-103 | | | | 17,000 | 0 | 17,000 | | | | |
| Alaska plaice | BSAI | 16,150 | 500 | 16,650 | 04-103 | | | | 8,500 | 750 | 9,250 | HS | | | |
| | BSAI | 8,500 | 750 | 9,250 | HS | | | | 9,250 | 750 | 10,000 | 03-101 | | | |
| other flatfish | BSAI | 2,550 | 225 | 2,775 | HS | | | | 2,550 | 225 | 2,775 | HS | | | |
| Pacific ocean perch | BSAI BS AI EAI CAI WAI | 2,775 1,197 | 1,900 0 | 4,675 1,197 | 04-103 | | | | 2,975 2,487 4,409 | 263 251 439 | 3,238 3,090 5,411 | HS HS HS | | | |
| Sharpchin/Northern Rockfish | BS AI | | | | | | | | | | | | | | |
| | | 2,600 | 229 | 2,829 | HS | | | | 2,975 | 263 | 3,238 | HS | | | |
| | | 2,487 | 219 | 2,706 | HS | | | | 2,839 | 251 | 3,090 | HS | | | |
| | | 4,409 | 389 | 4,798 | HS | | | | 4,973 | 439 | 5,411 | HS | | | |
| Northern rockfish | BSAI BSAI BS AI | 4,250 | 375 | 4,625 | HS | | | | 103 4,997 | 9 441 | 112 5,438 | HS HS | | | |
| Rougheye rockfish | EBS/EAI CAI/WAI CAI/WAI BSAI BSAI | | | | | | | | | | | | | | |
| | | 166 | 15 | 181 | HS | | | | | | | | | | |
| Shortraker rockfish | BSAI BSAI BSAI | 447 | 39 | 486 | HS | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS AI | | | | | | | | 116 706 | 10 62 | 126 768 | HS HS | | | |
| Other Red Rockfish | BS AI | | | | | | | | | | | | | | |
| | | 391 | 35 | 426 | HS | | | | 816 | 72 | 888 | HS | | | |
| | | 539 | 0 | 539 | | | | | 539 | 0 | 539 | | | | |
| Atka mackerel | BSAI EAI/BS CAI WAI | | | | | | | | | | | | | | |
| | | 9,554 | 843 | 10,397 | HS | | | | 9,053 | 799 | 9,851 | HS | | | |
| | | 26,435 | 2,333 | 28,768 | HS | | | | 24,956 | 2,202 | 27,158 | HS | | | |
| | | 17,561 | 1,550 | 19,111 | HS | | | | 16,992 | 1,499 | 18,491 | HS | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI BSAI | | | | | | | | | | | | | | |
| Squids | BSAI BSAI | 1,084 | 0 | 1,084 | | | | | 1,675 | 0 | 1,675 | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI BSAI | 23,124 | 0 | 23,124 | | | | | 27,463 | 2,423 | 29,886 | HS | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2002 | | | | | | 2001 | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|----------|--------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|--------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|-------|----|--|--------|---------|--------|---------|----|--|---------|--------|---------|----|--|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | | | | | | | | | | | | | | |
| | | 95,097 | | | | | | 20,765 | | | | | | 74,332 | | | | | | | | | | | | | | | |
| | | | | | | | | 97,106 | | | | | | 21,268 | | | | | | 75,838 | | | | | | | | | |
| Pollock | BS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Bogoslof | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pacific cod | BSAI | | | | | | | | | | | | | | | | | | | 170,000 | 15,000 | 185,000 | HS | | 159,800 | 14,100 | 173,900 | HS | |
| Sablefish | BS | | | | | | | | | | | | | | | | | | | 821 | 0 | 821 | | | 663 | 0 | 663 | | |
| | BS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | | | | | | 541 | 0 | 541 | | | 531 | 0 | 531 | | |
| Yellowfin sole | BSAI | | | | | | | | | | | | | | | | | | | 73,100 | 0 | 73,100 | | | 96,050 | 0 | 96,050 | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BS | 4,556 | 402 | 4,958 | HS | | 4,784 | 422 | 5,206 | HS | | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | | | | | | 2,244 | 198 | 2,442 | HS | | 2,356 | 208 | 2,564 | HS | |
| Arrowtooth flounder | BSAI | | | | | | | | | | | | | | | | | | | 13,600 | 0 | 13,600 | | | 18,709 | 0 | 18,709 | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rock sole | BSAI | 45,900 | 0 | 45,900 | | | 63,750 | 0 | 63,750 | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | | | | | | 21,250 | 0 | 21,250 | | | 34,000 | 0 | 34,000 | | |
| Alaska plaice | BSAI | | | | | | | | | | | | | | | | | | | 10,200 | 0 | 10,200 | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| other flatfish | BSAI | | | | | | | | | | | | | 2,550 | 0 | 2,550 | | | 23,800 | 0 | 23,800 | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 2,227 | 0 | 2,227 | | | 1,471 | 0 | 1,471 | | | | | | | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | EAI | | | | | | | | | | | | | 2,941 | 260 | 3,201 | HS | | 2,465 | 218 | 2,683 | HS | | | | | | | |
| | CAI | | | | | | | | | | | | | 2,601 | 230 | 2,831 | HS | | 2,176 | 192 | 2,368 | HS | | | | | | | |
| | WAI | 4,811 | 425 | 5,236 | HS | | 4,029 | 356 | 4,385 | HS | | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | AI | | | | | | | | | | | | | | | | | | | 16 | 0 | 16 | | | 16 | 0 | 16 | | |
| | BSAI | | | | | | | | | | | | | | | | | | | 5,730 | 506 | 6,236 | HS | | 5,733 | 506 | 6,239 | HS | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Northern rockfish | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | | 16 | 0 | 16 | | | | | | | |
| | AI | 5,730 | 506 | 6,236 | HS | | | | | | | | | | | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | | | | | | 99 | 0 | 99 | | | 99 | 0 | 99 | | |
| | AI | | | | | | | | | | | | | | | | | | | 775 | 68 | 843 | HS | | 775 | 68 | 843 | HS | |
| | BS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other Red Rockfish | AI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BS | 307 | 0 | 307 | | | 307 | 0 | 307 | | | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | | | | | | 575 | 0 | 575 | | | 575 | 0 | 575 | | |
| | AI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Atka mackerel | EAI/BS | | | | | | | | | | | | | | | | | | | 4,675 | 413 | 5,088 | HS | | 6,630 | 585 | 7,215 | HS | |
| | CAI | | | | | | | | | | | | | | | | | | | 20,230 | 1,785 | 22,015 | HS | | 28,560 | 2,520 | 31,080 | HS | |
| | WAI | 16,745 | 1,478 | 18,223 | HS | | 23,715 | 2,093 | 25,808 | HS | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skates | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squids | BSAI | | | | | | | | | | | | | | | | | | | 1,675 | 0 | 1,675 | | | 1,675 | 0 | 1,675 | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other Species | BSAI | | | | | | | | | | | | | | | | | | | 26,201 | 0 | 26,201 | | | 22,525 | 0 | 22,525 | | |
| | BSAI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 2000 | | | | | 1999 | | | | | | | | | | |
|------------------------------|----------|---------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|------|----------------------------|--------------|--------|--------------------------------|--------------------------|--------------------|---|---------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | | |
| | | 117,461 | | | | | 21,855 | | | | | 95,606 | | | | | |
| | | | | | | | | | | | | 76,762 | | | | | |
| | | | | | | | | | | | | 19,655 | | | | | |
| Pollock | BS | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | | | |
| | Bogoslof | | | | | | | | | | | | | | | | |
| Pacific cod | BSAI | 164,050 | 14,475 | 178,525 | HS | | | | | | 150,450 | 13,275 | 163,725 | HS | | | |
| Sablefish | BS | 624 | 0 | 624 | | | | | | | | | | | 569 | 0 | 569 |
| | BS | | | | | | | | | | | | | | | | |
| | AI | 516 | 0 | 516 | | | | | | | | | | | 293 | 0 | 293 |
| Yellowfin sole | BSAI | 104,773 | 0 | 104,773 | | | | | | | | | | | 176,783 | 0 | 176,783 |
| | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | | | |
| | BS | 5,297 | 467 | 5,764 | HS | | | | | | 5,126 | 0 | 5,126 | | | | |
| | BS | | | | | | | | | | | | | | | | |
| | AI | 2,609 | 230 | 2,839 | HS | | | | | | 2,525 | 0 | 2,525 | | | | |
| Arrowtooth flounder | BSAI | 111,350 | 0 | 111,350 | | | | | | | | | | | 114,201 | 0 | 114,201 |
| | BSAI | | | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| Rock sole | BSAI | 114,546 | 0 | 114,546 | | | | | | | | | | | 102,000 | 0 | 102,000 |
| | BSAI | | | | | | | | | | | | | | | | |
| Flathead sole | BSAI | 44,755 | 0 | 44,755 | | | | | | | | | | | 65,705 | 0 | 65,705 |
| Alaska plaice | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| other flatfish | BSAI | 71,242 | 0 | 71,242 | | | | | | | | | | | 130,900 | 0 | 130,900 |
| | BSAI | | | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 2,210 | 0 | 2,210 | | | | | | | | | | | 1,190 | 0 | 1,190 |
| | AI | | | | | | | | | | | | | | | | |
| | EAI | 2,652 | 234 | 2,886 | HS | | | | | | 2,916 | 257 | 3,173 | HS | | | |
| | CAI | 2,984 | 263 | 3,247 | HS | | | | | | 3,273 | 288 | 3,561 | HS | | | |
| | WAI | 4,820 | 425 | 5,245 | HS | | | | | | 5,287 | 466 | 5,753 | HS | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | | | |
| | AI | 4,378 | 386 | 4,764 | HS | | | | | | 3,596 | 317 | 3,913 | HS | | | |
| Northern rockfish | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | | | |
| | AI | 753 | 66 | 819 | HS | | | | | | 821 | 72 | 893 | HS | | | |
| Other Red Rockfish | BS | 165 | 0 | 165 | | | | | | | | | | | 227 | 0 | 227 |
| | AI | | | | | | | | | | | | | | | | |
| Other rockfish | BS | 314 | 0 | 314 | | | | | | | | | | | 314 | 0 | 314 |
| | BS | | | | | | | | | | | | | | | | |
| | AI | 583 | 0 | 583 | | | | | | | | | | | 583 | 0 | 583 |
| | AI | | | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | | | |
| | EAI/BS | 13,940 | 1,230 | 15,170 | HS | | | | | | 14,450 | 1,275 | 15,725 | HS | | | |
| | CAI | 20,995 | 1,852 | 22,847 | HS | | | | | | 19,040 | 1,680 | 20,720 | HS | | | |
| | WAI | 25,245 | 2,227 | 27,472 | HS | | | | | | 22,950 | 2,025 | 24,975 | HS | | | |
| Skates | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| Squids | BSAI | 1,675 | 0 | 1,675 | | | | | | | | | | | 1,675 | 0 | 1,675 |
| | BSAI | | | | | | | | | | | | | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | | | |
| Other Species | BSAI | 26,656 | 0 | 26,656 | | | | | | | | | | | 27,931 | 0 | 27,931 |
| | BSAI | | | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
IB = Information Bulletin

HS = Harvest Specification Tables
IB = Information Bulletin
IB = Information Bulletin

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 1998 | | | | | | 1997 | | | | | | | |
|------------------------------|----------|---------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|---------|----------------------------|--------------|-----------|--------------------------------|--------------------------|--------------------|
| | | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 151,221 | 128,038 | 23,183 | | | | | 212,856 | 146,731 | 66,125 |
| Pollock | BS | 943,500 | 83,250 | 1,026,750 | HS | | | | 960,500 | 84,750 | 1,045,250 | HS | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 20,230 | 1,785 | 22,015 | HS | | | | 23,800 | 2,100 | 25,900 | HS | | | |
| | Bogoslof | 850 | 0 | 850 | | | | | 850 | 0 | 850 | | | | |
| Pacific cod | BSAI | 178,500 | 15,750 | 194,250 | HS | | | | 229,500 | 40,500 | 270,000 | HS | | | |
| Sablefish | BS | 553 | 0 | 553 | | | | | 468 | 0 | 468 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 293 | 0 | 293 | | | | | 255 | 0 | 255 | | | | |
| Yellowfin sole | BSAI | 187,000 | 0 | 187,000 | | | | | 195,500 | 0 | 195,500 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | |
| | BS | 8,543 | 0 | 8,543 | | | | | 5,125 | 905 | 6,030 | NR 97-81 | | | |
| | BS | | | | | | | | 6,030 | 2,245 | 8,275 | NR 97-137 | | | |
| | AI | 4,208 | 0 | 4,208 | | | | | 2,525 | 0 | 2,525 | | | | |
| Arrowtooth flounder | BSAI | 13,600 | 0 | 13,600 | | | | | 17,646 | 0 | 17,646 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | 85,000 | 0 | 85,000 | | | | | 82,607 | 0 | 82,607 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | 85,000 | 0 | 85,000 | | | | | 36,975 | 0 | 36,975 | | | | |
| Alaska plaice | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 76,019 | 0 | 76,019 | | | | | 43,138 | 0 | 43,138 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 1,190 | 0 | 1,190 | | | | | 2,380 | 0 | 2,380 | | | | |
| | AI | | | | | | | | | | | | | | |
| | EAI | 2,610 | 230 | 2,840 | HS | | | | 2,754 | 486 | 3,240 | HS | | | |
| | CAI | 2,933 | 259 | 3,192 | HS | | | | 2,695 | 475 | 3,170 | HS | | | |
| | WAI | 4,743 | 419 | 5,162 | HS | | | | 5,431 | 959 | 6,390 | HS | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | 3,596 | 0 | 3,596 | | | | | 3,706 | 0 | 3,706 | | | | |
| Northern rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | 820 | 0 | 820 | | | | | 797 | 141 | 938 | NR 97-81 | | | |
| Other Red Rockfish | BS | 227 | 0 | 227 | | | | | 893 | 0 | 893 | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 314 | 0 | 314 | | | | | 317 | 0 | 317 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 582 | 0 | 582 | | | | | 607 | 0 | 607 | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | |
| | EAI/BS | 12,665 | 1,118 | 13,783 | HS | | | | 12,750 | 2,250 | 15,000 | HS | | | |
| | CAI | 19,040 | 1,680 | 20,720 | HS | | | | 16,575 | 2,925 | 19,500 | HS | | | |
| | WAI | 22,950 | 2,025 | 24,975 | HS | | | | 27,370 | 4,830 | 32,200 | HS | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 148 | 1,527 | 1,675 | NA | | | | 1,675 | 295 | 1,970 | NR 97-137 | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | 1,935 | 19,995 | 21,930 | NA | | | | 21,930 | 3,870 | 25,800 | NR 97-137 | | | |
| | BSAI | | | | | | | | | | | | | | |

NA = Not Available
HA = Harvest Specification Tables

HS = Harvest Specification Tables
NR = News Release

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 1996 | | | | | | 1995 | | | | | | | |
|------------------------------|----------|-----------|----------------------------|--------------|----------|--------------------------------|--------------------------|--------------------|-----------|----------------------------|--------------|-----------|--------------------------------|--------------------------|--------------------|
| | | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 207,788 | 154,528 | 53,260 | | | | | 201,440 | 167,756 | 33,684 |
| Pollock | BS | 1,011,500 | 89,250 | 1,100,750 | NR 96-45 | | | | 1,062,500 | 93,750 | 1,156,250 | NR 95-76 | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 30,260 | 2,670 | 32,930 | NR 96-45 | | | | 48,110 | 4,245 | 52,355 | NR 95-76 | | | |
| | Bogoslof | 850 | 0 | 850 | | | | | 850 | 0 | 850 | | | | |
| Pacific cod | BSAI | 229,500 | 40,500 | 270,000 | NR 96-45 | | | | 212,500 | 37,500 | 250,000 | NR 95-76 | | | |
| Sablefish | BS | 468 | 0 | 468 | | | | | 1,360 | 80 | 1,440 | NA | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 255 | 0 | 255 | | | | | 1,870 | 0 | 1,870 | | | | |
| Yellowfin sole | BSAI | 170,000 | 0 | 170,000 | | | | | 161,500 | 0 | 161,500 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | | | | | | | |
| | BS | 3,967 | 0 | 3,967 | | | | | 3,969 | 700 | 4,669 | NR 95-76 | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,983 | 0 | 1,983 | | | | | 1,981 | 350 | 2,331 | NR 95-76 | | | |
| Arrowtooth flounder | BSAI | 7,650 | 1,350 | 9,000 | NR 96-45 | | | | 8,693 | 1,534 | 10,227 | NR 95-76 | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | 59,500 | 0 | 59,500 | | | | | 51,000 | 9,000 | 60,000 | NR 95-100 | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | 25,500 | 0 | 25,500 | | | | | 25,500 | 0 | 25,500 | | | | |
| Alaska plaice | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 29,750 | 0 | 29,750 | | | | | 16,609 | 2,931 | 19,540 | NR 95-100 | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 1,530 | 0 | 1,530 | | | | | 1,573 | 277 | 1,850 | NR 95-76 | | | |
| | AI | | | | | | | | 8,925 | 1,575 | 10,500 | NR 95-76 | | | |
| | EAI | 2,571 | 454 | 3,025 | NR 96-45 | | | | | | | | | | |
| | CAI | 2,571 | 454 | 3,025 | NR 96-45 | | | | | | | | | | |
| | WAI | 5,143 | 907 | 6,050 | NR 96-45 | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | 4,445 | 0 | 4,445 | | | | | 4,338 | 765 | 5,103 | NR 95-76 | | | |
| Northern rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | 956 | 0 | 956 | | | | | 933 | 0 | 933 | | | | |
| Other Red Rockfish | BS | 1,071 | 0 | 1,071 | | | | | 1,070 | 0 | 1,070 | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 380 | 0 | 380 | | | | | 280 | 49 | 329 | NR 95-100 | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 728 | 0 | 728 | | | | | 589 | 0 | 589 | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | | | | | | | |
| | EAI/BS | 22,695 | 4,005 | 26,700 | NR 96-45 | | | | 11,475 | 2,025 | 13,500 | NR 95-76 | | | |
| | CAI | 28,560 | 5,040 | 33,600 | NR 96-45 | | | | 42,500 | 7,500 | 50,000 | NR 95-76 | | | |
| | WAI | 38,978 | 6,879 | 45,857 | NR 96-45 | | | | 14,025 | 2,475 | 16,500 | NR 95-76 | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 850 | 0 | 850 | | | | | 850 | 0 | 850 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | 17,106 | 3,019 | 20,125 | NR 96-45 | | | | 17,000 | 3,000 | 20,000 | NR 95-76 | | | |
| | BSAI | | | | | | | | | | | | | | |

HS = Harvest Specification Tables
NR = News Release

NA = Not Available
NR = News Release

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 1994 | | | | | | 1993 | | | | | | | |
|------------------------------|----------|-----------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|-----------|----------------------------|--------------|----------|--------------------------------|--------------------------|--------------------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 195,930 | 190,715 | 5,215 | | | | | 198,348 | 135,979 | 62,369 |
| Pollock | BS | 1,130,500 | 99,750 | 1,230,250 | NA | | | | 1,105,000 | 97,500 | 1,202,500 | NR 93-96 | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 48,110 | 4,245 | 52,355 | NA | | | | 43,860 | 3,870 | 47,730 | NR 93-19 | | | |
| | Bogoslof | 850 | 0 | 850 | | | | | 850 | 0 | 850 | | | | |
| Pacific cod | BSAI | 162,350 | 28,650 | 191,000 | NA | | | | 139,825 | 24,675 | 164,500 | NR 93-19 | | | |
| Sablefish | BS | 459 | 0 | 459 | | | | | 1,275 | 0 | 1,275 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 2,380 | 0 | 2,380 | | | | | 2,210 | 390 | 2,600 | NR 93-96 | | | |
| Yellowfin sole | BSAI | 127,776 | 42,549 | 170,325 | NA | | | | 187,000 | 0 | 187,000 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | | | | | | | | 5,950 | 1,050 | 7,000 | NR 93-96 | | | |
| | BS | 3,967 | 700 | 4,667 | NA | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 1,983 | 350 | 2,333 | NA | | | | | | | | | | |
| Arrowtooth flounder | BSAI | 8,500 | 1,500 | 10,000 | NA | | | | 8,500 | 0 | 8,500 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | 63,750 | 0 | 63,750 | | | | | 63,750 | 0 | 63,750 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | |
| Alaska plaice | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 47,600 | 0 | 47,600 | | | | | 67,150 | 0 | 67,150 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 1,624 | 286 | 1,910 | NA | | | | 2,831 | 499 | 3,330 | NR 93-96 | | | |
| | AI | 9,265 | 1,635 | 10,900 | NA | | | | 11,815 | 2,085 | 13,900 | NR 93-96 | | | |
| | EAI | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | 4,820 | 850 | 5,670 | NA | | | | 4,335 | 765 | 5,100 | NR 93-96 | | | |
| Northern rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | 1,037 | 0 | 1,037 | | | | | 935 | 165 | 1,100 | NR 93-96 | | | |
| Other Red Rockfish | BS | 1,190 | 0 | 1,190 | | | | | 1,020 | 180 | 1,200 | NR 93-96 | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 310 | 0 | 310 | | | | | 306 | 0 | 306 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 655 | 0 | 655 | | | | | 706 | 0 | 706 | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | | | | | | | | 27,200 | 4,800 | 32,000 | NR 93-19 | | | |
| | EAI/BS | 11,454 | 2,021 | 13,475 | NA | | | | | | | | | | |
| | CAI | 37,846 | 6,679 | 44,525 | NA | | | | | | | | | | |
| | WAI | 8,500 | 1,500 | 10,000 | NA | | | | | | | | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 2,644 | 0 | 2,644 | | | | | 1,700 | 0 | 1,700 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | 22,432 | 0 | 22,432 | | | | | 22,610 | 0 | 22,610 | | | | |
| | BSAI | | | | | | | | | | | | | | |

NA = Not Available

NR = News Release

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 1992 | | | | | | 1991 | | | | | | | |
|------------------------------|----------|-----------|----------------------------|--------------|----------|--------------------------------|--------------------------|--------------------|-----------|----------------------------|--------------|----------|--------------------------------|--------------------------|--------------------|
| | | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | ITAC | Reallocation From Reserves | Revised ITAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 299,978 | 189,294 | 110,684 | | | | | 300,000 | 211,600 | 88,400 |
| Pollock | BS | 1,105,000 | 97,500 | 1,202,500 | NR 92-90 | | | | 1,105,000 | 195,000 | 1,300,000 | NR 91-82 | | | |
| | BS | 1,202,500 | 38,500 | 1,241,000 | NA | | | | | | | | | | |
| | AI | 43,860 | 3,870 | 47,730 | NA | | | | 72,250 | 12,750 | 85,000 | NR 91-26 | | | |
| | Bogoslof | 850 | 0 | 850 | | | | | | | | | | | |
| Pacific cod | BSAI | 154,700 | 22,000 | 176,700 | NA | | | | 194,650 | 0 | 194,650 | | | | |
| Sablefish | BS | 1,190 | 0 | 1,190 | | | | | 2,634 | 0 | 2,634 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 2,550 | 0 | 2,550 | | | | | 2,720 | 0 | 2,720 | | | | |
| Yellowfin sole | BSAI | 199,750 | 0 | 199,750 | | | | | 114,750 | 0 | 114,750 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | 5,950 | 0 | 5,950 | | | | | 5,950 | 0 | 5,950 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Arrowtooth flounder | BSAI | 8,500 | 0 | 8,500 | | | | | 17,000 | 0 | 17,000 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | 34,000 | 6,000 | 40,000 | NA | | | | 76,500 | 0 | 76,500 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | |
| Alaska plaice | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 67,150 | 0 | 67,150 | | | | | 54,974 | 0 | 54,974 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 3,009 | 531 | 3,540 | NA | | | | 3,885 | 0 | 3,885 | | | | |
| | AI | 9,945 | 0 | 9,945 | | | | | 9,159 | 0 | 9,159 | | | | |
| | EAI | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | 4,820 | 0 | 4,820 | | | | | | | | | | | |
| Northern rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | 1,037 | 183 | 1,220 | NA | | | | | | | | | | |
| Other Red Rockfish | BS | 1,190 | 0 | 1,190 | | | | | 1,420 | 0 | 1,420 | | | | |
| | AI | | | | | | | | 3,982 | 0 | 3,982 | | | | |
| Other rockfish | BS | 340 | 60 | 400 | NA | | | | 340 | 0 | 340 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 786 | 0 | 786 | | | | | 786 | 0 | 786 | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | 36,550 | 10,450 | 47,000 | NA | | | | 20,400 | 3,600 | 24,000 | NR 91-82 | | | |
| | EAI/BS | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 1,700 | 0 | 1,700 | | | | | 850 | 250 | 1,100 | NR 91-82 | | | |
| | BSAI | | | | | | | | | | | | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | 17,000 | 10,200 | 27,200 | NA | | | | 12,750 | 0 | 12,750 | | | | |
| | BSAI | | | | | | | | | | | | | | |

NA = Not Available
NR = News Release

NR = News Release

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| Species | Area | 1990 | | | | | | 1989 | | | | | | | |
|------------------------------|----------|-----------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|-----------|----------------------------|--------------|------|--------------------------------|--------------------------|--------------------|
| | | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves | iTAC | Reallocation From Reserves | Revised iTAC | IB # | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
| | | | | | | 300,000 | 300,000 | 0 | | | | | 300,000 | 257,626 | 42,374 |
| Pollock | BS | 1,088,000 | 44,902 | 1,132,902 | HS | | | | 1,139,000 | 176,500 | 1,315,500 | NA | | | |
| | BS | 1,132,902 | 186,137 | 1,319,039 | NA | | | | | | | | | | |
| | AI | 85,000 | 0 | 85,000 | | | | | 11,432 | 0 | 11,432 | | | | |
| | Bogoslof | | | | | | | | | | | | | | |
| Pacific cod | BSAI | 192,950 | 7,025 | 199,975 | HS | | | | 196,079 | 30,000 | 226,079 | NA | | | |
| Sablefish | BS | 2,295 | 0 | 2,295 | | | | | 2,380 | 420 | 2,800 | NA | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 3,825 | 0 | 3,825 | | | | | 2,890 | 510 | 3,400 | NA | | | |
| Yellowfin sole | BSAI | 176,502 | 0 | 176,502 | | | | | 155,274 | 38,678 | 193,952 | NA | | | |
| | BSAI | | | | | | | | | | | | | | |
| Greenland turbot | BSAI | 5,950 | 1,050 | 7,000 | NA | | | | 6,800 | 1,200 | 8,000 | NA | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Arrowtooth flounder | BSAI | 8,500 | 66 | 8,566 | HS | | | | 5,100 | 1,400 | 6,500 | HS | | | |
| | BSAI | 8,566 | 1,967 | 10,533 | NA | | | | 6,500 | 1,300 | 7,800 | NA | | | |
| Kamchatka flounder | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Rock sole | BSAI | 51,000 | 16,359 | 67,359 | HS | | | | 77,148 | 0 | 77,148 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Flathead sole | BSAI | | | | | | | | | | | | | | |
| Alaska plaice | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| other flatfish | BSAI | 51,128 | 0 | 51,128 | | | | | 63,906 | 0 | 63,906 | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Pacific ocean perch | BS | 5,355 | 945 | 6,300 | NA | | | | 4,250 | 0 | 4,250 | | | | |
| | AI | 5,610 | 10,990 | 16,600 | NA | | | | 5,100 | 0 | 5,100 | | | | |
| | EAI | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Northern rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | CAI/WAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker rockfish | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other Red Rockfish | BS | | | | | | | | | | | | | | |
| | AI | | | | | | | | | | | | | | |
| Other rockfish | BS | 425 | 75 | 500 | NA | | | | 340 | 0 | 340 | | | | |
| | BS | | | | | | | | | | | | | | |
| | AI | 935 | 0 | 935 | | | | | 935 | 0 | 935 | | | | |
| | AI | | | | | | | | | | | | | | |
| Atka mackerel | BSAI | 17,850 | 5,650 | 23,500 | NA | | | | 17,242 | 3,043 | 20,285 | NA | | | |
| | EAI/BS | | | | | | | | | | | | | | |
| | CAI | | | | | | | | | | | | | | |
| | WAI | | | | | | | | | | | | | | |
| Skates | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sculpins | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Sharks | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Squids | BSAI | 425 | 500 | 925 | NA | | | | 850 | 50 | 900 | HS | | | |
| | BSAI | | | | | | | | 900 | 25 | 925 | NA | | | |
| Octopuses | BSAI | | | | | | | | | | | | | | |
| | BSAI | | | | | | | | | | | | | | |
| Other Species | BSAI | 4,250 | 3,668 | 7,918 | HS | | | | 11,274 | 4,000 | 15,274 | HS | | | |
| | BSAI | 7,918 | 20,666 | 28,584 | NA | | | | 15,274 | 500 | 15,774 | NA | | | |

NA = Not Available
HS = Harvest Specification Tables

NA = Not Available
HS = Harvest Specification Tables

Apportionment of the Groundfish Reserves in the BSAI from 1988-2018

For more information on how reserves are calculated please see full harvest specifications.

Grey lines represent species that are still in the reserves but have moved to another species group or are no longer managed by the same management areas.

Orange lines represents species that were once part of the reserves but no longer are.

| | | 1988 | | | | Available Unspecified Reserves | Total Reserves Allocated | Remaining Reserves |
|------------------------------|----------|-----------|-------------------------------|--------------|------|--------------------------------------|-----------------------------|-----------------------|
| Species | Area | ITAC | Reallocation From Reserves | Revised ITAC | IB # | | | |
| | | | | | | 300,000 | 300,000 | 0 |
| Pollock | BS | 1,105,000 | 207,000 | 1,312,000 | NA | | | |
| | BS | | | | | | | |
| | AI | 38,250 | 6,750 | 45,000 | NA | | | |
| | Bogoslof | | | | | | | |
| Pacific cod | BSAI | 170,000 | 26,193 | 196,193 | NA | | | |
| Sablefish | BS | 2,890 | 37 | 2,927 | HS | | | |
| | BS | 2,927 | 473 | 3,400 | NA | | | |
| | AI | 4,250 | 47 | 4,297 | HS | | | |
| Yellowfin sole | BSAI | 215,900 | 12,000 | 227,900 | NA | | | |
| | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Greenland turbot | BSAI | 9,520 | 31 | 9,551 | HS | | | |
| | BSAI | 9,551 | 50 | 9,601 | NA | | | |
| | BS | | | | | | | |
| | BS | | | | | | | |
| | AI | | | | | | | |
| Arrowtooth flounder | BSAI | 4,701 | 1,000 | 5,701 | NA | | | |
| | BSAI | | | | | | | |
| Kamchatka flounder | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Rock sole | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Flathead sole | BSAI | | | | | | | |
| Alaska plaice | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| other flatfish | BSAI | 111,664 | 39,000 | 150,664 | NA | | | |
| | BSAI | | | | | | | |
| Pacific ocean perch | BS | 4,250 | 28 | 4,278 | HS | | | |
| | AI | 5,100 | 441 | 5,541 | HS | | | |
| | EAI | | | | | | | |
| | CAI | | | | | | | |
| | WAI | | | | | | | |
| Sharpchin/Northern Rockfish | BS | | | | | | | |
| | AI | | | | | | | |
| Northern rockfish | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| | BS | | | | | | | |
| | AI | | | | | | | |
| Rougheye rockfish | EBS/EAI | | | | | | | |
| | CAI/WAI | | | | | | | |
| | CAI/WAI | | | | | | | |
| | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Shortraker rockfish | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Shortraker/Rougheye Rockfish | BS | | | | | | | |
| | AI | | | | | | | |
| Other Red Rockfish | BS | | | | | | | |
| | AI | | | | | | | |
| Other rockfish | BS | 340 | 30 | 370 | HS | | | |
| | BS | 370 | 30 | 400 | NA | | | |
| | AI | 935 | 165 | 1,100 | HS | | | |
| | AI | | | | | | | |
| Atka mackerel | BSAI | 17,850 | 1,700 | 19,550 | NA | | | |
| | EAI/BS | | | | | | | |
| | CAI | | | | | | | |
| | WAI | | | | | | | |
| Skates | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Sculpins | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Sharks | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Squids | BSAI | 850 | 25 | 875 | HS | | | |
| | BSAI | | | | | | | |
| Octopuses | BSAI | | | | | | | |
| | BSAI | | | | | | | |
| Other Species | BSAI | 8,500 | 5,000 | 13,500 | NA | | | |
| | BSAI | | | | | | | |

NA = Not Available

HS = Harvest Specification Tables