

References

- Au, W.W.L. and Hastings, M.C. (2008). *Principles of Marine Bioacoustics*. Springer, New York
- Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, D.K. Mattila, R.M. Pace III, P.E. Rosel, G.K. Silber and P.R. Wade. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Tech. Memo. NMFS-SWFSC-540. 263 pp.
- Baird, R.W. and P.J. Stacey. 1991. Status of Risso's dolphin, *Grampus griseus*, in Canada. *Can. Field-Nat.* 105: 233–242.
- Barlow J. Harbor porpoise 1988. *Phocoena phocoena*, abundance estimation for California, Oregon, and Washington. I. Ship surveys. *Fish. Bull.* 86, 417–432.
- Blecha, F. (2000). Immune system response to stress. Pages 111-122 *in* G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom. Bonnell, M.L., M.O. Pierson, and G.D. Farrens. 1983. Pinnipeds and sea otters of central and northern California, 1980-1983: Status, abundance and distribution. Prepared by Center for Marine Studies, University of California for Minerals Management Service: 220.
- Boebel, O., Clarkson, P., Coates, R., Larter, R., O'BRIEN, P.E., Plötz, J., Summerhayes, C., Tyack, T., Walton, D.W.H. and Wartzok, D. (2005). Risks posed to the Antarctic marine environment by acoustic instruments: a structured analysis. *Antarctic Science*, 17(04), pp.533-540.
- BOEM (2014) –[Commercial Lease of Submerged Lands for Renewable Energy Development on the Outer Continental Shelf](#)
- BOEM (2014) –[Environmental Assessment and Finding of No Significant Impact: Commercial Wind Lease Issuance and Site Assessment Activities on the Atlantic Outer Continental Shelf](#)
- Brown, D. M., J. Robbins, P. L. Sieswerda, R. Schoelkopf, and E. C. M. Parsons. 2017. Humpback whale (*Megaptera novaeangliae*) sightings in the New York-New Jersey harbor estuary. *Mar. Mamm. Sci.* 34:250-257.
- Brownell Jr, R.L., Ralls, K., Baumann-Pickering, S. and Poole, M.M. (2009). Behavior of melon-headed whales, *Peponocephala electra*, near oceanic islands. *Marine Mammal Science*, 25(3), pp.639-658.
- Brueggeman, J.J., Grotefendt, G.A.G.R.A., Bonnell, C.E.B.M.L. and Balcomb, K.C., (1992). Oregon and Washington Marine Mammal and Seabird Surveys-Cetacean Distribution and Abundance Off Oregon and Washington, 1989-1990.
- CETAP. 1982. A characterization of marine mammals and turtles in the mid- and North Atlantic areas of the U.S. outer continental shelf, final report, Cetacean and Turtle Assessment Program, University of Rhode Island. Bureau of Land Management, Washington, DC. #AA551-CT8-48. 576 pp.

- Crocker and Fratantonio. 2016. Characteristics of Sounds Emitted During High-Resolution Marine Geophysical Surveys. Naval Undersea Warfare Center Division (Sponsored by BOEM & USGS).
- Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation* 4 (1):13-27.
- Curtice C., Cleary J., Shumchenia E., Halpin P.N. 2018. Marine-life Data and Analysis Team (MDAT) technical report on the methods and development of marine-life data to support regional ocean planning and management. Prepared on behalf of the Marine-life Data and Analysis Team (MDAT). Accessed at: <http://seamap.env.duke.edu/models/MDAT/MDAT-Technical-Report.pdf>
- Davis, G. E., M.F. Baumgartner, M. F., J.M. Bonnell, J. M., Bell, J., C. Berchok, C., J.B. Thornton, J. B., S. Brault, S., G. Buchanan, G., R.A. Charif, R. A., D. Cholewiak, D., C.W. Clark, C. W., P. Corkeron, P., J. Delarue, J., K. Dudzinski, K., L. Hatch, L., J. Hildebrand, J., L. Hodge, L., H. Klinck, H., S. Kraus, S., B. Martin, B., D.K. Mellinger, D. K., H. Moors-Murphy, H., S. Niekirk, S., D.P. Nowacek, D. P., S. Parks, S., A.J. Read, A. J., A.N. Rice, A. N., D. Risch, D., A. Šširović, A., M. Soldevilla, M., K. Stafford, K., J.E. Stanistreet, J. E., Summers, E., S. Todd, S., A. Warde, A., and S.M. Van Parijs, S. M. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Sci. Rep.* 7: 13460.
- Department of Navy (DoN). (2007). Navy OPAREA Density Estimates (NODE) for the Northeast OPAREAs: Boston, Narragansett Bay, and Atlantic City. Final report. Contract number N62470-02- D-9997, CTO 0045. Norfolk, Virginia: Atlantic Division, Naval Facilities Engineering Command. Prepared by Geo-Marine, Inc., Plano, Texas.
- DeRuiter, S.L., Boyd, I., Claridge, D.E., Clark, C.W., Gagnon, C., Southall, B.L., Tyak, P.L. (2013a). Delphinid Whistle Production and Call Matching During Playback of Simulated Military Sonar. *Marine Mammal Science*, 29(2), E46-E59
- DeRuiter, S.L., Southall, B.L., Calambokidis, J., Zimmer, M.X., Sadykova, D., Falcone, E.A., Firedlander, A.S., Joseph, J.E., Moretti, D., Schorr, G.S., Thomas, L., Tyak, P.L. (2013b). First Direct Measurements of Behavioral Responses by Cuvier's Beaked Whales to Mid-Frequency Sonar. *Biology Letters*, 9:20130223.
- Desharnais, F., Heard, G.J., Hazen, M.G. and Fraser, I.A. (1999). The underwater acoustic noise field on Sable Bank. *Canadian Acoustics*, 27(3), pp.30-31.
- Dominion Resources Inc. (Dominion). 2013. Virginia Offshore Wind Technology Advancement Project (VOWTAP) Site Characterization Survey Marine Mammal and Sea Turtle Harassment Avoidance Summary Report.
- Dominion Resources Inc. (Dominion). 2014. Virginia Offshore Wind Technology Advancement Project (VOWTAP) Site Characterization Survey Marine Mammal and Sea Turtle Harassment Avoidance Nearshore Marine Geophysical and Geotechnical Surveys Summary Report.

- Dong Energy. 2016. Incidental Harassment Authorization for Bay State Wind LLC Geophysical and Geotechnical Survey Investigations Off the Coast of Massachusetts In the Area of the Commercial Lease of Submerged Lands for Renewable Energy Development on the Outer Continental Shelf. Issued August 3, 2016.
- Dyndo, M., D. M. Wisniewska, L. Rojano-Donate, and P.T. Madsen. 2015. Harbour porpoises react to low levels of high frequency vessel noise. *Sci. Rep.* 5, 11083; doi: 10.1038/srep11083
- Elasser, T.H., Klasing, K.C., Filipov, N., and Thompson, F. (2000). The metabolic consequences of stress: Targets for stress and priorities of nutrient use *in* G.P. Moberg and J.A. Mench, (eds.) *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- ESS Group (ESS). 2013. Summary of Marine Mammal Monitoring Activities for Cape Wind Energy Project – Geophysical Survey 2012. Available at: http://www.nmfs.noaa.gov/pr/pdfs/permits/capewind_monitoring2012.pdf
- Fair, P.A. and P.R. Becker. (2000). Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery* 7 (4):335-354.
- Finneran, J.J., (2015). Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *The Journal of the Acoustical Society of America*, 138(3), pp.1702-1726.
- Finneran, J.J. and Jenkins, A.K.. (2012). Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.
- Finneran, J.J. and Schlundt, C.E., (2010). Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 128(2), pp.567-570.
- Finneran, J.J., Schlundt, C.E., Dear, R., Carder, D.A., and Ridgway, S.H.. (2002). Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* 111 (6):2929.
- Gardline 2016a. Field Verification and Vessel Signature Report. Survey report for Baystate Wind Offshore Wind Farm. (Submitted under separate cover).
- Gardline 2016b. Draft Bay State Wind Protected Species Observer Report. 22-Aug-16 – 04-Oct-16. Project Number 10807. Lease Number OCS-A 0500.
- Gardline 2017. Technical Memo in support of Bay State Wind Field Verification Report.:
- Hayes, S.A., Josephson, E., Maze-Foley, K., Rosel, P.E. (Eds.) *et al.* (2017). NOAA Technical Memo NMFS-NE-241, US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2016.

- Hayes, S.A., Josephson, E., Maze-Foley, K., Rosel, P.E. (Eds.). 2018. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2017.
- Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America* 120(6):3463-3466
- Holberton, R.L., Helmuth, B., and Wingfield, J.C. (1996). The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* 98 (4):850-854.
- Hood, L.C., Boersma, P.D., and Wingfield, V. (1998). The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* 115 (1):76-84.
- Jacobs, S.R. and Terhune, J.M., (2002). The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: seal reactions and a noise exposure model. *Aquatic Mammals*, 28(2), 147-158.
- Jansen, G. (1998). Chapter 25: Physiological effects of noise. *Handbook of Acoustical Measurements and Noise Control*. 3rd Ed: 25.1-25.19.
- Jefferson, T.A., M.A. Webber and R.L. Pitman. 2008. *Marine mammals of the world*. Elsevier, Amsterdam. 573 pp.
- Jefferson, T.A., C.R. Weir, R.C. Anderson, L.T. Balance, J. Barlow, R.D. Kenney, and J.J. Kiszka. 2014. Global distribution of Risso's dolphin *Grampus griseus*: A review and critical evaluation. *Mamm. Rev.* 44: 56–68
- Jensen, A.S. and Silber, G.K. (2003). *Large Whale Ship Strike Database*. US Department of Commerce. National Oceanic and Atmospheric Administration. Technical Memorandum NMFS-OPR.
- Jessop, T.S., Tucker, A.D., Limpus, C.J., and Whittier, J.M. (2003). Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* 132 (1):161-170.
- Jones, D.M., D.E. Broadbent (1998). Chapter 24: Human performance and noise. *Handbook of Acoustical Measurements and Noise Control* (Harris, C.M. Ed). Published by Acoustical Society of America, Woodbury, NY
- Kastak, D., Reichmuth, C., Holt, M.M., Mulsow, J., Southall, B.L. and Schusterman, R.J., (2007). Onset, growth, and recovery of in-air temporary threshold shift in a California sea lion (*Zalophus californianus*). *The Journal of the Acoustical Society of America*, 122(5), pp.2916-2924.
- Kastak, D., Southall, B.L., Schusterman, R.J., and Kastak, C.R. (2005). Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America* 118 (5):3154-3163.

- Kastelein, R.A., Gransier, R., Hoek, L., Macleod, A., and Terhune, J.M. (2012a). Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz. *Journal of the Acoustical Society of America* 132 (4):2745-2761.
- Kastelein, R.A., Gransier, R., Hoek, L., and Olthuis, J. (2012b). Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz. *Journal of the Acoustical Society of America* 132:3525-3537.
- Katona, S.K., V. Rough and D.T. Richardson 1993. A field guide to whales, porpoises, and seals from Cape Cod to Newfoundland. Smithsonian Institution Press, Washington, DC. 316 pp.
- Kenney, R.D., and Vigness-Raposa, K.J. (2009). Marine Mammals and Sea Turtles of Narragansett Bay, Block Island Sound, Rhode Island Sound, and Nearby Waters: An Analysis of Existing Data for the Rhode Island Ocean Special Area Management Plan. Technical Report, May 31, 2009.
- Knowlton A.R. and S.D. Kraus. (2001). "Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean". *Journal of Cetacean Research and Management*, Special Issue 2:193-208.
- Krausman, P.R., Harris, L.K., Blasch, C.L., Koenen, K.K.G., and Francine, J. (2004). Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs* 157:1-41.
- Kremser, U., Klemm, P. and KOeTZ, W.D. (2005). Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science*, 17(01), pp.3-10.
- Kryter, K.D. (1985). *The Effects of Noise on Man*. Academic Press, New York.
- Kryter, K.D., Ward, W.D., Miller, J.D. and Eldredge, D.H., (1966). Hazardous exposure to intermittent and steady-state noise. *The Journal of the Acoustical Society of America*, 39(3), 451-464.
- Laist, D.W., Knowlton, A.R., Mead, J.G., Collet, A.S., and Podesta, M. (2001). Collisions between ships and whales. *Marine Mammal Science* 17 (1), 35–75. Lesage, V. and M.O. Hammill. 2001. *The status of the grey seal, Halichoerus grypus*, in the Northwest Atlantic. *Can. Field-Nat.* 115(4): 653-662.
- Lankford, S.E., Adams, T.E., Miller, R.A., and Cech, J.J. (2005). The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* 78:599-609.
- Leatherwood, S., D.K. Caldwell and H.E. Winn. 1976. Whales, dolphins, and porpoises of the western North Atlantic. A guide to their identification. NOAA Tech. Rep. NMFS Circ. 396. 176 pp.
- Lucke, K., Siebert, U., Lepper, P.A., and Blanchet, M. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic

- airgun stimuli. *Journal of the Acoustical Society of America* 125 (6):4060.
- Lurton, X. (2016). Modelling of the sound field radiated by multibeam echosounders for acoustical impact assessment. *Applied Acoustics*, 101, pp.201-221.
- Lusseau, D. and L. Bejder. (2007). The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology* 201 (2-3):228-236.
- Marine Acoustics, Inc. (MAI). 2018a. Final Report for Oceaneering International, Inc. Sound Source Verification: Edgetech 512i Chirp Sonar Supporting Deepwater Wind's Skipjack Wind Farm Project off Maryland and Delaware. Adam S. Frankel. MAI 1046. TN 18-025. August 3, 2018.
- Marine Acoustics, Inc. (MAI). 2018b. Final Report for Oceaneering International, Inc. Sound Source Verification: Supporting Deepwater Wind's Skipjack Wind Farm Project off Maryland and Delaware. Adam S. Frankel. MAI 1046. TN 18-026. August 21, 2018.
- Madsen, P.T. and Møhl, B., (2000). Sperm whales (*Physeter catodon* L. 1758) do not react to sounds from detonators. *The Journal of the Acoustical Society of America*, 107(1), pp.668-671.
- Madsen, P.T., Payne, R., Kristiansen, N.U., Wahlberg, M., Kerr, I. and Møhl, B. (2002). Sperm whale sound production studied with ultrasound time/depth-recording tags. *Journal of Experimental Biology*, 205(13), 1899-1906.
- Malme, C.I., Würsig, B., Bird, J.E. and Tyack, P., (1986). *Behavioral responses of gray whales to industrial noise: feeding observations and predictive modeling* (No. PB-88-249057/XAB). BBN Labs., Inc., Cambridge, MA (USA).
- McEwen, B.S. and Wingfield, J.C. (2003). The concept of allostasis in biology and biomedicine. *Hormones and behavior*, 43(1), pp.2-15.
- Miller, J. H., Bowles, A. E., Gentry, R. L., Ellison, W. T., Finneran, J. J., Greene Jr, C. R., . . . Nachtigall, P. E. (2005). Strategies for weighting exposure in the development of acoustic criteria for marine mammals. *The Journal of the Acoustical Society of America*, 118(3), 2019- 2019.
- Moberg, G.P. (2000). Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Moberg, G.P. (1987). Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. *Oxford Reviews in Reproductive Biology*. Oxford University Press, New York, New York.
- Mooney, T.A., Nachtigall, P.E. and Vlachos, S., (2009a). Sonar-induced temporary hearing loss in dolphins. *Biology letters*, pp.rsbl-2009.

- Mooney, T.A., Nachtigall, P.E., Breese, M., Vlachos, S. and Au, W.W., (2009b). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *The Journal of the Acoustical Society of America*, 125(3), pp.1816-1826.
- Myrberg, A.A. (1978). *Ocean Noise and the Behavior of Marine Mammals: Relationships and Implications*. Academic Press.
- Nachtigall, P.E., Supin, A.Y., Pawloski, J.L, and Au, W.W.L. (2004). Temporary threshold shifts after noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science* 20 (4):672-687.
- NMFS. (2018). Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing—Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. National Marine Fisheries Service, Silver Spring, MD.
- Northridge, S., M. Tasker, A. Webb, K. Camphuysen and M. Leopold 1997. White-beaked *Lagenorhynchus albirostris* and Atlantic white-sided dolphin *L. acutus* distributions in northwest European and U.S. North Atlantic waters. *Rep. Int. Whal. Comm.* 47:797-805.
- Nowacek, D.P., Johnson, M.P. and Tyack, P.L. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London B: Biological Sciences*, 271(1536), pp.227-231.
- NRC (National Research Council). (2003). Ocean noise and marine mammals. National Academy of Sciences: 220.
- Pace, R.M., III, P.J. Corkeron and S.D. Kraus. 2017. State- space mark-recapture model abundance estimates reveal a recent decline in abundance of North Atlantic right whales falling off the track to recovery. *Ecol. and Evol.* 7:8730–8741. DOI: 10.1002/ece3.3406
- Palka D. L. & Hammond P. S. 2001. Accounting for responsive movement in line transect estimates of abundance. *Can. J. Fish. Aquat. Sci.* 58, 777–787.
- Paquet, D., C. Haycock and H. Whitehead. 1997. Numbers and seasonal occurrence of humpback whales (*Megaptera novaeangliae*) off Brier Island, Nova Scotia. *Can. Field-Nat.* 111:548–552.
- Payne, P.M., L.A. Selzer and A.R. Knowlton. 1984. Distribution and density of cetaceans, marine turtles and seabirds in the shelf waters of the northeast U.S., June 1980 - Dec. 1983, based on shipboard observations. National Marine Fisheries Service, Woods Hole. NA81FAC00023: 245.
- Payne, M. and D. W. Heinemann 1990. A distributional assessment of cetaceans in the shelf and shelf edge waters of the northeastern United States based on aerial and shipboard surveys, 1978–1988. Report to NMFS
- Payne, P.M.; Heinemann, D.W. 1993. The distribution of pilot whales (*Globicephala* spp.) in shelf/shelf-edge and slope waters of the northeastern United States, 1978-1988. In:

- Payne, P.M., J.R. Nicholas, L. O'Brien and K.D. Powers. 1986. The distribution of the humpback whale, *Megaptera novaeangliae*, on Georges Bank and in the Gulf of Maine in relation to densities of the sand eel, *Ammodytes americanus*. *Fish. Bull.* 84:271–277.
- Payne, P.M., D.N. Wiley, S.B. Young, S. Pittman, P.J. Clapham and J.W. Jossi. 1990. Recent fluctuations in the abundance of baleen whales in the southern Gulf of Maine in relation to changes in selected prey. *Fish. Bull.* 88:687–696.
- Popov, V.V., Supin, A.Y., Wang, D., Wang, K., Dong, L., and Wang, S. (2011). Noise-induced temporary threshold shift and recovery in Yangtze finless porpoises *Neophocaena phocaenoides asiaeorientalis*. *Journal of the Acoustical Society of America* 130 (1):574-584.
- Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* 199(6):491-507.
- Reeves, R.R., B.S. Stewart, P.J. Clapham and Powell, J.A. (2002). *National Audubon Society Guide to Marine Mammals of the World*. Alfred A. Knopf: New York.
- Reneerkens, J., Morrison, R.G., Ramenofsky, M., Piersma, T. and Wingfield, J.C. (2002). Baseline and stress-induced levels of corticosterone during different life cycle substages in a shorebird on the high arctic breeding grounds. *Physiological and Biochemical Zoology*, 75(2), pp.200-208.
- Rhode Island Ocean Special Area Management Plan (SAMP) (2011). Rhode Island Coastal Resources Management Council. Draft, May 4, 2010.
- Rice et al., 1989. Sperm Whale in *Handbook of marine animals Vol 4*. S.H Ridgeway and R Harrison (eds)
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. (1995). *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California.
- Rivier, C. (1995). Influence of immune signals on the hypothalamic-pituitary axis of the rodent. *Frontiers in neuroendocrinology*, 16(2), pp.151-182.
- Roberts JJ, Best BD, Mannocci L, Fujioka E, Halpin PN, Palka DL, Garrison LP, Mullin KD, Cole TVN, Khan CB, McLellan WM, Pabst DA, Lockhart GG (2016a) Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615. doi: 10.1038/srep22615.
- Roberts JJ, Mannocci L, Halpin PN (2016b) Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2015-2016 (Base Year). Document version 1.0. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.
- Roberts JJ, Mannocci L, Halpin PN (2017) Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2016-2017 (Opt. Year 1). Document

version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

Roberts JJ, Mannocci L, Schick RS, Halpin PN (2018) Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2017-2018 (Opt. Year 2). Document version 1.2. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

Rolland, R.M., Parks, S.E., Hunt, K.E., Castellote, M., Corkeron, P.J., Nowacek, D.P., *et al.* (2012). Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* 279 (1737):2363-2368.

Romano, T., Keogh, M., and Danil, K. (2002a). Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.

Romano, T.A., Felten, D.L., Stevens, S.Y., Olschowka, J.A., Quaranta, V., and Ridgway, S.H. (2002b). Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.

RPS 2018. HRG Survey Equipment Acoustic Field Verification Report. Prepared for Terrasond on behalf of Ørsted. Report by RPS and Noise Control Engineering, May 28, 2018

Seyle, H. (1950). Stress and the general adaptation syndrome. *British Medical Journal* June 17:1383-1392.

Smith, M.E., Kane, A.S. and Popper, A.N., (2004a). Noise-induced stress response and hearing loss in goldfish (*Carassius auratus*). *Journal of Experimental Biology*, 207(3), pp.427-435.

Smith, M.E., Kane, A.S. and Popper, A.N., (2004b). Acoustical stress and hearing sensitivity in fishes: Does the linear threshold shift hypothesis hold water?. *Journal of Experimental Biology*, 207(20), pp.3591-3602.

Southall, B.L., Rowles, T., Gulland, F., Baird, R.W. and Jepson, P.D. (2013). Final report of the Independent Scientific Review Panel investigating potential contributing factors to a 2008 mass stranding of melonheaded whales (*Peponocephala electra*) in Antsohihy, Madagascar. *Independent Scientific Review Panel*.

Southall, B.L., Bowles, A.E., Ellison, W.T., Finneran, J.J., Gentry, R.L., Greene Jr., C.R., Kastak, D., Ketten, D.R., Miller, J.H., Nachtigall, P.E., Richardson, W.J., Thomas, J.A., and Tyack, P.L. (2007). Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations. *Aquatic Mammals*, Volume 33, Number 4, ISSN 0167-5427. 521 pp.

Southall, B.L., Braun, R., Gulland, F.M., Heard, A.D., Baird, R.W., Wilkin, S.M. and Rowles, T.K. (2006). *Hawaiian Melon-headed Whale (Peponocephala electra) Mass Stranding Event of July 3-4, 2004*.

Stone, K.M., S.M. Leiter, R.D. Kenney, B.C. Wilkgren, J.L. Thompson, J.K.D. Taylor, and S.D.

- Kraus. 2017. Distribution and abundance of cetaceans in a wind energy development area offshore of Massachusetts and Rhode Island. *J. Coastal Conserv.* 21:527—543.
- Subacoustech. 2017. Deepwater Wind Sound Source Verification. 17 July 2017. (Confidential and Proprietary).
- Subacoustech. 2018. Sound Source Verification for High Resolution Geophysical Survey Equipment, Fugro Enterprise. Subacoustech Environmental Report No. P236R0202. 12 November 2018. (Confidential and Proprietary).
- Thompson, P. O. (1965). "Marine biological sound west of San Clemente island," U.S. Navy Electronics Laboratory Report No. 1290, San Diego, CA, p. 42.
- Thompson, D.R. and Hamer, K.C. (2000). Stress in seabirds: causes, consequences and diagnostic value. *Journal of aquatic ecosystem stress and recovery*, 7(1), pp.91-109.
- Trimper, P.G., Chubbs, T.E., Standen, N.M. and Humphries, G.W., (1998). Effects of intensive aircraft activity on the behaviour of nesting osprey. In *7th International Congress on Noise as a Public Health Problem, ICBEN, Sydney, Australia*.
- Tyack, P.L. (2000). *Functional aspects of cetacean communication* (pp. 270-307). Chicago, IL: Cetacean societies: field studies of dolphins and whales. The University of Chicago Press.
- Westgate, A.J., A.J. Read, T.M. Cox, T.D. Schofield, B.R. Whitaker and K.E. Anderson 1998. Monitoring a rehabilitated harbor porpoise using satellite telemetry. *Mar. Mamm. Sci.* 14(3): 599-604.
- Whitehead et al. 1991. Distribution and behavior of male sperm whales on the Scotian Shelf Canada. *Can J Zool* 70:912-918.

- Urick, R.J. (1975). *A Statistical Model for the Fluctuation of Sound Transmission in the Sea* (No. NSWC/WOL/TR-75-18). Naval Surface Weapons Center, White Oak Lab, Silver Spring, MD.
- Vanderlaan, A.S. and Taggart, C.T. (2007). Vessel collisions with whales: the probability of lethal injury based on vessel speed. *Marine mammal science*, 23(1), pp.144-156.
- Ward, W.D. (1997). Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of acoustics*, Volume III. John Wiley & Sons, New York.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2015. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2015. NOAA Technical Memorandum. Available at: http://www.nmfs.noaa.gov/pr/sars/pdf/atl2015_final.pdf.
- Waring, G., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2013. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2012, 419 pages. Available at: www.nmfs.noaa.gov/pr/sars/pdf/ao2012.pdf.
- Waring, G., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2011. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2011, 330 pages. Available at: <http://www.nmfs.noaa.gov/pr/pdfs/sars/ao2011.pdf>.
- Waring GT, Josephson E, Maze-Foley K, and Rosel PE (eds.). 2010. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2009. NOAA Tech Memo NMFS NE 213; 528 p.
- Waring, G., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2017. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2016,
- Wartzok, D., & D.R. Ketten. 1999. Marine mammal sensory systems. *Biology of marine mammals*, 1, 117-175. Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37 (4):6-15.
- Weilgart, L.S. (2007). A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* 201 (2-3):159-168.
- Welch, B.L. and Welch, A.S., (1970). Control of brain catecholamines and serotonin during acute stress and after d-amphetamine by natural inhibition of monoamine oxidase: An hypothesis. *Amphetamines and related compounds*, ed. E. Costa & S. Garattini. New York: Raven Press.[taHA].