

REFERENCES

Takes of Marine Mammals Incidental to Specified Activities: Taking Marine Mammals Incidental to U.S. Navy Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) Sonar Training and Testing in the Central and Western North Pacific Ocean and Eastern Indian Ocean

- Acebes, J.M.V., Darling, J.D., Yamaguchi, M. (2007). Status and distribution of humpback whales (*Megaptera novaeangliae*) in northern Luzon, Philippines. *Journal of Cetacean Research and Management*. 9(1), 37-43.
- Acevedo, A. (1991). Interactions between boats and bottlenose dolphins in the entrance to Ensenada De La Paz, Mexico. *Aquatic Mammals*. 17(3), 120-124.
- Aguilar de Soto, N., Johnson, M., Madsen, P.T., Tyack, P.L, Bocconcelli, A., Borsani, J.F. (2006). Does intense ship noise disrupt foraging in deep-diving Cuvier's beaked whales (*Ziphius cavirostris*)? *Marine Mammal Science*. 22, 690-699.
- Aguilar de Soto, N., Delorme, N., Atkins, J., Howard, S., Williams, J. Johnson, M. (2013). Anthropogenic noise causes body malformations and delays development in marine larvae. Third International Conference on the Effects of Noise on Aquatic Life, Budapest, Hungary.
- Aicken, W., Clements, E., Harland, E., Healiy, S., Smith, G., Ward, P., MacLeod, C., Pierpont, C. (2005). STUFT2 Trial: Environmental Protection Data Analysis Report, United Kingdom Ministry of Defense.
- Allen, B.M., Angliss, R.P. (2014). Alaska marine mammal stock assessments, 2013. NOAA Technical Memorandum NMFS-AFSC-277. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.
- Anderson, C., Branch, T.A., Alagiyawadu, A., Baldwin, R., Marsac, F. (2012). Seasonal distribution, movements and taxonomic status of blue whales (*Balaenoptera musculus*) in the northern Indian Ocean. *Journal of Cetacean Research and Management*. 12(2), 203-218.
- Andre, M., Sole, M., Lenoir, M., Durfont, M., Quero, C., Mas, A., Lombarte, A., van der Schaar, M., Lopez-Bejar, M., Morell, M., Zaugg, S., Houegnigan, L. (2011). Low-frequency sounds induce acoustic trauma in cephalopods. *Frontiers in Ecology and the Environment*. 9, 489-493.
- Aschettino, J.M. (2010). Population size and structure of melon-headed whales (*Peponocephala electra*) around the Main Hawaiian Islands: Evidence of multiple populations based on photographic data. Master's thesis. Hawai'i Pacific University, Honolulu, HI.
- Au, W.W.L., Floyd, R.W., Penner, R.H., Murchison, A.E. (1974). Measurement of echolocation signals of the Atlantic Bottlenose Dolphin, *Tursiops truncatus* Montagu in open waters. *Journal of the Acoustical Society of America*. 56(4), 1280-1290.

- Au, W.W.L., Penner, R.H., Turl, C.W. (1985). Propagation of beluga whale echolocation signals. Sixth Biennial Conference on the Biology of Marine Mammals. Vancouver, B.C., Canada, November 22-26, 1985.
- Au, W.W.L. (1993). *The sonar of dolphins*. New York, NY: Springer-Verlag.
- Au, W.W.L., Pack, A.A., Lammers, M.O., Herman, L.M., Deakos, M.H., Andrews, K. (2006). Acoustic properties of humpback whale songs. *The Journal of the Acoustical Society of America*. 120(2), 1103-1110.
- Au, W.W.L., Hastings, M.C. (2008). *Principles of marine bioacoustics*, 1st ed. New York, NY: Springer
- Ayres, K.L., Booth, R.K., Hempelmann, J.A., Koski, K.L., Emmons, C.K., Baird, R.W., Balcomb-Bartok, K., Hanson, M.B., Ford, M.J., Wasser, S.K. (2012). Distinguishing the Impacts of Inadequate Prey and Vessel Traffic on an Endangered Killer Whale Population. *PLoS ONE*. 7(6), e36842.
- Bailey, H., Senior, B., Simmons, D., Rusin, J., Picken, G., Thompson, P.M. (2010). Assessing underwater noise levels during pile-driving at an offshore windfarm and its potential effects on marine mammals. *Marine Pollution Bulletin*. 60, 888-897.
- Bain, D.E. (2002). A Model Linking Energetic Effects of Whale Watching to Killer Whale Population Dynamics. Friday Harbor Laboratories, University of Washington Report, 24 pp.
- Baird, R.W., Webster, D.L., McSweeney, D.J., Ligon, A.D., Schorr, G.S., Barlow, J. (2006). Diving Behaviour of Cuvier's (*Ziphius cavirostris*) and Blainville's (*Mesoplodon densirostris*) beaked whales in Hawai'i. *Canadian Journal of Zoology*. 84(8), 1120-1128.
- Baird, R.W., Webster, D.L., Schorr, G.S., McSweeney, D.J. (2008). Diel Variation in Beaked Whale Diving Behavior. NPS-OC-08-001, 32 pp.
- Baird, R.W., Gorgone, A.M., McSweeney, D.J., Ligon, A.D., Deakos, M.H., Webster, D.L., Schorr, G.S., Martien, K.K., Salden, D.R., Mahaffy, S.D. (2009). Population structure of island-associated dolphins: Evidence from photo-identification of common bottlenose dolphins (*Tursiops truncatus*) in the main Hawaiian Islands. *Marine Mammal Science*. 25(2), 251-274.
- Baird, R.W., Cholewiak, D., Webster, D.L., Schorr, G.S., Mahaffy, S.D., Curtice, C., ... Van Parijs, S.M. (2015). Biologically important areas for cetaceans within U.S. waters – Hawai'i region. *Aquatic Mammals*. 41(1), 54-64. doi:10.1578/am.41.1.2015.54.
- Baker, C.S., MacGibbon, J. (1991). Responses of Sperm Whales to Commercial Whale Watching Boats off the Coast of Kaikoura. Wellington, New Zealand Department of Conservation.
- Bannister, J.L., Hedley, S.L. (2001). Southern Hemisphere Group IV humpback whales: their status from recent aerial survey. *Memoirs of the Queensland Museum*. 47, 587-598.
- Bannister, J.L., Kemper, C.M., Warneke, J.M. (1996). The action plan for Australia cetaceans. Canberra, AU: Australian Nature Conservation Agency. ISBN 0 642 21388 7.

- Barlow, J. (2006). Cetacean abundance in Hawaiian waters estimated from a summer/fall survey in 2002. *Marine Mammal Science*. 22(2), 446-464.
- Baumann-Pickering, S., Roch, M.A., Jr, R.L.B., Simonis, A.E., McDonald, M.A., Solsona-Berga, A., ... Hildebrand, J.A. (2014). Spatio-temporal patterns of beaked whale echolocation signals in the North Pacific. *PLoS ONE*. 9(1), e86072. doi: 10.1371/journal.pone.0086072
- Beauchamp, G., Livoreil, B. (1997). The effect of group size on vigilance and feeding rate in spice finches. *Canadian Journal of Zoology*. 75(5), 1526-1531.
- Bednekoff, P.A., Lima, S.L. (1998). Randomness, chaos, and confusion in the study of antipredator vigilance. *Trends in Ecology & Evolution*. 13(7), 284-287.
- Bejder, L., Samuels, A., Whitehead, H., Gales, N. (2006). Interpreting short-term behavioral responses to disturbance within a longitudinal perspective. *Animal Behavior*. 72(5) 1149-1158.
- Bernaldo de Quiros, Y., Gonzales-Diaz, O., Arbelo, M., Sierra, E. Sacchini, S., Fernandez, A. (2012). Decompression versus decomposition: distribution, quantity and gas composition of bubbles in stranded marine mammals. *Frontiers in Physiology*. 3, 1-19.
- Bernaldo de Quiros, Y., Fernandez, A., Baird, R.W., Brownell, R.L., Aguilar de Soto, N., Allen, D., Arbelo, M., Arregui, M., Costidis, A., Fahlman, A., Frantiz, A., Gulland, F.M.D., Iniguez, M., Johnson, M., Komnenou, A., Koopman, H., Pabst, D.A., Roe, W.D., Sierra, E., Tejedor, M., Schorr, G. (2019). Advances in research on the impacts of anti-submarine sonar on beaked whales. *Proceedings of the Royal Society of Biology*. 286: 20182533. <http://dx.doi.org/10.1098/rspb.2018.2533>
- Best, P.B. (1982). Whales: Why do they strand? *African Wildlife*. 36(3), 96-97, 99.
- Best, P.B., Bannister, J.L., Brownell, Jr., R.L., Donovan, G.P. (Eds). (2001). Right whales: Worldwide status. *Journal of Cetacean Research and Management*, (Special Issue 2). 1-309.
- Bettridge, S., Baker, C.S., Barlow, J., Clapham, P.J., Ford, M., Gouveia, D., Mattila, D.K., Pace, III, R.M., Rosel, P.E., Silber, G.K., Wade, P.R. (2015). Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Technical Memorandum NOAA-TM-NMFS-SWFSC-540. La Jolla, CA: Southwest Fisheries Service, National Marine Fisheries Service.
- Blackwell, S.B., Lawson, J.W., Williams, M.T. (2004). Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *Journal of the Acoustical Society of America*. 115(5, Pt. 1): 2346-2357.
- Blane, J.M., Jaakson, R. (1994). The impact of ecotourism boats on the St. Lawrence beluga whales. *Environmental Conservation*. 21(3), 267-269.
- Born, E.W., Riget, F.F., Dietz, R., Andriashek, D. (1999). Escape responses of hauled out Ringed seals to aircraft disturbance. *Polar Biology*. 21(3), 171-178.

- Bowles, A.E., Smultea, M., Wursig, B., Demaster, D.P., Palka, D. (1994). Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island Feasibility Test. *Journal of the Acoustical Society of America*. 96(4), 2469-2484.
- Bradford, A.L., Forney, K.A., Oleson, E.M., Barlow, J. (2013). Line-transect abundance estimates of cetaceans in the Hawaiian EEZ. (PIFSC Working Paper WP-13-004; PSRG-2013-18). Honolulu, HI: Pacific Islands Fishery Science Center, National Marine Fisheries Service.
- Bradford, A.L., Forney, K.A., Oleson, E.M., Barlow, J. (2014). Accounting for subgroup structure in line-transect abundance estimates of false killer whales (*Pseudorca crassidens*) in Hawaiian waters. *PLoS ONE*. 9(2), e90464. doi:10.1371/journal.pone.0090464
- Bradford, A.L., Oleson, E.M., Baird, R.W., Boggs, C.H., Forney, K.A., Young, N.C. (2015). Revised stock boundaries for false killer whales (*Pseudorca crassidens*) in Hawaiian waters. (NOAA Technical Memorandum NOAA-TM-NMFS-PIFSC-47). Honolulu, HI: Pacific Islands Fishery Science Center, National Marine Fisheries Service.
- Bradford, A.L., Forney, K.A., Oleson, E.M., Barlow, J. (2017). Abundance estimates of cetaceans from a line-transect survey within the U.S. Hawaiian Island exclusive economic zone. *Fishery Bulletin*, 115, 129-142. Braham, H. W. (1984). The bowhead whale, *Balaena mysticetus*. *Marine Fisheries Review*. 46(4), 45-53.
- Bradford, A.L., Baird, R.W., Mahaffy, S.D., Gorgone, A.M., McSweeney, D.J., Cullins, T., Webster, D.L., Zerbini, A.N. (2018). Abundance estimates for management of endangered false killer whales in the main Hawaiian Islands. *Endangered Species Research*. 36, 297-313. doi: 10.3354/esr00903
- Bradshaw, C.J.A., Boutin, S. Hebert, D.M. (1998). Energetic implications of disturbance caused by petroleum exploration to woodland Caribou. *Canadian Journal of Zoology*. 76(7), 1319-1324.
- Branch, T.A., Butterworth, D.S. (2001). Estimates of abundance south of 60° S for cetacean species sighted frequently on the 1978/79 to 1997/98 IWC/IDCR-SOWER sighting surveys. *Journal of Cetacean Research and Management*. 3(3), 251-270.
- Branch, T.A., Stafford, K.M., Palacios, D.M., Allison, C., Bannister, J.L., Burton, C.L.K., Warneke, R.M. (2007). Past and present distribution, densities and movements of blue whales *Balaenoptera musculus* in the Southern Hemisphere and northern Indian Ocean. *Mammal Review*. 37(2), 116-175.
- Brandt, M.J., Diederichs, A., Betke, K., Nehls, G. (2011). Responses of harbor porpoises to pile driving at the Horns Rev II offshore wind farm in the Danish North Sea. *Marine Ecology Progress Series*. 421: 205-216.
- Branstetter, B.K., St. Leger, J., Acton, D., Stewart, J., Houser, D., Finneran, J.J., Jenkins, K. (2017). Killer whale behavioral audiograms. *Journal of the Acoustical Society of America*. 141(4): 2387.

- Brenowitz, E.A. (2004). Plasticity of the adult avian song control system. *Annals of the New York Academy of Science*. 1016, 560-585.
- Brenowitz, E.A. (1982) The active space of red-winged blackbird song. *Journal of Comparative Physiology*. 147:511-522
- Brumm, H. (2004). Causes and consequences of song amplitude adjustment in a territorial bird: A case study in nightingales. *Anais da Academia Brasileira de Ciencias*. 76(2), 289-295.
- Buckland, S.T., Cattanach, K.L., Miyashita, T. (1992). Minke whale abundance in the northwest Pacific and the Okhotsk Sea, estimated from 1989 and 1990 sighting surveys. Report of the International Whaling Commission. 42, 387-392.
- Buckland, S.T., Cattanach, K.L., Hobbs, R.C. (1993). Abundance estimates of Pacific white-sided dolphin, northern right whale dolphin, Dall's porpoise and northern fur seal in the North Pacific, 1987-1990. *International North Pacific Fisheries Commission Bulletin*. 53, 387-407.
- Buddelmann, B.U., Williamson, R. (1994). Directional sensitivity of hair cell afferents in the octopus statocyst. *Journal of Experimental Biology* 187, 245-259.
- Burger, J., Gochfeld, M. (1990). Risk discrimination of direct versus tangential approach by basking black iguanas: Variation as a function of human exposure. *Journal of Comparative Psychology*. 104(4), 388-394.
- Burger, J., Gochfeld, M. (1981). Discrimination of the threat of direct versus tangential approach to the nest by incubating herring and Great Black-Backed gulls. *Journal of Comparative and Physiological Psychology*. 95(5), 676-684.
- Bursk, M.K. (1983). Effects of Boats on Migrating Gray Whales. San Diego State University. Unpublished Report.
- Calambokidis, J., Falcone, E.A., Quinn, T.J., Burdin, A.M., Clapham, P.J., Ford, J.K.B., Gabriele, C.M., Leduc, R., Mattila, D., Rojas-Bracho, L., Straley, J.M., Taylor, B.L., Urbán R., J., Weller, D., Witteveen, B.H., Yamaguchi, M., Bendlin, A., Camacho, D., Flynn, K., Havron, A., Huggins, J., Maloney, N. (2008). SPLASH: Structure of populations, levels of abundance and status of humpback whales in the North Pacific. (Final report for Contract AB133F-03-RP-00078, Report prepared for U.S. Department of Commerce, Western Administrative Center, Seattle, WA). Olympia, WA: Cascadia Research.
- Carretta, J.V., Chivers, S.J., Perryman, W.L. (2011). Abundance of long-beaked common dolphin (*Delphinus capensis*) in California and western Baja California waters estimated from a 2009 ship-based line-transect survey. *Bulletin of the Southern California Academy of Sciences*. 110(3), 152-164.
- Carretta, J.V., Forney, K.A., Oleson, E.M., Weller, D.W., Lang, A.R., Baker, J., Muto, M.M., Hanson, B., Orr, A.J., Huber, H., Lowry, M.S., Barlow, J., Moore, J. E., Lynch, D., Carswell, L., Brownell, Jr., R.L. (2018). U.S. Pacific marine mammal stock assessment report: 2017. NOAA Technical Memorandum NOAA-TM-NMFS-SWFSC-602. La Jolla, CA: Southwest Fisheries Science Center, National Marine Fisheries Service.

- Carretta, J.V., Forney, K.A., Oleson, E.M., Weller, D.W., Lang, A.R., Baker, J.D., Muto, M.M., Hanson, B., Orr, A. J., Huber, H., Lowry, M.S., Barlow, J., Moore, J.E., Lynch, D., Carswell, L., Brownell Jr, R.L. (2019). U.S. Pacific Marine Mammal Stock Assessments: 2018. (201p). La Jolla, CA: U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-617. Retrieved from <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-region>
- Cerchio, S., Andrianantenaina, B., Lindsay, A., Rekdahl, M., Andrianarivelo, N., Rasoloarijao, T. (2015). Omura's whales (*Balaenoptera omurai*) off northwest Madagascar: Ecology, behaviour and conservation needs. Royal Society Open Science. 2(10), 150301. doi:10.1098/rsos.150301.
- Chrousos, G.P. (2000). The Stress Response and Immune Function: Clinical Implications: The 1999 Novera H. Spector Lecture. Annals of the New York Academy of Sciences. 917, 38-67
- Clark, C.W., Gagnon, G.J., Frankel, A.S. (2019). Fin whale singing decreases with increasing swimming speed. Royal Society Open Science. 6, 180525. doi: 10.1098/rsos.180525
- Clark, C.W., Ellison, W.T. (2004). Potential use of low-frequency sounds by baleen whales for probing the environment: evidence from models and empirical measurements. In J. A. Thomas, C. F. Moss, and M. Vater (Eds.), *Advances in the study of echolocation in bats and dolphins* (pp. 564-589): University of Chicago Press.
- Clark, C.W., Tyack, P., Ellison, W.T. (1999). Technical Report 1: Low frequency sound scientific research program technical report (responses of four species of whales to sounds of SURTASS LFA sonar transmissions). Report for the U.S. DoN. Included in Overseas environmental impact statement and environmental impact statement for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) sonar.
- Clyne, H., Leaper, R., Kennedy, J. (1999). Computer simulation of interactions between the North Atlantic Right Whale and shipping. European Research on Cetaceans. 13, 458 pp.
- Cochrem, J. (2014). Review of stress and the measurement of stress in marine mammals. Final 2014 Report from ONR Marine Mammal Physiological Stress Response thrust within the Marine Mammals and Biology Program.
- Conn, P.B., Ver Hoef, J.M., McClintock, B.T., Moreland, E.E., London, J.M., Cameron, M.F., Dahle, S.P., Boveng, P.L. (2014). Estimating multispecies abundance using automated detection systems: Ice-associated seals in the Bering Sea. *Methods in Ecology and Evolution*. 5, 1280-1293. doi: 10.1111/2041-210X.12127
- Conner, R.C., Heithaus, M.R. (1996). Approach by great white shark elicits flight response in bottlenose dolphins. *Marine Mammal Science*. 12(4), 602-606.
- Constantine, R. Brunton, D.H. Dennis, T. (2004). Dolphin-watching tour boats change bottlenose dolphin behavior. *Biological Conservation*. 117(3), 299-307.
- Constantine, R. Brunton, D.H., Baker, C.S. (2003). Effects of Tourism on Behavioral Ecology of Bottlenose Dolphins of Northeastern New Zealand. New Zealand Department of Conservation, DOC Science Internal Series 153.

- Constantine, R. and Brunton, D. (2001). Boats and Bottlenose Dolphins in the Bay of Islands, New Zealand. Fourteenth Biennial Conference on the Biology of Marine Mammals, Vancouver, Canada.
- Cooper, W.E., Jr. (1998) Direction of predator turning, a neglected cue to predation risk. *Behavior*. 135(1), 55-64.
- Cooper, W.E. Jr. (1997). Factors affecting risk and cost of escape by the Broad-Headed Skink: Predator speed, directness of approach, and female resence. *Herpetologica*. 53(4), 464-474.
- Corkeron, P.J., Minton, G., Collins, T., Findlay, K., Willson, A., Baldwin, R. (2001) Spatial models of sparse data to inform cetacean conservation planning: an example from Oman, *Endangered Species Research*. 15, 39-52.
- Costa, D.P., Crocker, D.E., Gedamke, J., Webb, P.M., Houser, D.S., Blackwell, S.B., Waples, D., Hayes, S.A., LeBoeuf, J.L. (2003). The effect of a low-frequency sound source (Acoustic Thermometry of the Ocean Climate) on the diving behavior of juvenile Northern Elephant seals. *Journal of the Acoustical Society of America*. 113(1155).
- Courbis, S., Baird, R.W., Cipriano, F., Duffield, D. (2014). Multiple populations of pantropical spotted dolphins in Hawaiian waters. 2014. *Journal of Heredity*. 105(5), 627-614.
- Cowlshaw, G., Lawes, M.J., Lightbody, M., Martin, A., Pettifor, R., Rowcliffe, J.M. (2004). A simple rule for the costs of vigilance: Empirical evidence from a social forager. *Proceedings of the Royal Society of London Series B Biological Sciences*. 271, 27-33.
- Cox, T., Ragen, T., Read, A., Vox, E., Baird, R., Balcomb, K., Barlow, J., Caldwell J., Cranford, T., Crum, L., D'Amico, A., D'Spain, G., Fernandez, A., Finneran, J., Gentry, R., Gerth, W., Gulland, F., Hildebrand, J., Houser, D., Hullar, T., Jepson, P., Ketten, D., MacLeod, C., Miller, P., Moore, S., Mountain, D., Palka, D., Ponganis, P., Rommel, S., Rowles, T., Taylor, B., Tyack, P., Wartzok, D., Gisiner, R., Mead J., & Benner, L. (2006). Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management*. 7(3), 177-187.
- Creel, S. (2005). Dominance, Aggression, and Glucocorticoid Levels in Social Carnivores. *Journal of Mammology*. 86(2), 255-246.
- Croll, D.A., Clark, C.W., Calambokidis, J., Ellison, W.T., Tershy, B.R. (2001). Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation*. 4(1), 13-27.
- Crum, L.A. Mao, Y. (1996). Acoustically enhanced bubble growth at low frequencies and its implications for human diver and marine mammal safety. *Acoustical Society of America*. 99(5), 2898-2907.
- Crum, L.A., Bailey, M.R., Guan, J., Hilmo, P.R., Kargl, S.G., Matula, T.J., Sapozhnikov, O.A. (2005). Monitoring Bubble Growth in Supersaturated Blood and Tissue *ex vivo* and the Relevance to Marine Mammal Bioeffects. *Acoustic Research Letters Online*. 6(3), 214-220.
- Daan, S., Deerenberg, C., Dijkstra, C. (1996). Increased daily work precipitates natural death in the Kestrel. *Journal of Animal Ecology*. 65(5), 6 pp.

- Dähne, M., Gilles, A., Lucke, K., Peschko, V., Adler, S., Krügel, K., Sunderleyer, J., Siebert, U. (2013). Effects of pile-driving on harbor porpoises (*Phocoena phocoena*) at the first offshore wind farm in Germany. *Environmental Research Letters*. 8: 025002.
- Dalebout, M.L., Robertson, K.M., Frantzis, A., Engelhaupt, D.A.N., Mignucci-Giannoni, A.A., Rosario-Delestre, R.J., Baker, C.S. (2005). Worldwide structure of mtDNA diversity among Cuvier's beaked whales (*Ziphius cavirostris*): Implications for threatened populations. *Molecular Ecology*. 14(11), 3353-3371.
- Davis, R. W., Faragion, G. S., May, N., Leming, T.D., Baumgartner, M., Evans, W.E., Hanksen, L.J., Mullin, K. Physical habitat of cetaceans along the continental slope in the North-Central and Western Gulf of Mexico. *Marine Mammal Science*. 14(3): 490-507.
- Department of the Navy (DoN) (2001). Final overseas environmental impact statement and environmental impact statement for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) sonar. Washington, DC: Chief of Naval Operations, Department of the Navy.
- DeRuiter, S.L., Boyd, I., Claridge, D.E., Clark, C.W., Gagnon, C., Southall, B.L., Tyak, P.L. (2013). Delphinid whistle production and call matching during playback of simulated military sonar. *Marine Mammal Science*. 29(2), E46-E59.
- DeRuiter, S.L, Southall, B.L., Calambokidis, J., Zimmer, M.X., Sadykova, D., Falcone, E.A., Firedlander, A.S., Joseph, J.E., Moretti, D., Schorr, G.S., Thomas, L., Tyak, P.L. (2013). First direct measurements of behavioral responses by Cuvier's beaked whales to mid-frequency sonar. *Biology Letters*. 9:20130223.
- Di Lorio, L., Clark, C.W. (2010). Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters*. 6(1), 51-54.
- Department of the Navy (DoN). (2001). Final overseas environmental impact statement and environmental impact statement for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) sonar. Washington, DC: Chief of Naval Operations, Department of the Navy. <http://www.surtass-lfa-eis.com/wp-content/uploads/2018/02/FEIS-Vol-I.pdf>
- DoN. (2007). Final supplemental environmental impact statement for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) sonar. Washington, D.C.: Chief of Naval Operations, Department of the Navy. http://www.surtass-lfa-eis.com/docs/SURTASS_LFA_FSEIS.pdf
- DoN. (2012). Final supplemental environmental impact statement/supplemental overseas environmental impact statement for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) sonar. Washington, D.C.: Chief of Naval Operations, Department of the Navy. http://www.surtass-lfa-eis.com/docs/SURTASS_LFA_FSEIS-SOEIS.pdf
- DoN. (2016a). Draft Supplemental Environmental Impact Statement/ Supplemental Overseas Environmental Impact Statement for Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) Sonar. August, 2016. Chief of Naval Operations, DoN.

- DoN. (2016c). Final Comprehensive Report for the Operation of Surveillance Towed Array Sensor System Low Frequency Active (SURTASS LFA) Sonar 2012 to 2016. December, 2016. Chief of Naval Operations, DoN.
- DoN. (2017a). U.S. Navy Marine Species Density Database Phase III for the Atlantic fleet training and testing study area. NAVFAC Atlantic Final Technical Report. Naval Facilities Engineering Command Atlantic, Norfolk, VA. 281 pp.
- DoN. (2017b). Technical report: Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis (Phase III). SSC Pacific, San Diego, California. 194 pp.
- DoN. (2017c). U.S. Navy Marine Species Density Database Phase III for the Hawaii-southern California training and testing study area. NAVFAC Pacific Technical Report. Naval Facilities Engineering Command Pacific, Pearl Harbor, HI. 270 pp.
- DoN. (2018). Navy marine species density database. Geospatial global database. Accessed March and April 2017; July, December 2018. Chief of Naval Operations, DoN.
- DoN. (2018b). U.S. Navy Marine Species Density Database Phase III for the Mariana Islands training and testing study area. U.S. Pacific Fleet, NAVFAC Pac, Naval Undersea Warfare Center, Code 1151. US Pacific Fleet Technical Report. Pearl Harbor, HI. 130 pp.
- Dooling, R.J., (2004). Audition: Can Birds Hear Everything They Sing? Nature's Music: The Science of Birdsong. P. Marler and H. Slabbekoorn, Eds.), pp 206-225. Elsevier-Academic Press, San Diego.
- Double, M.C., Andrews-Golf, V., Jenner, K.C.S., Jenner, M-N., Laverick, S.M., Branch, T.A., Gales, N.J. (2014). Migratory movements of pygmy blue whales (*Balaenoptera musculus brevicauda*) between Australia and Indonesia as revealed by satellite telemetry. PLoS ONE. 9(4): e93578.
- D'Spain, G.L., Amico, A.D., Fromm, D.M. (2006). Properties of the underwater sound fields during some well documented beaked whale mass stranding events. Journal of Cetacean Resource Management. 7(3), 223-238.
- Dukas, R. (2002). Behavioral and Ecological Consequences of Limited Attention. Philosophical Transaction of the Royal Society of London B Biological Sciences 357(1427), 1539-1547
- Eaton, R.L. (1979). Speculations on Strandings as "Burial", Suicide and Interspecies Communication. Carnivore. 3(24).
- Ellison, W.T., Stein, P. (1999, updated 2001). SURTASS LFA high frequency marine mammal monitoring (HF/M3) system: System description and test and evaluation. Marine Acoustics, Inc. and Scientific Solutions, Inc. <http://www.surtass-lfa-eis.com/wp-content/uploads/2018/02/HF-M3-Ellison-Report-2-4a.pdf>
- Ellison, W.T., B.L. Southall, C.W. Clark, A.S. Frankel. (2012). A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. Conservation Biology. 26(1), 21-28.

- Erbe, C. (2002). Underwater noise of whale-watching boats and potential effects on killer whales based on an Acoustic Impact Model. *Marine Mammal Science*. 18(2), 394-418.
- Erbe, C., Farmer, D.M. (2000). A software model to estimate zones of impact on marine mammals around anthropogenic noise. *Acoustical Society of America*. 108(3), 1327-1331.
- Evans, D.L., England, G.R. (2001). Joint Interim Report Bahamas Marine Mammal Stranding Event 15-16 March 2000. US Navy and NMFS Report, Washington, DC and Silver Springs, MD.
- Evans, P.G.H., Miller, L.A. (2003). Proceedings of the Workshop on Active Sonar and Cetaceans. *European Cetacean Society*, 42, March 8, 2003.
- Fahlmann, A., Tyack, P.L., Miller, P.J., Kvadsheim, P.H. (2014). How man-made interference might cause gas bubble emboli in deep diving whales. *Frontiers in Physiology*. 5:13.
- Fair, P.A., Becker, P.R. (2000). Reviews of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery*. 7(4), 335-354.
- Farmer, N.A., Baker, K., Zeddies, D.G., Denes, S.L., Noren, D.P., Garrison, L.P., Machernis, A., Fougères, E.M., Zykov, M. (2018). Population consequences of disturbance by offshore oil and gas activity for endangered sperm whales (*Physeter microcephalus*). *Biological Conservation*. 227, 189-204.
- Fay, R.R. (1988). *Hearing in Vertebrates: A Psychophysics Handbook*. Hill-Fay Associates.
- Feare, C.J. (1976). Desertion and abnormal development in a colony of sooty terns infested by virus-infected ticks. *IBIS*. 118, 112-115.
- Ferguson, M.C., Barlow, J. (2001). Spatial distribution and density of cetaceans in the eastern tropical Pacific Ocean based on summer/fall research vessel surveys in 1986-1996. (NMFS-SWFSC Administrative Report LJ-01-04). La Jolla, California: Southwest Fisheries Science Center, National Marine Fisheries Service.
- Ferguson, M.C., Barlow, J. (2003). Addendum: Spatial distribution and density of cetaceans in the eastern tropical Pacific Ocean based on summer/fall research vessel surveys in 1986-96. (NMFS-SWFSC Administrative Report LJ-01-04, Addendum). La Jolla, California: Southwest Fisheries Science Center, National Marine Fisheries Service.
- Fernandez, A., Bernaldo de Quiros, Y., Sierra, E., Sachini, S., Andrada, M., Rivero, M., Zucca, D., Arbelo, M. (2012). Acute Decompression-Like Sickness in Risso's Dolphins. Twenty-Sixth Annual Conference of the European Cetacean Society. March 26-28, 2012.
- Fernandez, A., Edwards, J.F., Rodriguez, F., de los Monteros, A.E., Herraiz, P., Castro, P., Jaber, J.R., Martin, V., Arbelo, M. (2005). Gas and fat embolic syndrom involving a mass stranding of beaked whales (Family Ziphiidae) exposed to anthropogenic sonar signals. *Veterinary Pathology*. 42(4), 446-457.
- Fernandez, A., Arbelo, M., Deaville, R., Patterson, I.A.P., Castro, P., Baker, J.R., Degolla, E., Ross, H.M., Herraiz, P., Pocknell, A.M., Rodriguez, F., Howie, F.E., Espinoza, A., Reid,

- R.J., Jaber, J.R., Martin, V., Cunningham, A.A., Jepson, P.D. (2004). Beaked whales, sonar and decompression sickness. *Nature*. 428(6984), U1-2.
- Finley, K.J., Miller, G.W., Davis, R.A., Greene, C.R. (1990). Reactions of Belugas and Narwhals to Ice-Breaking Ships in the Canadian High Arctic. Pgs 97-117 in T.G. Smith, D.J. Aubin and J.R. Geraci, eds. *Advances in Research on the Beluga Whale*. Canadian Bulletin of Fisheries and Aquatic Sciences. 224.
- Finneran, J.J., Carder, D.A., Dear, R., Belting, T., Ridgway, S. H. (2003). Pure-tone audiograms and hearing loss in the white whale (*Delphinapterus leucas*). *Journal of the Acoustical Society of America*. 114, 2434(A).
- Finneran, J.J., Jenkins, A.K. (2012). Criteria and Thresholds for U.S. Navy Acoustic and Explosive Effects Analysis, Department of Navy, San Diego, CA.
- Finneran, J.J. (2015a). Noise-Induced Hearing Loss in Marine Mammals: A review of Temporary Threshold Shift studies from 1996 to 2015. *Journal of the Acoustical Society of America*. 138(3), 1702-1726.
- Finneran, J.J., Schlundt, C.E., Branstetter, B.K., Trickey, J.S., Jenkins, K., (2015). Effects of multiple impulses from a seismic air gun on bottlenose dolphin hearing and behavior. *Journal of the Acoustical Society of America*. 137(4), 1634-1646.
- Finneran, J.J. 2016. Auditory weighting functions and TTS/PTS exposure functions for marine mammals exposed to underwater noise. Technical Report 3026. San Diego, California: SSC Pacific.
- Fish, J.F., Vania, J.S. (1971). Killer whale sounds repel white whales. *Fishery Bulletin*. 69(3), 531-535.
- Foote, A.D., Osborne, R.W., Hoelzel, A.R. (2004). Whale-call response to masking boat noise. *Nature*. Vol 428, 910 pp.
- Forney, K.A., Becker, E.A., Foley, D.G., Barlow, J., Oleson, E.M. (2015). Habitat-based models of cetacean density and distribution in the central North Pacific. *Endangered Species Research*. 27, 1-20. doi: <https://doi.org/10.3354/esr00632>
- Forney, K.A., Southall, B.L., Sloaten, E., Dawson, S., Read, A.J., Baird, R.W., Brownell Jr., R.L. (2017). Nowhere to go: noise impact assessments for marine mammal populations with high site fidelity. *Endangered Species Research*. 32, 391-413.
- Frankel, A.S., Clark, C.W. (2000). Behavioral responses of humpback whales to full scale ATOC signals. *Journal of the Acoustical Society of America*. 108(4), 1930-1937.
- Frid, A. (2001). Dall's sheep responses to overflights by helicopter and fixed-wing aircraft. *Biological Conservation*. 110(3), 387-399.
- Frid, A., Dill L. (2002). Human-caused disturbance stimuli as a form of predation risk. *Conservation Ecology*. 6(1).

- Friedlaender A.S., Hazen, E.L., Goldbogen, J.A., Stimpert, A.K., Calambokidis, J., Southall, B.L. (2016). Prey-mediated behavioral responses of feeding blue whales in controlled sound exposure experiments. *Ecological Applications*. 26, 1075–1085.
- Fristrup, K. M., Hatch, L. T., Clark, C. W. (2003). Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America*. 113(6), 3411-3424.
- Fritz, H., Guillemain, M., Durant, D. (2002). The cost of vigilance for intake rate in the Mallard: An approach through foraging experiments. *Ethology, Ecology, and Evolution*. 14(2), 91-97.
- Fulling, G.L., Thorson, P.H., Rivers, J. (2011). Distribution and abundance estimates for cetaceans in the waters off Guam and the Commonwealth of the Northern Mariana Islands. *Pacific Science*. 65(3), 321-343.
- Gailey, G., Wursig, B., McDonald, T.L. (2007). Abundance, Behavior, and Movement Patterns of Western Gray Whales in Relation to a 3-D Seismic Survey, Northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment*. 134(1-3), 75-91.
- Gelatt, T., Ream, R., & Johnson, D. (2015). *Callorhinus ursinus*. The IUCN red list of threatened species 2015: e.T3590A45224953. Retrieved from <http://dx.doi.org/10.2305/IUCN.UK.2015-4.RLTS.T3590A45224953.en>
- Geraci, J.R., Testaverde, S.A., Staubin, D.S., Loop, T.H. (1976). A Mass Stranding of the Atlantic White-Sided Dolphin: A Study into Pathobiology and Life History. Marine Mammal Commission Report Number MMC 75/12.
- Goldbogen, J.A., Southall, B.L., DeRuiter, S.L., Calambokidis, J. *et al.* (2013) Blue whales respond to simulated mid-frequency military sonar. *Proceedings of the Royal Society of London Series B Biological Sciences*. 280, 20130657.
- Gomez, C., Lawson, J.W., Wright, A.J., Buren, A.D., Tollit, D., Lesage, V. (2016). A systematic review on the behavioural responses of wild marine mammals to noise: the disparity between science and policy. *Canadian Journal of Zoology*. 94(12), 801-819 doi:10.1139/cjz-2016-0098.
- Gong, Z., Jain, A.D., Tran, D., Yi, D.H., Wu, F., Zorn, A., Ratilal, P., Makris, N.C. (2014). Ecosystem scale acoustic sensing reveals humpback whale behavior synchronous with herring spawning processes and re-evaluation finds no effect of sonar on humpback whale song occurrence in the Gulf of Maine in fall 2006. *PLoS ONE*. 9(10), e104733.
- Goold, J.C., Fish, P.J. (1998). Broadband spectra of seismic survey air-gun emissions, with reference to dolphin auditory thresholds. *Journal of the Acoustical Society of America*. 103(4), 2177-2184.
- Goold, J.C. (1996). Acoustic assessment of populations of common dolphin in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom*. 76(3), 811-820.

- Hakamada, T., Hatanaka, H. (2010). Reconsideration of the population status of the J stock common minke whales. Paper SC/62/NPM31 presented to the IWC Scientific Committee, May 2010 (unpublished).
- Halvorsen, M.B., Wysocki, L.E., Popper, A.N. (2006). Effects of high-intensity sonar on fish. *Journal of the Acoustical Society of America*. 119(5), 3283pp.
- Han, J.B., Wang, W. Ma, Z.Q. (2005). Spotted seals in the estuary of Shuangtaizi River of Liaodong Bay. *Marine Environmental Science*. 1, 51–53 (Abstract translated from Chinese).
- Han, J. B. (2011). Effect of land reclamation on the spotted seals and the Seals' Conversation Zone of Dalian Industrial Park in Jinzhou Bay, Bohai Sea, China. Marine environmental impact report. Dalian City, China: Liaoning Ocean and Fisheries Science Research Institute. 41 pp.
- Harington, F.H., Veitch, A.M. (1992). Calving success of woodland Caribou exposed to low level jet fighter overflights. *Artic*. 45(3), 213-218.
- Harrison, A.L. (2012). A synthesis of marine predator migrations, distribution, species overlap, and use of Pacific Ocean Exclusive Economic Zones. Electronic Theses and Dissertations, UC Santa Cruz. <http://escholarship.org/uc/item/1vh7h6jx>
- Haviland-Howell, G., Frankel, A.S., Powell, C.M., Bocconcelli, A., Herman, R.L., Sayigh, L.S. (2007). Recreational boating traffic: A chronic source of anthropogenic noise in the Wilmington, North Carolina Intracoastal Waterway. *Journal of the Acoustical Society of America* 122(1), 151-160.
- Heenehan, H.L., Johnston, D.W. (2016). Acoustic Response of Hawaiian Spinner Dolphins to Human Disturbance. Fourth International Conference on the Effects of Noise on Aquatic Life, Dublin, Ireland.
- Hendriati, N., Siegel, H., Ohde, T. (2004). Investigation of different coastal processes in Indonesian waters using SeaWIFS data Deep-Sea Research II. 51, 85-97.
- Herberholz, J., Schmitz, B. (2001). Signaling via water currents in behavioral interactions of snapping shrimp. *The Biological Bulletin*. 201(1).
- Herzing, D. L. (1996). Vocalizations and associated underwater behavior of free-ranging Atlantic spotted dolphins, *Stenella frontalis* and bottlenose dolphins, *Tursiops truncatus*. *Aquatic Mammals*. 22(2), 61-79.
- Hildebrand, H. (2005). *Impacts of Anthropogenic Sound*. Marine Mammal Research, Johns Hopkins University Press. 101-124.
- Hildebrand, H., Balcomb, K. (2004). Modeling the Bahamas Beaked Whale Stranding of March 2000. Third Plenary Meeting of the Advisory Committee on Acoustic Impacts on Marine Mammals, San Francisco, CA.
- Hill, M.C., Bradford, A.L., Andrews, K.R., Baird, R.W., Deakos, M.H., Johnston, S.D., ... Yin, S. (2011). Abundance and movements of spinner dolphins off the main Hawaiian Islands: Pacific Islands Fisheries Science Center Working Paper WP-11-013.

- Hobbs, R.C., Waite, J.M. (2010). Abundance of harbor porpoise (*Phocoena phocoena*) in three Alaskan regions, corrected for observer errors due to perception bias and species misidentification, and corrected for animals submerged from view. *Fishery Bulletin*. 108, 251–267.
- Holberton, R.L., Helmuth, B., Wingfield, J.C. (1996). The Corticosterone Stress Response in Gentoo and King Penguins During the Non-Fasting Period. *The Condor*. 98(4), 850-854.
- Holt, M.M., Noren, D.P., Veirs, V., Emmons, C.K., Veirs, S. (2009). Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America*. 125(1), EI27-EI32.
- Hood, L.C., Boersma, P.D., Wingfield, J.C. (1998). The adrenocortical response to stress in incubating Magellanic penguins. *The Auk*. 115(1), 76-84.
- Hooker, S. K., Baird, R. W., and Fahlman, A. (2009). Could beaked whales get the bends? Effect of diving behaviour and physiology on modelled gas exchange for three species: *Ziphius cavirostris*, *Mesoplodon densirostris*, and *Hyperoodon ampullatus*. *Respir. Physiol. Neurobiol*. 167, 235–246.
- Houser, D.S., Dankiewicz-Talmadge, L.A., Stockard, T.K., Ponganis, P.J. (2009). Investigation of the potential for vascular bubble formation in a repetitive diving dolphin. *Journal of Experimental Biology*. 213(1), 52-62.
- Hooker, S.K., Baird, R.W. (1999). Deep-diving behaviour of the northern bottlenose whale, *Hyperoodon ampullatus* (Cetacea: Ziphiidae). *Proceedings of the Royal Society B: Biological Sciences*. 266(1420), 671-676.
- Horimoto, T., Mitani, Y., Sakurai, Y. (2016). Spatial association between northern fur seal (*Callorhinus ursinus*) and potential prey distribution during the wintering period in the northern Sea of Japan. *Fisheries Oceanography*. 25(1), 44-53. doi:10.1111/fog.12133.
- Houser, D.S., Helweg, D.A., Moore, P.W.B. (2001). A bandpass filter-bank model of auditory sensitivity in the humpback whale. *Aquatic Mammals*. 27(2), 82-91.
- Houser, D.S., Gomez-Rubio, A., Finneran, J.J. (2008). Evoked potential audiometry of 13 Pacific bottlenose dolphins (*Tursiops truncatus gilli*). *Marine Mammal Science*. 24(1), 28-41. doi:10.1111/j.1748-7692.2007.00148.x
- Huston, M.A., Wolverton, S. (2009). The global distribution of net primary production: resolving the paradox. *Ecological monographs*. 79(3), 343-377.
- International Council for Exploration of the Sea (ICES). (2005). Report of the ad-hoc group on the impacts of sonar on cetaceans and fish (AGISC). International Council for the Exploration of the Sea. Accessed: <http://www.ices.dk/advice/Request/EC/DG+20Env/sonar/agisc05.pdf>
- IUCN. (2018). IUCN Geen list of protected and conserved areas. Retrieved from https://www.iucn.org/sites/dev/files/iucn_gl_brochure_march2018.pdf

- International Whaling Commission (IWC). 1981. Report of the subcommittee on other baleen whales. Report of the International Whaling Commission. 31, 122-132.
- IWC. (1996). Report of the subcommittee on North Pacific Bryde's whales. Report of the International Whaling Commission. 46, 147-159.
- IWC. (2005). Report on the Scientific Committee. Annex K. Report of the Standing Working Group on Environmental Concerns. Journal of Cetacean Research and Management (Suppl). 7, 267-305.
- IWC. (2008). International Whaling Commission: Report of the scientific committee. Report to the International Whaling Commission 60/Report 1. Cambridge, U.K.: IWC.
- IWC. (2009). Population estimates. Retrieved from IWC website.
<http://www.iwcoffice.org/conservation/estimate.htm>
- IWC. (2016). Whale population estimates. Retrieved from <https://iwc.int/estimate>
- Ivashchenko, Y.V., Brownell, R.L., Clapham, P.J. (2014). Distribution of Soviet catches of sperm whales *Physeter macrocephalus* in the North Pacific. Endangered Species Research. 25(3), 249-263 doi:10.3354/esr00641.
- Jenner, C., Jenner, M., Burton, C., Sturrock, V., Salgado Kent, C., Morrice, M., Attard, C., Moller, L. Double, M.C. (2008). Mark recapture analysis of pygmy blue whales from the Perth Canyon, Western Australia 2000-2005. Paper submitted for consideration by the International Whaling Commission Scientific Committee SC/60/SH16.
- Jensen, A.S., Silber, G.K. (2004). Large Whale Ship Strike Database. US Dept. of Commerce. NOAA Technical Memo, NMFS-OPR-January.
- Jensen, A.S., Silber, G.K. (2003). Large Whale Ship Strike Database. US Dept. of Commerce. NOAA Technical Memo, NMFS-OPR-37pp.
- Jansen, G. (1998). Physiological Effects of Noise. Handbook of Acoustical Measurements and Noise Control, Chapter 25. (C. Harris, Ed.), Third Edition.
- Jepson, P.D., Houser, D.S., Crum, L.A., Tyak, P.L., Fernandez, A. (2005). Beaked Whales, Sonar, and the "Bubble Hypothesis". Sixteenth Biennial Conference on the Biology of Marine Mammals. San Diego, CA, December 12-16, 2005.
- Jepson, P.D., Arbelo, M., Deaville, R., Patterson, I.A.P., Castro, P., Baker, J.R., Degolla, E., Ross, H.M, Harraez, P., Pocknell, A.M., Rodriguez, A.M., Howie, F.E., Expinosa, A., Reid, R.J., Jaber, J.R., Martin, V., Cunningham, A.A., Fernandez, A. (2003). Gas-Bubble Lesions in stranded cetaceans: Was sonar responsible for a spate of whale deaths after an Atlantic Military Exercise? Nature. 425(6958)575-576.
- Jessop, T.S., Tucker, A.D., Limpus, C.J., Whittier, J.M. (2003). Interactions Between Ecology, Demography, Capture Stress, and Profiles of Corticosterone and Glucose in a Free-Living Population of Australian Freshwater Crocodiles. General and Comparative Endocrinology. 132(1), 161-170.

- Johnson, C.S. (1967). Sound detection thresholds in marine mammals. Pages 247-260 in W. N. Tavolga (Ed.). *Marine bio-acoustics*, Vol. 2. New York, NY: Pergamon Press.
- Johnson, C. M., Beckley, L.E., Kobryn, H., Johnson, G.E., Kerr, I., Payne, R. (2016). Crowdsourcing modern and historical data identifies sperm whale habitat offshore of South-Western Australia. *Frontiers in Marine Science*. 3(167).
- Jones, D.M., and Broadbent, D.E. (1998). Chapter 24: Human Performance and Noise. *Handbook of Acoustical Measurements and Noise Control*. Acoustical Society of America, Woodbury, NY.
- Kanaji, Y., Miyashita, T., Minamikawa, S., Yoshida, H. (2018). Abundance estimates of six species of Delphinidae cetaceans off the Pacific coast of Japan between 1985 and 2015. *Marine Mammal Science*. doi: 10.1111/mms.12502.
- Kane, A.S., Song, J., Halvorsen, M.B, Miller, D.L, Salierno, J.D., Wysocki, L.E., Zeddies, D., Popper, A.N. (2010). Exposure of fish to high-intensity sonar does not induce acute pathology. *Journal of Fish Biology*. 76(7), 1825-1840.
- Karczmarski, L., Würsig, B., Gailey, G., Larson, K.W., Vanderlip, C. (2005). Spinner dolphins in a remote Hawaiian atoll: social grouping and population structure. *Behavioral Ecology*. 16(4), 675-685 doi: 10.1093/beheco/ari028.
- Kaschner, K., Watson, R., Trites, A. W., Pauly, D. (2006). Mapping world-wide distributions of marine mammal species using a relative environmental suitability (RES) model. *Marine Ecology Progress Series*. 316, 285-310.
- Kastak, D. (2013). Effects of noise on seals and sea lions: Laboratory approaches. *Bioacoustics*. 17, 169-171
- Kastak, D., Reichmuth, C., Holt, M. M., Mulsow, J., Southall, B. L., Schusterman, R. J. (2007). Onset, growth, and recovery of in-air temporary threshold shift in a California sea lion (*Zalophus californianus*). *Journal of the Acoustical Society of America*. 122(5), 2916-2924.
- Kastak, D., Southall, B. L., Schusterman, R. J., Kastak, C. R. (2005). Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *Journal of the Acoustical Society of America*. 118(5), 3154-3163.
- Kastak, D. & Schusterman, R. J. (1999). In-air and underwater hearing sensitivity of a northern elephant seal (*Mirounga angustirostris*). *Canadian Journal of Zoology*. 77(11), 1751-1758.
- Kastelein, R. A., de Haan, D., Vaughan, N., Staal, C., Schooneman, N. M. (2001). The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*. 52, 351-371.
- Kastelein, R.A., Jennings, N., Verboom, W.C., de Haan, D., Schoonerman, N.M. (2006a). Differences in the response of a striped dolphin and a harbor porpoise to an acoustic alarm. *Marine Environmental Research*. 61(3) 363-378.

- Kastelein, R.A., Vander Heul, S., Verboom, W.C., Treisscheijn, R.J.V., Jennings, N.V. (2006b). The influence of underwater data transmission sounds on the displacement behavior of captive harbor seals. *Marine Environmental Research*. Vol 61, 19-39.
- Kastelein, R.A., Wensveen, P.J., Hoek, L., Verboom, W. C., Terhune, J. M. (2009). Underwater detection of tonal signals between 0.125 and 100 kHz by harbor seals (*Phoca vitulina*). *The Journal of the Acoustical Society of America*. 125(2), 1222-1229.
- Kastelein, R.A., Steen, N., Gransier, R., Wensveen, P.J., de Jong, C.A.F., (2012). Threshold received sound pressure levels of single 1-2 kHz and 6-7 kHz up-sweeps and down-sweeps causing startle responses in a harbor porpoise. *Journal of the Acoustical Society of America*. 131: 2325-2333.
- Kastelein, R.A., Helder-Hoek, L., Van de Voorde, S. (2017). Hearing thresholds of a male and a female harbor porpoise (*Phocoena phocoena*). *The Journal of the Acoustical Society of America*. 142(2), 1006-1010.
- Kasuya, T. (1986). Distribution and behavior of Baird's beaked whales off the Pacific coast of Japan. *Scientific Report of the Whales Research Institute*. 37, 61-83.
- Kasuya, T., Perrin, W.F. (2017). *Small cetaceans of Japan: Exploitation and biology*. Boca Raton, FL: CRC Press, Taylor & Francis Group.
- Kato, H., Miyashita, T. (1998). Current status of North Pacific sperm whales and its preliminary abundance estimates. Report SC/50/CAWS/52 submitted to the International Whaling Commission.
- Ketten, D.R. (1992). The Cetacean Ear: Form, Frequency, and Evolution. *Marine Mammal Sensory Systems*. Plenum Press. Pgs 53-75.
- Ketten, D. R. (1997). Structure and function in whale ears. *Bioacoustics*, 8(1), 103-136.
- Ketten, D. R. (1998). Marine Mammal Auditory Systems: A Summary of Audiometric and Anatomical Data and its Implications for Underwater Acoustic Impacts. (NOAA Technical Memorandum NMFS-SWFSC-256, pp. 74). La Jolla, CA: U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southwest Fisheries Science Center.
- Ketten, D. R. (2000). Cetacean ears. In W. W. L. Au, A. N. Popper, and R. R. Fay (Eds.), *Hearing by whales and dolphins* (pp. 43-108). New York, NY: Springer-Verlag.
- Kishiro, T., Kasuya, T. (1993). Review of Japanese dolphin drive fisheries and their status. *Reports of the International Whaling Commission*. 43, 439-452.
- Kiszka, J., Berggren, P., Rosenbaum, H.C., Cerchio, S., Rowar, D., Drouot-Dulau, V., Razafindrakoto, Y., Vely, M., Guissamulo, A. (2009). Cetaceans in the southwest Indian Ocean: A review of diversity, distribution and conservation issues.
- Kiszka, J. (2015). Marine Mammals: A review of the status, distribution, and interaction with fisheries in the Southwest Indian Ocean. In R. van der Elst and B. Everett (Eds.), *Offshore Fisheries of the Southwest Indian Ocean: their status and the impact on vulnerable species*

(pp 305-311). South African Association for Marine Biological Research, Oceanographic Research Institute, Special Publication No. 10.

- Knowlton, A.R., Kraus, S.D. (2001). Mortality and serious injury of Northern Right Whales in the Western North Atlantic Ocean. *Journal of Cetacean Research Management*. Special Issue 2, 193-208.
- Knowlton, A. R., Korsmeyer, F. T., Kerwin, J. E., Wu, H., Hynes, B. (1995). The hydrodynamic effects of large vessels on right whales. Final report to NOAA Fisheries for Contract, (40EANFF400534), 81.
- Krausman, P.R., Harris, L.K., Blasch, C.L., Koenen, K.K.G., and Francine, J. (2004). Effects of military operations on behavior and hearing of endangered Sonoran Pronghorn. *Wildlife Monographs*. 157, 1-41.
- Kryter, K.D., Ward, W.D., Miller, J.D., Eldredge, D.H. (1966). Hazardous exposure to intermittent and steady-state noise. *Journal of the Acoustical Society of America*. 39(3), 451-64.
- Kryter, K.D. (1985). *The Effects of Noise on Man*. Academic Press.
- Kuzin, A. E. (2015). New data on the abundance of the northern fur seal (*Callorhinus ursinus*), Steller sea lion (*Eumetopias jubatus*), and spotted seal (*Phoca largha*) on Tyuleniy Island, Sea of Okhotsk. *Russian Journal of Marine Biology*, 40(7), 532-538.
- Kvadsheim, P.H., Miller, P.J.O., Tyack, P.L., Sivle, L.D., Lam, F. P. A., and Fahlmann, A. (2012). Estimated tissue and blood N₂ levels and risk of decompression sickness in deep-, intermediate-, and shallow-diving toothed whales during exposure to naval sonar. *Frontiers in Physiology*. 3.
- Kvadsheim, P., Benders, F., Miller, P., Doksaeter, L., Knudsen, F., Tyack, P., Lam, F., Samarra, F., Kleivane, L., Godo, O. (2007). Herring (sild), Killer Whales (spekkhogger) and Sonar – the 3S-2006 Cruise Report with Preliminary Results. Norwegian Defense Research Establishment. FFI-rapport 2007/01189.
- Laist, D.W., Knowlton, A.R., Mead, J.G., Collet, A.S., Podesta, M. (2001). Collisions between ships and whales. *Marine Mammal Science*. 17(1), 35-75.
- Lambert, C., Mannocci, L., Lehody, P., Ridoux, V. (2014) Predicting cetacean habitats from their energetic needs and the distribution of their prey in two contrasted tropical regions. *PLoS ONE*. 9(8): e105958.
- Lambrechts, M. M. 1996. Organization of bird song and constraints on performance. - In: Kroodsma, D. E. and Miller, E. H. (eds). *Ecology and evolution of acoustic communication in birds*. Cornell Univ. Press, Ithaca and London, pp. 305-320.
- Lankford, S.E., Adams, T.E., Miller, R.A., Cech, J.J. Jr. (2005). The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in Sturgeon. *Physiological and Biochemical Zoology*. Vol 78, 599-609.

- LGL (LGL Limited, Environmental Research Associates). (2008). Environmental assessment of a marine geophysical survey by the R/V Marcus G. Langseth in Southeast Asia, March–July 2009.
- LGL. (2011). Environmental assessment of a low-energy marine geophysical survey by the R/V Thompson in the western tropical Pacific Ocean, November–December 2011.
- Li, S., Wang, K., Wang, D., Dong, S., Akamatsu, T. (2008). Simultaneous production of low- and high-frequency sounds by neonatal finless porpoises. *Journal of the Acoustical Society of America*. 124, 716-718.
- Liu, R. (1985). The Ultrastructure and Function of the Tubercles on the Back of *Neophocaena phocaenoides* in the Changjiang River in China. *Acta Hydrobiol.* 9: 209-12
- Lohr, B., Wright, T.F., Dooling, R.J. (2003). Detection and discrimination of natural calls in masking noise by birds: Estimating the active space of a signal. *Animal Behaviour*, 65, 763-777.
- Lonsbury-Martin, B.L., Martin, B.K., Bohne, B.A. (1987). Repeated TTS exposures in monkeys: Alterations in hearing, cochlear structure, and single-unit thresholds. *Journal of the Acoustical Society*. 81(5), 1507-18.
- Lovell, J., Findlay, M., Moate, R. Yan, H. (2005). The hearing abilities of the Prawn *Palaemon serratus*. *Comparative Biochemistry and Physiology*. A 140, 89-100.
- Lowry, L. (2016). *Histriophoca fasciata*. The IUCN red list of threatened species 2016: e.T41670A45230946. Retrieved from <http://dx.doi.org/10.2305/IUCN.UK.2016-1.RLTS.T41670A45230946.en>
- Lozano, E., Hente, M. (2014). The Effects of Disturbances on Harbor Seals on a Haul-Out site Off Yellow Island, Washington. *Ecology and Conservation of Marine Birds and Mammals*. Friday Harbor Laboratories, University of Washington.
- Luick, J.A., Kitchens, J.A., White, R.G., Murphy, S.M. (1996). Modelling Energy and Reproductive Costs in Caribou Exposed to Low Flying Military Jet Aircraft. *Rangifer*, Special Issue 9, 209-211.
- Lusseau, D. (2003). Effects of tour boats on the behavior of bottlenose dolphins: Using Markov Chains to model anthropogenic impacts. *Conservation Biology*. 17(6), 1785-1793.
- Lusseau, D. (2006). The short-term behavioral reactions of bottlenose dolphins to interactions with boats in Doubtful Sound, New Zealand. *Marine Mammal Science*. 22(4), 802-818.
- Madsen, J. (1994). Impacts on disturbance on migratory waterfowl. *IBIS*. 137, S67-S74.
- Madsen, P.T., Johnson, M., Miller, P.J.O., Aguilar Soto, N., Lynch, J., Tyack, P. (2006). Quantitative measures of air-gun pulses recorded on sperm whales using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America*. 129(4), 2366-2379.

- Mannocci, L., Monestiez, P., Spitz, J., Ridoux, V. (2015) Extrapolating cetacean densities beyond surveyed regions: habitat-based predictions in the circumtropical belt. *Journal of Biogeography*. 42, 1267-1280.
- Mannocci, L., Roberts, J.J., Miller, D.L., Halpin, P.N. (2017). Extrapolating cetacean densities to quantitatively assess human impacts on populations in the high seas. *Conservation Biology*. 31(3), 601-614. doi: 10.1111/cobi.12856.
- Marten, K. Marler, P. (1977). Sound transmission and its significance for animal vocalization. *Behavioral Ecology and Sociobiology*. 2(3), 271-290.
- Martin, S.W., Martin, C.R., Matsuyama, B.M., Henderson, E.E. (2015). Minke whales (*Balaenoptera acutorostrata*) respond to navy training. *The Journal of the Acoustical Society of America*. 137(5), 2533. doi:10.1121/1.4919319
- Mate, B., Mesecar, R., Lagerquist, B. (2007). The evolution of satellite-monitored radio tags for large whales: One laboratory's experience. *Deep Sea Research Part II: Topical Studies in Oceanography*. 54(3-4), 224-247.
- Maybaum, H.L. (1993). Response of humpback whales to sonar sounds. *Journal of the Acoustical Society of America*. 94(3-2), 1848-1849.
- McCauley, R.D., Jenner, C. (2010). Migratory patterns and estimated population size of pygmy blue whales (*Balaenoptera musculus breviceauda*) traversing the Western Australian coast based on passive acoustics. Paper SC/62/SH26 presented to the Scientific Committee, International Whaling Commission.
- McCowan, B., Reiss, D. (1995). Quantitative comparison of whistle repertoires from captive adult bottlenose dolphins (Delphinidae, *Tursiops truncatus*): A re-evaluation of the signature whistle hypothesis. *Ethology*. 100(3), 194-209.
- McEwan, B.S., Wingfield, J.C. (2003). The concept of allostasis in biology and biomedicine. *Hormones and Behavior*. 43(1), 2-15.
- Melcón, M. L., A. J. Cummins, S. M. Kerosky, L. K. Roche, S. M. Wiggins, J. A. Hildebrand. (2012). Blue whales respond to anthropogenic noise. *PloS ONE*. 7(2), 1-6. doi:10.1371/journal.pone.0032681.t001 10.1371/journal.pone.0032681.g001
- Miksis-Olds, J.L., Donaghay, P.L., Miller, J.H., Tyack, P.L., Nystuen, J.A. (2007). Noise level correlates with manatee use of foraging habitats. *Journal of the Acoustical Society of America*. 121(5), 3011-3020.
- Miksis-Olds, J.L. (2006). Manatee Response to Environmental Noise. A Dissertation Submitted in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy in Oceanography. University of Rhode Island, 2006.
- Miksis-Olds, J.L., Donaghay, P.L., Miller, J.H. (2005). Environmental noise levels affect the activity budget of the Florida Manatee. *Journal of the Acoustical Society of America*. 118, 1910.

- Miller, P.J.O., Biassoni, N., Samuels, A., Tyack, P.L. (2000). Whale songs lengthen in response to sonar. *Nature*. 405(6789), 903.
- Miller, P.J.O., Johnson, M.P., Madsen, P.T., Biassoni, N., Quero, M., Tyack, P.L. (2009). Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico, *Deep-Sea Research I*. 56, 1168-1181.
- Miller, P.J.O., Kvadsheim, P.H., Lam, F.P.A., Tyack, P.L. *et al.* (2015). First indications that northern bottlenose whales are sensitive to behavioral disturbance from anthropogenic noise. *Royal Society of Open Sciences*. 2, 140484.
- Miyashita, T. (1986). Population estimates of dolphins using research vessels data. In T. Tamura, S. Ohsumi, & S. Arai (Eds.), *Report of the investigation in search of resolution of the dolphin-fishery conflict in the Iki Island area* (pages 202-213). Tokyo, Japan: The Investigating Committee.
- Miyashita, T. (1990). Population estimate of Baird's beaked whales off Japan. Paper SC/42/SM28 presented to the Scientific Committee Meeting of IWC, 1990. International Whaling Commission.
- Miyashita, T. (1993). Abundance of dolphin stocks in the western North Pacific taken by the Japanese drive fishery. *International Whaling Commission*. 43, 417-437.
- Miyashita, T., Okamura, H. (2011). Abundance estimates of common minke whales using the Japanese dedicated sighting survey data for RMP Implementation and CLA - Sea of Japan and Sea of Okhotsk. SC/63/RMP11 (pp. 34).
- Miyashita, T., Iwaski, H., Moronuki, H. (2007). Abundance of Dall's porpoise in the northwestern North Pacific. Abstract of autumn meeting of Nihon Suisan Gakkai [Japanese Society of Fisheries Science] in 2007, Tokyo, Japan; page 164.
- Mizroch, S.A., Rice, D.W., Zwiefelhofer, D., Waite, J.M., Perryman, W.L. (2009). Distribution and movements of fin whales in the North Pacific Ocean. *Mammal Review*. 39(3), 193-227.
- Mizroch, S.A., Conn, P.B., Rice, D.W. (2015). The mysterious sei whale: Its distribution, movements and population decline in the North Pacific revealed by whaling data and recoveries of Discovery-type marks. [Presentation]. Paper SC/66a/IA/14 presented at the 66a IWC Scientific Committee Meeting in San Diego, CA, 22 May to 3 June 2015.
- MMPATF (IUCN). (2019). Important marine mammal area regional workshop for the North East Indian Ocean and South East Asian Seas: Final report of the third IMMA workshop, Kota Kinabalu, Sabah, Malaysia, 12-16 March 2018. Retrieved from <https://www.marinemammalhabitat.org/downloads/>
- Moberg, G.P. (1987). A model for assessing the impact of behavioral stress on domestic animals. *Journal of Animal Science*. 65:1228-1235.
- Moberg, G.P. (2000). Biological response to stress: Implications for animal welfare. *The Biology of Animal Stress*. Oxford, United Kingdom, 1-21.

- Mobley, J.R., Jr., Spitz, S., Grotefendt, R.A. (2001). Abundance of humpback whales in Hawaiian waters: Results of 1993-2000 aerial surveys. Honolulu, HI: Hawaiian Islands Humpback Whale National Marine Sanctuary. (pp. 16).
- Møhl, B., Wahlberg, M., Madsen, P. T., Miller, L. A., Surlykke, A. (2000). Sperm whale clicks: Directionality and source level revisited. *The Journal of the Acoustical Society of America*. 107(1), 638-648.
- Mooney, T.A., Hanlon, R.T., Christensen-Dalsgaard, J., Madsen, P.T., Ketten, D.R., Machtigall, P.E. (2010). Sound detection by the Longfin squid studied with auditory evoked potentials: Sensitivity to low-frequency particle motion and not pressure. *Journal of Experimental Biology*. 213, 3748-3759.
- Mooney, T.A., Nachtigall, P.E., Vlachos, S. (2009a). Sonar-induced temporary hearing loss in dolphins. *Biology letters, Physiology*. 5, 565-567. doi: 10.1098/rsbl.2009.0099
- Mooney, T.A., Nachtigall, P.E., Breese, M., Vlachos, S., Whitlow, W., Au, L. (2009b). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *Journal of Acoustical Society of America*. 125(3), 1816-1826.
- Moore, S.E., Dahlheim, M.E., Stafford, K.M., Fox C.G., Braham, H.W., McDonald M.A., Thomason, J. (1999). *Acoustic and visual detection of large whales in the eastern North Pacific Ocean*. Seattle, WA.
- Morato, T., Varkey, D.A., Damaso, C., Machete, M., Santos, M., Prieto, R., Santos, R.C., Pitcher, T.J. (2008). Evidence of a seamount effect on aggregating visitors. *Marine Ecology Progress Series*. 357, 23-32
- Morato, T., Hoyle, S.D., Allain, V., Nicol, S.J. (2010). Seamounts are hotspots of pelagic biodiversity in the open ocean. *Proceedings of the National Academy of Sciences*. 107(21), 9707-9711.
- Moreland, E., Cameron, M., Boveng, P. (2012). Bering Okhotsk Seal Surveys (BOSS): Joint U.S.-Russian aerial surveys. *Alaska Fisheries Science Center Quarterly Report*, April-May-June 2012.
- Morete, M.E., Tatiana, L.B., Rosso, S. (2007). Mother and Calf Humpback Whale Responses to Vessels Around the Abrolhos Archipeligo, Bahia, Brazil. *Journal of Cetacean Research and Management*. 9(3), 241-248.
- Mori, M., Butterworth, D.S. (2006). A first step towards modelling the krill-predator dynamics of the Antarctic ecosystem. *CCAMLR Science*. 13, 217-277.
- Morin, P.A., Baker, C.S., Brewer, R.S., Burdin, A.M., Dalebout, M.L., Dines, J.P., Fedutin, I., Filatova, O., Hoyt, E., Jung, J., Lauf, M., Potter, C.W., Richard, G., Ridgway, M., Robertson, K.M., Wade, P.R. (2017). Genetic structure of the beaked whale genus *Berardius* in the North Pacific, with genetic evidence for a new species. *Marine Mammal Science*. 33, 96-111.

- Morton, A.B., Symonds, H.K. (2002). Displacement of *Orinicus orca* (L.) by High Amplitude Sound in British Columbia, Canada. *ICES Journal of Marine Science*. 59(1), 71-80.
- Muliins, J., Whitehead, H., Weilgart, L.S. (1988). Behaviour and vocalizations of two single sperm whales, *Pyseter microcephalus*, off Nova Scotia. *Canadian Journal of Fisheries and Aquatic Sciences*. (45)10, 1736-1743.
- Mullner, A., Linsenmair, E.K., Martin, W. (2004). Exposure to Ecotourism Reduces Survival and Affects Stress Response in Hoatzin Chicks. *Biological Conservation*. 118(4), 549-558.
- Muslow, J., Reichmuth, C. (2010). Psychophysical and electrophysiological aerial audiograms of a Steller sea lion (*Eumetopias jubatus*). *The Journal of the Acoustical Society of America*. 127(4), 2692. doi:10.1121/1.3327662
- Muto, M.M., Helker, V.T., Angliss, R.P., Boveng, P.L., Breiwick, J.M., Cameron, M.F., Clapham, P.J., Dahle, S.P., Dahlheim, M.E., Fadely, B.S., Ferguson, M.C., Fritz, L.W., Hobbs, R.C., Ivashchenko, Y.V., Kennedy, A.S., London, J.M., Mizroch, S.A., Ream, R.R., Richmond, E.L., Shelden, K.E.W., Sweeney, K.L., Towell, R.G., Wade, P.R., Waite, J. M., Zerbini, A.N. (2019). Alaska marine mammal stock assessments, 2018. NOAA Technical Memorandum NMFS-AFSC-393. Seattle, WA: Alaska Fishery Science Center, National Marine Fisheries Service. 399 pp. Retrieved from <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-region>
- Nachtigall, P.E., Supin, A. (2008). A false killer whale adjusts its hearing when it echolocates. *Journal of Experimental Biology*, 211(11), 1714-1718.
- Nachtigall, P.E., Supin, A.Y., Pawloski, J., Au, W.W.L. (2004). Temporary threshold shifts After noise exposure in the bottlenose dolphin (*Tursiops truncatus*) measured using evoked auditory potentials. *Marine Mammal Science*, 20(4), p.673-687.
- National Academies of Sciences, Engineering and Medicine. (2017). Approaches to Understanding the Cumulative Effects of Stressors on Marine Mammals. Washington, DC: The National Academies Press. <https://doi.org/10.17226/23479>.
- National Marine Fisheries Service. (2016). Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing: Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Dept. of Commerce, NOAA. NOAA Technical Memorandum NMFS-OPR-55, 178 pp.
- National Marine Fisheries Service. (2018). Revisions to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Dept. of Commerce, NOAA. NOAA Technical Memorandum NMFS-OPR-59, 167 pp.
- NMFS. (2018). Hawaiian monk seal population at a glance; Hawaiian monk seal research. National Marine Fisheries Service, Pacific Islands Fishery Science Center. Retrieved from https://www.pifsc.noaa.gov/hawaiian_monk_seal/population_at_a_glance.php

- National Oceanic and Atmospheric Association (NOAA) Southwest Fisheries Science Center (2009). Predictive Models of Cetacean Densities in the Eastern Pacific Ocean: AND Predictive Modeling of Cetacean Densities in the California Current Ecosystem based on Summer/Fall Ship Surveys in 1991-2008 (<http://seamap.env.duke.edu>).
- NOAA National Ocean Service (2017). What is a Seamount? <https://oceanservice.noaa.gov/facts/seamounts.html>, updated
- NOAA. (2018). Endangered and threatened wildlife and plants: Final rulemaking to designate critical habitat for the Main Hawaiian Islands insular false killer whale distinct population segment; Final rule. National Marine Fisheries Service, National Oceanic and Atmospheric Administration. Federal Register. 83(142), 35062-35095.
- National Research Council (NRC) (2005). "Marine Mammal Populations and Ocean Noise." The National Academies Press, Washington, D.C.
- National Research Council (NRC) (2003). "Ocean Noise and Marine Mammals." The National Academies Press, Washington, D.C.
- National Institute for Occupational Safety and Health (1998). Criteria for a recommended standard: Occupational noise exposure. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.
- Nedwell, J.R., Edwards, B., Turnpenny, A.W.H., Gordon, J. (2004). Fish and marine mammal audiograms: A summary of available information. Subacoustech Report. 534R0214. 281 pp.
- New, L. F., Clark, J.S., Costa, D.P., Fleishman, E., Hindell, M.A., Klanjšček, T., Lusseau, D., Kraus, S., McMahon, C.R, Robinson, P.W., Schick, R.S., Schwarz, L.K., Simmons, S.E., Thomas, L., Tyack, P., Harwood, J. (2014). Using short-term measures of behaviour to estimate long-term fitness of southern elephant seals. Marine Ecology Progress Series. 496, 99-108.
- Ng, S.L., Leung, S. (2003). Behavioral response of Indo-Pacific humpback dolphin to vessel traffic. Marine Environmental Research. 56(5), 555-567.
- Noren, D.P., Johnson, A.H., Rehder, D., Larson, A. (2009). Close approaches by vessels elicit surface active behaviors by Southern Resident Killer Whales. Endangered Species Research. 8(3), 179-192.
- Nowacek, D., Johnson, M., Tyack, P. (2004). North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. Proceedings of the Royal Society of London. 271(B), 227-231.
- Nowacek, D. P., Thorne, L.H., Johnston, D.W., Tyack, P.L. (2007). Responses of cetaceans to anthropogenic noise. Mammal Review. 37(2), 81-115.
- Nowacek, D.P., Clark, C.W., Mann, D., Miller, P.J.O., Rosenbaum, H.C., Golden, J.S., Jasny, M., Kraska, J., Southall, B.L. (2015). Marine seismic surveys and ocean noise: Time for coordinated and prudent planning. Frontiers in Ecology and the Environment. 13, 378-386.

- Odell, D.K., Asper, E.D., Baucom, J., Cornell, L.H. (1980). A recurrent mass stranding of False Killer Whales in Florida. *Fishery Bulletin*. 78(1), 171-177.
- Office of Naval Research (ONR) (2009). Workshop: Effects of Stress on Marine Mammals. Arlington, VA, 4-5 November, 2009.
- Ohsumi, S. (1977). Bryde's whales in the pelagic whaling ground of the North Pacific. Report of the International Whaling Commission Special Issue. 1, 140-149.
- Oleson, E.M., Baird, R.W., Martien, K.K., Taylor, B.L. (2013). Island-associated stocks of odontocetes in the main Hawaiian Islands: A synthesis of available information to facilitate evaluation of stock structure. Document PSRG-2013-16 presented to the Pacific Scientific Review Group, Del Mar, California, April 2013.
- Packard, A., Karlsen, H.E., Sand, O. (1990). Low Frequency Hearing in Cephalopods. *Journal of Comparative Physiology A*. 166(4), 501-505.
- Parks, S.E., Clark, C.W., Tyack, P.L. (2007). Short-and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *The Journal of the Acoustical Society of America*. 122(6), 3725-3731.
- Parsons, E.C.M. (2016). Why IUCN should replace “Data Deficient” conservation status with a precautionary “Assume Threatened” status—A cetacean case study. *Frontiers in Marine Science* 3, 193.
- Parsons, E.C.M. (2017). Impacts of Navy sonar on whales and dolphins: now beyond a smoking gun? *Frontiers in Marine Science*. 4, 295.
- Patricelli, G. L., Blickley, J.L. (2006). Overview: Avian communication in urban noise: the causes and consequences of vocal adjustment. *The Auk*. 123, 639-649.
- Phillips, G.E., Alldredge, A.W. (2000). Reproductive Success of Elk Following Disturbance by Humans During Calving Season. *Journal of Wildlife Management*. 64(2), 521-530.
- Piantadosi, C.A., Thalmann, E.D. (2004). Pathology: Whales, Sonar and Decompression Sickness. *Nature*. 428(6984).
- Pickles, J.O. 1988. *An Introduction to the Physiology of Hearing*, 2nd ed. Academic Press, New York.
- Pirotta, E., Mior, R., Quick, N., Moretti, D., Di Marzio, N., Tyack, P., Boyd, I., Hastie, G. (2012). Vessel noise affects beaked whale behavior: Results of a dedicated acoustic response study, *PLoS ONE*. 7(8): e42535. doi:10.1371/journal.pone.0042535
- Pirotta, E., Brookes, K.L., Graham, I.M., Thompson, P.M. (2014). Variation in harbour porpoise activity in response to seismic survey noise. *Biology Letters*. 10: 20131090.
- Pirotta, E., Merchant, N.D., Thompson, P.M., Barton, T.R., Lusseau, D. (2015). Quantifying the effect of boat disturbance on bottlenose dolphin foraging activity. *Biological Conservation*. Vol. 181, 82-89.

- Pirotta, E., Booth, C.G., Costa, D.P., Fleishman, E., Kraus, S.D., Lusseau, D., Moretti, D., New, L.F., Schick, R.S., Schwartz, L.K., Simmons, S.E., Thomas, L., Tyack, P.L., Weise, M.J., Wells, R.S., Harwood, J. (2018). Understanding the Population Consequences of Disturbance. *Ecology and Evolution*. 8(19). <https://doi.org/10.1002/ece3.4458>
- Pitcher, T.J., Morato, T., Hart, P.J., Clark, M.R., Haggan, N., Santos, R.S. (2007). The depths of ignorance: an ecosystem evaluation framework for seamount ecology, fisheries and conservation. *Seamounts: Ecology, Fisheries & Conservation*. 476.
- Popper, A. N., Schilt, C. R. (2008). Hearing and acoustic behavior: Basic and applied considerations. In J. F. Webb, R. R. Fay, & A. N. Popper (Eds.), *Fish Bioacoustics* (pp. 17–48).
- Popper, A.N., Halvorsen, M.B., Kane, A., Miller, D., Smith, M.E., Song, J., Stein, P., Wysocki, L.E. (2007). Effects of High-Intensity, Low-Frequency Active Sonar on Rainbow Trout. *Journal of the Acoustical Society of America*. 122(623).
- Posner, M.I. (1994). Attention – The Mechanisms of Consciousness. *Proceedings of the National Academy of Sciences of the US*, 91(16), 7398-7403
- Relyea, R.A. (2005a). The Impact of Insecticides and Herbicides on the Biodiversity and Productivity of Aquatic Communities. *Ecological Applications*. 15(2), 618-627.
- Preen, A.R., Marsh, H., Lawler, I.R., Prince, R.I.T., Shepherd, R. (1997). Distribution and abundance of dugongs, turtles, dolphins and other megafauna in Shark Bay, Ningaloo Reef and Exmouth Gulf, Western Australia. *Wildlife Research*. 24(2), 185-208.
- Racca, R., Hannay, D., Yurk, H., McPherson, C., Austin, M., MacGillivray, A., Martin, B., Zeddies, D., Warner, G., Delarue, J., Denes S. (2015b). JASCO letter to N. LeBoeuf, NMFS (Sept. 14, 2015) (Comment Letter on National Marine Fisheries Service’s 31 July 2015 notice (80 Fed. Reg. 45642)).
- Relyea, R.A. (2005b). The Lethal Impacts of Roundup and Predatory Stress on Six Species of North American Tadpoles. *Archives of Environmental Contamination and Toxicology*. 48(3), 351-357.
- Reichmuth, C., Holt, M.M., Mulsow, J., Sills, J.M., Southall, B.L. (2013). Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A*. 199, 491e507.
- Richardson, W.J., Greene, C.R., Jr., Malme, C.I., Thomson, D.H., eds. (1995). *Marine mammals and noise*. San Diego, California: Academic Press.
- Ridgway, S.H., Carder, D., Finneran, J., Keogh, M., Kamolnick, T., Todd, M., Goldblatt, A. (2006). Dolphin Continuous Auditory Vigilance for Five Days. *The Journal of Experimental Biology*. 209, 3621-3628.
- Ridgway, S.H., Howard, R. (1979). Dolphin Lung Collapse and Intramuscular Circulation During Free-Diving: Evidence From Nitrogen Washout. *Science*, 206(4423) 1182-3.

- Risch, D., Corkeron, P.J., Ellison, W.T., Van Parijs, S.M. (2012). Changes in Humpback Whale Song Occurrence in Response to an Acoustic Source 200 km Away. *PLoS ONE*. 7(1), e29741.
- Rivers, J.A. (1997). Blue whale, *Balaenoptera musculus*, vocalizations from the waters off central California. *Marine Mammal Science*. 13(2), 186-195.
- Rivier, C., Rivest, S. (1991). Effect of stress on the activity of the hypothalamic–pituitary–gonadal axis: peripheral and central mechanisms *Biology of Reproduction*. 45 523–532.
- Roberts, J.J., Best, B.D., Mannocci, L., Fujioka, E., Halpin, P.N., Palka, D.L., Mullin, K.D., Cole, T.V.N., Khan, C.B., McLellan, W.M., Pabst, D.A., Lockhart, G. G. (2016). Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615.
- Rolland, R.M., Parks, S.E., Hunt, K.E., Castellote, M., Corkeron, P.J., Nowacek, D.P., Wasser, S.K., Kraus, S.D. (2012). Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences*. 279(1737), 2363-2368.
- Romano, T.A., Felten, D.L, Stevens, S.Y., Olschowka, J.A., Quaranta, V., Ridgway, S.H. (2002). *Immune Response, Stress, and Environment: Implications for Cetaceans. Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Company, Malabar, Florida. Pp 253-279.
- Romero, R.L. (2004). Physiological stress in ecology: Lessons from biomedical research. *Trends in Ecology and Evolution* 19(5), 249-255.
- Rommel, S.A., Costidis, A.M., Fernandez, A., Jepson, P.D., Pabst, D.A., McMellan, W.A., Houser, D.S., Cranford, T.W., Van Helden, A.L., Allen, D.M, Barros, N.B. (2006). Elements of beaked whale anatomy and diving physiology and some hypothetical causes of sonar-related stranding. *Journal of Cetacean Research and Management*. 7(3), 189-209.
- Saino, N. (1994). Time budget variation in relation to flock size in Carrioni Crows. *Animal Behavior*. 47(5), 1189-1196.
- Sapolsky, R.M. (2005). The influence of social hierarchy on primate health. *Science*. 308(5722), 648-652.
- Saunders, K.J., White, P.R., & Leighton, T.G. (2008). Models for predicting nitrogen tensions and decompression sickness risk in diving beaked whales. *Proceedings of the Institute of Acoustics*. 30(5).
- Scheidat, M., Castro, C., Gonzalez, J., Williams, R. (2004). Behavioral responses of humpback whales to whalewatching boats near Isla de la Plata, Machalilla National Park, Ecuador. *Journal of Cetacean Research and Management*. 6(1), 63-68.
- Scheifele, P. M., S. Andrew, R. A. Cooper, M. Darre, F. E. Musiek, L. Max. (2005). Indication of a Lombard vocal response in the St. Lawrence River beluga. *The Journal of the Acoustical Society of America*. 117(3), 1486-1492.

- Schlundt, C.E., Finneran, J.J., Branstetter, B.K., Trickey, J.S., Jenkins, K. (2013). Auditory effects of multiple impulses from seismic air gun on bottlenose dolphins (*Tursiops truncatus*). Third International Conference on the Effects of Noise on Aquatic Life, Budapest, Hungary.
- Seyle, H. (1950). *The Physiology and Pathology of Exposure to Stress*. Oxford, England: Acta, Inc. 203 pp.
- Shibuya, M., Kobayashi, M., Shitamichi, Y., Miyamoto, S., Murakami, K. (2016). Changes in haul-out use by spotted seals (*Phoca largha*) on Rebun Island, Hokkaido, Japan, in response to controls on harmful animals. *Russian Journal of Marine Biology*. 42(4), 341-350. doi:10.1134/S106307401604009X
- Sih, A., Alison, M.B., Jacob, L.K. (2004). Two Stressors are Far Deadlier than One. *Trends in Ecology and Evolution* 19(6), 274-276.
- Sills, J.M., Southall, B.L., Reichmuth, C. (2014). Amphibious hearing in spotted seals (*Phoca largha*): underwater audiograms, aerial audiograms and critical ratio measurements. *The Journal of Experimental Biology*. 217(Pt 5), 726-734. doi:10.1242/jeb.097469.
- Simila, T. (1997). Sonar observations of killer whales feeding on herring schools. *Aquatic Mammals*. 23(3), 119-126.
- Sivle, L.D., Kvadsheim, P.H., Cure, C., Isojunno, S., Wensveen, P.J., Lam, F.-P.A., Visser, F., Kleivane, L., Tyack, P.L., Harris, C.M., Miller, P.J.O. (2015). Severity of expert-identified behavioural responses of humpback whale, minke whale, and northern bottlenose whale to naval sonar. *Aquatic Mammals*. 41(4), 469-502.
- Smith, M.E., Kane, A.S., Popper, A.N. (2004a). Noise-induced stress response and hearing loss in goldfish. *Journal of Experimental Biology*. 207(3), 427-435.
- Smith, M.E., Kane, A.S., Popper, A.N. (2004b). Acoustical stress and hearing sensitivity in fishes: Does the linear threshold shift hypothesis hold water? *Journal of Experimental Biology*. 207(20), 3591-3602.
- Smith, B. D., Ahmed, B., Mowgli, R., Strindberg, S. (2008). Species occurrence and distributional ecology of nearshore cetaceans in the Bay of Bengal, Bangladesh, with abundance estimates for Irrawaddy dolphins *Orcaella brevirostris* and finless porpoises *Neophocaena phocaenoides*. *Journal of Cetacean Research and Management*. 10(1), 45-58.
- SMRU Ltd. (2012). Supporting Documentation for Global Predicted Density Data Unpublished Sea Mammal Research Unit (SMRU) Ltd. report. Scottish Oceans Institute, University of St. Andrews, Scotland. St Andrews, Fife, KY16 8LB, UK.
- Southall, B.L., Bowles, A.E., Ellison, W.T., Finneran, J.J., Gentry, R.L., Greene, Jr., C.R., Kastak, D., Ketten, D.R., Miller, J.H., Nachtigall, P.E., Richardson, W.J., Thomas, J.A., Tyack, P.L. (2007). Marine mammal noise exposure criteria: Initial scientific recommendations *Aquatic Mammals*. 33(4), 411-521.
- Southall, B., Calambokidis, J., Tyack, P., Moretti, D., Hildebrand, J., Kyburg, C., Carlson, R., Friedlaender, A.S., Falcone, E.A., Schorr, G.S., Douglas, A., De Ruiter, S.L., Goldbogen, J.

- A., Barlow, J. (2011). Biological and Behavioral Response Studies of Marine Mammals in Southern California, 2010 ("SOCAL-10") SOCAL-BRS [Project Report]. (pp. 29).
- Southall, B.L., Moretti, D., Abraham, B., Calambokidis, J., Tyack, P.L. (2012). Marine mammal behavioral response studies in Southern California: Advances in technology and experimental methods. *Marine Technology Society Journal*. 46, 46-59.
- Southall, B.L., Nowacek, D.P., Miller, P.J.O., Tyack, P. (2016). Experimental field studies to measure behavioral responses of cetaceans to sonar. *Endangered Species Research*. (31) 293-315.
- Southall, B.L., Finneran, J.J., Reichmuth, C., Nachtigall, P.E., Ketten, D.R., Bowles, A.E., Ellison, W.T., Nowacek, D.P., Tyack, P.L. (2019a). Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals*. 45, 125-232. doi: 10.1578/am.45.2.2019.125
- Southall, B.L., S.L. DeRuiter, A. Friedlaender, A.K. Stimpert, J.A. Goldbogen, E. Hazen, C. Casey, S. Fregosi, D.E. Cade, A.N. Allen, and C.M. Harris. (2019b). Behavioral responses of individual blue whales (*Balaenoptera musculus*) to mid-frequency military sonar. *Journal of Experimental Biology*. 222(5), p.jeb190637.
- Springer, A.M., Estes, J.A., van Vliet, G.B., Williams, T.M., Doak, D.F., Danner, E.M., Forney, K.A., Pfister, B. (2003). Sequential megafaunal collapse in the North Pacific Ocean: An ongoing legacy of industrial whaling? *Proceedings of the National Academy of Sciences of the United States of America*. 100(21), 12223-12228.
- Stafford, K.M., Nieuwkirk, S.L., Fox, C.G.. (1999b). Low-frequency whale sounds recorded on hydrophones moored in the eastern tropical Pacific. *The Journal of the Acoustical Society of America*. 106(6), 3687-3698.
- Steidle, R.J. Anthony, R.G., (1996). Responses of bald eagles to human activity during the summer in interior Alaska. *Ecological Applications*. 6(2), 482-491.
- Sutherland, W.J., Crockford, N.J. (1993). Factors affecting the feeding distribution of Red Breasted Geese wintering in Romania. *Biological Conservation*. vol 63, 61-65.
- Swingle, W.M., Barco, S.G., Pitchford, T.D., McLellan, W.A., Pabst, D.A. (1993). Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Marine Mammal Science*. 9(3), 309-315.
- Taylor, B., Barlow, J., Pitman, R., Balance, L., Klinger, T., DeMaster, D., Hildebrand, J., Urban, J., Palacios, D., Mead, J. (2004). A Call for Research to Assess Risk of Acoustic Impact on Beaked Whale Populations. SC/56/E36.
- Teilmann, J., Tougaard, J., Miller, L.A., Krketerp, T., Hansen, K., Brando, S. (2006). Reactions of captive harbor porpoises to pinger-like sounds. *Marine Mammal Science*. 22(2) 240-260.
- Thompson, D.R., Hamer K.C. (2000). Stress in Seabirds: Causes, consequences, and diagnostic value. *Journal of Aquatic Ecosystem Stress and Recovery*. 7(1), 91-109.

- Tillman, M.F. (1977). Estimates of population size for the North Pacific sei whale. Report of the International Whaling Commission Special Issue. 1, 98-106.
- Tougaard, J., Carstensen, J., Teilmann, J., Skov, H., Rasmussen, P. (2009). Pile driving zone of responsiveness extends beyond 20 km for harbor porpoises (*Phocoena, (L.)*). Journal of the Acoustical Society of America. 126: 11-14.
- Treves, A. (2000). Theory and method in studies of vigilance and aggregation. *Animal Behavior* 60(6), 711-722.
- Trimper, P.G., Standen, N.M., Lye, L.M., Lemon, D., Chubbs, T.E., Humphries, G.W. (1998). Effects of low-level jet aircraft noise on the behavior of nesting Osprey. *Journal of Applied Ecology*. 35(1), 122-130.
- Trites, A.W. and Bain, D.E. (2000). Short- and Long-Term Effects of Whale Watching on Killer Whales in British Columbia. IWC Workshop on the Long-Term Effects of Whale Watching. Earth Island.
- Trukhin, A.M. (2019). Spotted seal (*Phoca largha*) population increase in the Peter the Great Bay, Sea of Japan. *Marine Mammal Science*. doi:10.1111/mms.12588.
- Tyack, P. L. (2000). Functional aspects of cetacean communication. In J. Mann, R. C. Connor, P. L. Tyack, and H. Whitehead (Eds.), *Cetacean societies: Field studies of dolphins and whales*. Chicago, IL: University of Chicago Press.
- Tyack, P., Zimmer, W., Moretti, D., Southall, B., Claridge, D., Durban, J., Boyd, I. (2011). Beaked Whales Respond to Simulated and Actual Navy Sonar. *PLoS ONE*, 6(3), 15. doi: 10.1371/journal.pone.0017009
- Tyack, P.L., Johnson, M., Aguilar Soto, N., Sturlese, A., Madsen, P.T. (2006). Extreme deep diving of beaked whales. *Journal of Experimental Biology*. 209, 4238-4253.
- Tyne, J.A., Pollock, K.H., Johnston, D. W., Bejder, L. (2014). Abundance and survival rates of the Hawai'i Island associated spinner dolphin (*Stenella longirostris*) stock. *PloS ONE*. 9(1), e86132. doi: 10.1371/journal.pone.0086132
- Urick, R.J. (1983). *Principles of Underwater Sound*. New York, New York: McGraw-Hill Book Company.
- Vanderlaan, A.S., Taggart, C.T. (2007). Vessel Collisions with Whales: The Probability of Lethal Injury Based on Vessel Speed. *Marine Mammal Science*. 23(1), 144-156.
- Wade, P.R., Gerrodette, T. (1993). Estimates of cetacean abundance and distribution in the eastern tropical Pacific. Report of the International Whaling Commission. 43, 477-493.
- Ward, W.D. (Ed.). (1968). Proposed damage-risk criterion for impulsive noise (gunfire). Committee on Hearing, Bioacoustics and Biomechanics. National Research Council, National Academy of Sciences, Washington, D.C.
- Ward, W.D. (1997). Effects of high-intensity sound, In: M. J. Crocker (Ed.), *Encyclopedia of Acoustics* (pp. 1497-1507). New York, NY: Wiley.

- Wartzok, D., Ketten, D.R. (1999). Marine Mammal Sensory Systems. *Biology of Marine Mammals*. Smithsonian Institution Press, Pgs 117-175.
- Watkins, W.A., Tyack, P., Moore, K.E. (1987). The 20-Hz signals of finback whales (*Balaenoptera physalus*). *The Journal of the Acoustical Society of America*. 82(6), 1901-1912.
- Ward, D.H., Stehn, R.A., Erickson, W.P., Derksen, D.V. (1999). Response of Fall-Staging Brant and Canada Geese to Aircraft Overflights in Southwestern Alaska. *Journal of Wildlife Management*. 63(1), 373-381.
- Watkins, W.A., Moore, K.E., Tyack, P.L. (1985). Sperm Whale Acoustic Behaviors in the Southeast Caribbean. *Cetology*. Vol 49, 1-15.
- Watkins, W.A. (1986). Whale Reactions to Human Activities in Cape Cod Waters. *Marine Mammal Science* 2(4), 251-262.
- Watkins, W.A., Schevill, W.E. (1975). Sperm whales (*Physeter catodon*) react to pingers. *Deep-Sea Research*. 22, 123-129.
- WCS (Wildlife Conservation Society) Bangladesh. (2014). Proposal to establish a marine protected area in the Swatch-of-No-Ground submarine canyon and surrounding coastal waters in the Bay of Bengal. Prepared by the WCS Bangladesh Cetacean Diversity Project. 13 pages. Retrieved from <https://www.cbd.int/doc/meetings/mar/ebaws-2015-01/other/ebaws-2015-01-gobi-submission6-en.pdf>
- Wensveen, P.J., S. Isojunno, R.R. Hansen, A.M. von Benda-Beckmann, L. Kleivane, S. Van Ijsselmuide, F.P.A. Lam, P.H. Kvadsheim, S.L. DeRuiter, C. Curé, T. Narazaki. (2019). Northern bottlenose whales in a pristine environment respond strongly to close and distant navy sonar signals. *Proceedings of the Royal Society B*. 286(1899), p.20182592.
- Welch, B.L., Welch, A.S. (1970). *Physiological Effects of Noise*. Plenum Press.
- White, D. JR., Kendall, K.C., Picton, H.D. (1999). Potential energetic effects of mountain climbers on foraging grizzly bears. *Wildlife Society Bulletin*. 27(1), 146-151.
- White, C.M., Thurow, T.L. (1985). Reproduction of Ferruginous Hawks Exposed to Controlled Disturbance. *The Condor*. 87(1), 14-22.
- Whitehead, H. (2003). *Sperm Whales: Social Evolution in the Ocean*. The University of Chicago, Chicago.
- Wiley, D.N., Asmutis, R.A., Pitchford, T.D., Gannon, D.P. (1995). Stranding and Mortality of Humpback Whales in the Mid-Atlantic and Southeast United States, 1985-1992. *Fishery Bulletin*. 93(1), 196-205.
- Williams, R., Erbe, C., Ashe, E. Beerman, A., Smith, J. (2014a). Severity of killer whale behavioral responses to ship noise: A dose-response study. *Marine Pollution Bulletin*. 79(1-2), 254-260.
- Williams, R., Clark, C.W., Ponirakis, D., Ashe, E. (2014b). Acoustic quality of critical habitats for three threatened whale populations. *Animal Conservation*. 17(2), 174-185.

- Williams, R., Bain, D.E., Smith, J.C., Lusseau, D. (2009). Effects of vessels on behaviour patterns of individual Southern Resident Killer Whales. *Endangered Species Research*. Vol. 6, 199-209.
- Williams, R., Erbe, A. (2006). Northern Resident Killer Whale Responses to Vessels Varied with Number of Boats. Final Report to NOAA Fisheries, January 21, 2006.
- Wood, W., Yezerinac, S. (2006). Song Sparrow (*Melospiza melodia*) song varies with Urban Noise. *The Auk*. 123, 650-659.
- Wright, A. (2008). What's all the Noise About? A Call for Lowering Underwater Noise from Ships. *Marine Technology Reporter*, Vol. 5.
- Wright, A.J. (2015). Sound science: Maintaining numerical and statistical standards in the pursuit of noise exposure criteria for marine mammals. *Frontiers in Marine Science*. 2, 99.
- Yan, H.-K., Wang, N., Wu, N., Lin, W.-n. (2018). Abundance, habitat conditions, and conservation of the largha seal (*Phoca largha*) during the past half century in the Bohai Sea, China. *Mammal Study*. 43 (1), 1-9. doi:10.3106/ms2017-0027
- Yarmoloy, C., Bayer, M., Geist, V. (1988). Behavior responses and reproduction of mule deer does following harassment with an all-terrain vehicle. *Canadian Field Naturalist*. 102(3), 425-429.
- Yazvenko, S.B., McDonald, T.L., Blokhin, S.A., Johnson, S.R., Melton, H.R., Newcomber, M.W., Nielson, R., Wainwright, P.W. (2007). Feeding of Western Gray Whales During a Seismic Survey Near Sakhalim Island, Russia. *Environmental Monitoring Assessment*. 134(93). doi:10.1007/s10661-007-9810-3.
- Zaitseva, K.A., Morozov, V.P., Akopian, A.I. (1980). Comparative characteristics of spatial hearing in the dolphin *Tursiops truncatus* and man. *Neuroscience and Behavioral Physiology*. 10(2), 180-182.
- Zimmer, W.M.X., Tyack, P.L. (2007). Repetitive shallow dives pose decompression risk in deep-diving beaked whales. *Marine Mammal Science*. 23(4), 888-925.