

References

- ABR. 2016. Protected-Species Monitoring at the Kodiak Ferry Terminal & Dock Improvements Project, Kodiak, Alaska, 2015–2016.
- Ahroon, W.A., R.P. Hamernik, and S.-F., Lei. 1996. The effects of reverberant blast waves on the auditory system. *Journal of the Acoustical Society of America* 100:2247-2257.
- Allen, B.A. and R. P. Angliss 2015. Alaska Marine Mammal Stock Assessments 2014. NOAA Technical Memorandum. Anchorage AK, US Department of Commerce: 304pp.
- American National Standards Institute (ANSI). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- American National Standards Institute (ANSI). 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service, 60 pp.
- Au, W.W.L. and M. Hastings. 2008. Principles of Marine Bioacoustics. Springer-Verlag, New York.
- Caltrans. 2015. Guidance Document: Sound Propagation Modeling to Characterize Pile Driving Sounds Relevant to Marine Mammals. Sacramento, CA, CA Department of Transportation: 532 pp.
- Carlson, T.J., D.L. Woodruff, G.E. Johnson, N.P. Kohn, G.R. Ploskey, M.A. Weiland, et al. 2005. Hydroacoustic measurements during pile driving at the Hood Canal Bridge, September through November 2004. PNWD-3621, Prepared by Battelle Marine Sciences Laboratory for the Washington State Department of Transportation: 165 pp.
- Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. *Animal Conservation* 4(1):13-27.
- Dahlheim, M.E., P.A. White and J.M. Wait. (2009). Cetaceans of Southeast Alaska: Distribution and seasonal occurrence. *Journal of Biogeography* 36(3):410-426.
- Dahlheim, M.E., A N. Zerbini, J.M. Waite and A.S. Kennedy. 2015. Temporal changes in abundance of harbor porpoise (*Phocoena phocoena*) inhabiting the inland waters of Southeast Alaska. *Fishery Bulletin* 113(3): 242-255.
- Denes, S.L., G.A. Warner, M. Austin and A.O. MacGillivray. 2016. Hydroacoustic Pile Driving Noise Study - Comprehensive Report. Technical Report by JASCO Applied Sciences. Anchorage, AK, Alaska Department of Transportation & Public Facilities. Version 2.0.
- Ellison, W.T., B. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26(1):21-28.
- Everitt, R.D., C.H. Fiscus, and R.L. DeLong. 1980. Northern Puget Sound marine mammals. Interagency Energy/Environment R&D Program Report EPA-600/7-80-139, Prepared by National Marine Fisheries Service for Environmental Protection Agency 150pp.
- Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America* 138:1702-1726.

- Finneran, J.J. 2016. Auditory weighting functions and TTS/PTS exposure functions for marine mammals exposed to underwater noise. Technical Report. San Diego: SPAWAR.
- Finneran, J.J. and A.K. Jenkins. 2012. Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.
- Finneran, J.J., C.E. Schlundt, D.A. Carder, J.A. Clark, J.A. Young, J.B. Gaspin, and S.H. Ridgway. 2000. Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *Journal of the Acoustical Society of America* 108:417-431.
- Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* 111:2929-2940.
- Finneran, J.J., D.A. Carder, C.E. Schlundt, and S.H. Ridgway. 2005. Temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*) exposed to mid-frequency tones. *Journal of the Acoustical Society of America* 118 (4):2696-2705.
- Friday, N.A., A.N. Zerbini, J.M. Waite, S.E. Moore, and P.J. Clapham. 2013. Cetacean distribution and abundance in relation to oceanographic domains on the eastern Bering Sea shelf in June and July of 2002, 2008, and 2010. *Deep-Sea Res. II* 94:244-256.
- Haines. 2007. Haines Coastal Management Program - Final Plan Amendment. Juneau, AK, Haines Borough and Sheinberg Associates: 160 pp.
- Haines Borough Comprehensive Plan 2012. <https://www.hainesalaska.gov/cp2025>
- Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Technical report for Jones and Stokes to California Department of Transportation.
- Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America* 120(6):3463-3466.
- Henderson, D., B. Hu, and E. Bielefeld. 2008. Patterns and mechanisms of noise-induced cochlear pathology. pp. 195-217 In Schacht, J., A.N. Popper, and R.R. Fay (Eds.) *Auditory Trauma, Protection, and Repair*. New York: Springer.
- Jemison, L.A., G.W. Pendleton, K.K. Hastings, J.M. Maniscalco and L.W. Fritz. 2018. Spatial distribution, movements, and geographic range of Steller sea lions (*Eumetopias jubatus*) in Alaska." *PLoS One* 13(12): e0208093.
- Kastak, D., J. Mulsow, A. Ghaul, and C. Reichmuth. 2008. Noise-induced permanent threshold shift in a harbor seal: Abstract. *Journal of the Acoustical Society of America* 123:2986.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* 126(1):476-483.
- Kastelein, R.A., J. Schop, R. Gransier, and L. Hoek. 2014. Frequency of greatest temporary hearing threshold shift in harbor porpoise (*Phocoena phocoena*) depends on the noise level. *Journal of the Acoustical Society of America* 136:1410-1418.

- Kastelein, R.A., et al. 2016. Pile driving playback sounds and temporary threshold shift in harbor porpoises (*Phocoena phocoena*): Effect of exposure duration. *The Journal of the Acoustical Society of America* 139(5):2842-2851.
- Kryter, K.D., W.D. Ward, J.D. Miller, and D.H. Eldredge. 1966. Hazardous exposure to intermittent and steady-state noise. *Journal of the Acoustical Society of America* 39:451-464.
- Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whale watching impact assessment. *International Journal of Comparative Psychology* 201(2-3):228-236.
- Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America* 120(4):2366-2379.
- Marston, B.H., M.F. Willson and S.M. Gende. 2002. Predator aggregations during eulachon *Thaleichthys pacificus* spawning runs. *Marine Ecology Progress Series* 231: 229-236.
- Miller, J.D. 1974. Effects of noise on people. *Journal of the Acoustical Society of America* 56:729-764.
- Muto, M. *et al.* 2019. Alaska marine mammal stock assessments, 2018. U.S. Dep. Commerce, NOAA Tech. Memo. NMFS-AFSC-393, 390 pp.
- National Institute for Occupational Safety and Health (NIOSH). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.
- NMFS (2013). Status Review of the Eastern Distinct Population Segment of Steller Sea Lion (*Eumetopias jubatus*). Juneau, AK, U.S. Dept Commerce: 144 pp.
- National Marine Fisheries Service (NMFS). 2018. 2018 Revisions to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Department of Commerce, NOAA. NOAA Technical Memorandum NMFS-OPR-59, 169 pp.
- NMFS 2018b. Takes of Marine Mammals Incidental to Specified Activities; Taking Marine Mammals Incidental to the Haines Ferry Terminal Modification Project. *Federal Register* 83(24): 5063-5072.
- NMFS 2019. Takes of Marine Mammals Incidental to Specified Activities; Taking Marine Mammals Incidental to the Railroad Dock Dolphin Installation Project, Skagway, Alaska. *Federal Register* 84(33): 4777-4790.
- National Research Council (NRC). 2005. Marine mammal populations and ocean noise: Determining when noise causes biologically significant effects. National Academy of Sciences: 142 pp.
- Nedwell, J. and B. Edwards. 2002. Measurements of underwater noise in the Arun River during piling at County Wharf, Li.
- Nowacek, D.P., M.P. Johnson, and P.L. Tyack. 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London B: Biological Sciences* 271(1536):227-231.

- Oestman, R., D. Buehler, J. Reyff, and R. Rodkin. 2009. Technical guidance for assessment and mitigation of the hydroacoustic effects of pile driving on fish. Prepared by ICF Jones & Stokes and Illingworth & Rodkin, Inc. for the California Department of Transportation: 298 pp.
- Pearson, W.H., J.R. Skalski, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes spp.*). Canadian Journal of Fisheries and Aquatic Sciences 49:1343-1356.
- Popper, A.N. and M.C. Hastings. 2009. The effects of anthropogenic sources of sound on fishes. Journal of Fish Biology 75 (3):455-489.
- Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology 199(6):491-507.
- Reichmuth, C., A. Ghoul, J.M. Sillis, A. Rouse, and B.L. Southall. 2016. Low-frequency temporary threshold shift not observed in spotted or ringed seals exposed to single air gun impulses. Journal of the Acoustical Society of America 140:2648-2658.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. Marine Mammals and Noise. Academic Press, Inc., San Diego, CA.
- Scholik, A.R. and H.Y. Yan. 2001. The effects of underwater noise on auditory sensitivity of fish. Proceedings of the Institute of Acoustics 23(4):27.
- Scholik, A. R. and H. Y. Yan. 2002. The effects of noise on the auditory sensitivity of the bluegill sunfish, *Lepomis macrochirus*. Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology 133(1): 43-52.
- Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. Journal of the Acoustical Society of America 107:3496-3508.
- Sigler, M.F., J.N. Womble and J.J. Vollenweider. 2004. Availability to Steller sea lions (*Eumetopias jubatus*) of a seasonal prey resource: a prespawning aggregation of eulachon (*Thaleichthys pacificus*). Canadian Journal of Fisheries and Aquatic Sciences 61(8): 1475-1484.
- Skalski, J.R., W.H. Pearson, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes spp.*). Canadian Journal of Fisheries and Aquatic Sciences 49(7):1357-1365.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. Aquatic Mammals 33(4):411-521.
- Thorson, P. and J.A. Reyff. 2006. San Francisco-Oakland Bay Bridge East Span Seismic Safety Project: marine mammal and acoustic monitoring for the marine foundations at piers E2 and T1, January-September 2006. Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation, 51 p.
- Wade, P. et al. 2016. Estimates of abundance and migratory destination for North Pacific humpback whales in both summer feeding areas and winter mating and calving areas. Bled, Slovenia, International Whaling Commission.

- Ward, W.D., A. Glorig, and D.L. Sklar. 1958. Dependence of temporary threshold shift at 4 kc on intensity and time. *Journal of the Acoustical Society of America* 30:944-954.
- Ward, W.D., A. Glorig, and D.L. Sklar. 1959. Temporary threshold shift from octave-band noise: Application to damage-risk criteria. *Journal of the Acoustical Society of America* 31:522-528.
- Ward, W.D. 1960. Recovery from high values of temporary threshold shift. *Journal of the Acoustical Society of America* 32:497-500.
- Wartzok, D., and D.R. Ketten. 1999. Marine mammal sensory systems. pp 117-175 In J.E. Reynolds II & S.A. Rommel (Eds.), *Biology of Marine Mammals*. Washington, DC: Smithsonian Institution Press.
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37(4):6-15.
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* 201(2-3):159-168.
- Wolfe, R.J., J. Bryant, L.B. Hutchinson-Scarborough, M.A. Kookesh and L. Sill. 2013. The subsistence harvest of harbor seals and sea lions in Southeast Alaska in 2012. Anchorage, AK, Alaska Department of Fish and Game.
- Womble, J.N. 2003. Seasonal Distribution of Steller Sea Lions (*Eumetopias jubatus*) in Relation to High-quality Ephemeral Prey Species in Southeastern Alaska. MS, University of Alaska Fairbanks.
- Womble, J.N. and M.F. Sigler. 2006. Seasonal availability of abundant, energy-rich prey influences the abundance and diet of a marine predator, the Steller sea lion *Eumetopias jubatus*. *Marine Ecological Progress Series* 325: 281-293.
- Womble, J.N., M.F. Sigler and M.F. Willson. 2009. Linking seasonal distribution patterns with prey availability in a central-place forager, the Steller sea lion. *Journal of Biogeography* 36(3): 439-451.
- Womble, J.N., M.F. Willson, M.F. Sigler, B.P. Kelly and G.R. VanBlaricom. 2005. Distribution of Steller sea lions *Eumetopias jubatus* in relation to spring-spawning fish in SE Alaska. *Marine Ecology Progress Series* 294: 271-282.
- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134(1-3):93-106.